

Note: This datasheet may be out of date.

Please download the latest datasheet of DE6B3KJ221KA3BE01J from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=DE6B3KJ221KA3BE01J

DE6B3KJ221KA3BE01J




















Appearance & Shape







References

Packaging	Specifications	Standard
		Packing
		Quantity
В	Bulk(Bag)	250

Mass (typ.)	
1 piece	0.32g



Notices

X1/Y2 Class Certified Products、 Halogen-free Products、 Rated Voltage X1:440Vac(r.m. s.)/Y2:300Vac(r.m.s.)/1kVdc

1 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Note: This datasheet may be out of date. Please download the latest datasheet of DE6B3KJ221KA3BE01J from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=DE6B3KJ221KA3BE01J

DE6B3KJ221KA3BE01J



Specifications

L size or Outer diameter D	6.0mm max.
T size	6.0mm max.
Lead spacing F	7.5±1.0mm
Lead diameter d	0.6±0.05mm
Paint dripping e	Up to the end of crimp
Capacitance	220pF ±10%
Rated voltage	300Vac(r.m.s.)
Temperature characteristics	B(JIS)
Capacitance change rate	±10%
Temperature range of temperature characteristics	-25°C to 85°C
Operating Temperature Range	-40°C to 125°C

2 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Note: This datasheet may be out of date. Please download the latest datasheet of DE6B3KJ221KA3BE01J from the official website of Murata

http://www.murata.com/en-gb/products/productdetail?partno=DE6B3KJ221KA3BE01J


Manufacturing Co., Ltd.


DE6B3KJ221KA3BE01J





Characteristic Data


The charts below may show another part number which shares its characteristics.











3 of 4

-80 -100

200

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications

DE6B3KJ221KA3BE01J C-DC bias capchange, 20.(

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering






Product Search Data Sheet


Note: This datasheet may be out of date. ${\sf Please\ download\ the\ latest\ data sheet\ of\ DE6B3KJ221KA3BE01J\ from\ the\ official\ website\ of\ Murata}$ Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=DE6B3KJ221KA3BE01J

DE6B3KJ221KA3BE01J



DE6B3KJ221KA3BEO1J C-Temp. capchange, DCOV,



DE6B3KJ221KA3BEO1J S21 DCOV,2OdegC

4 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

