

Color: gray

Note on Packaging Unit (PU) and Subpackaging Unit (SPU): If you order a full PU, you will receive our eco-friendly, sustainable cardboard blisters packed in a shelf-ready box. If you order a quantity smaller than a full PU, you will receive the eco-friendly, sustainable cardboard blisters without a shelf-ready box.

Please refer to the system description for the splicing connectors that can be used.

Your benefits:

- Easy, fast and safe to use
- · Can be used immediately and accessed again later
- Silicon-free
- Label-free
- Suitable for indefinite storage
- The complete system consisting of WAGO's gelboxes and splicing connectors has been VDE-tested and IPX8-certified.

Connection data
Connection 1
Actuation type Locking system

Physical data	
Width	40.1 mm / 1.579 inches
Height	21.3 mm / 0.839 inches
Depth	57 mm / 2.244 inches

Mechanical Data	
Mounting type	Flying leads

Data Sheet | Item Number: 207-1433 https://www.wago.com/207-1433



Material Data	
Note (material data)	
	Information on material specifications can be found here
Color	gray
Housing material	Polypropylene
Fire load	0 MJ
Weight	35.4 g

Environmental requirements	
Ambient temperature (operation)	-55 +85 ℃
Surrounding air temperature (storage)	0+40 °C

Commercial data	
ETIM 8.0	EC001170
ETIM 7.0	EC001170
PU (SPU)	24 (2) pcs
Country of origin	IT
GTIN	4055144097306
Customs tariff number	85389099990

Approvals / Certificates

General approvals



Approval	Standard	Certificate Name
VDE VDE Prüf- und Zertifizie- rungsinstitut	EN 60669	400051938

Downloads
Environmental Product Compliance
Compliance Search
Environmental Product Compliance 207-1433

Documentation

System Description			Additional Information		
System Description 207 Series Gel boxes	pdf 1156.45 KB	$\underline{\checkmark}$	Technical Section	pdf 2142.18 KB	$\underline{\checkmark}$
System Description 207 Series Gel boxes	pdf 1191.37 KB	\downarrow			

Data Sheet | Item Number: 207-1433

https://www.wago.com/207-1433




Bid Text		
207-1433	xml 3.58 KB	$\underline{\checkmark}$
207-1433	docx 20.42 KB	\downarrow

CAD/CAE-Data	
CAD data	
2D/3D Models 207-1433	\downarrow

Installation Notes

Installation







Subject to changes. Please also observe the further product documentation!