

Final Product/Process Change Notification Document #:FPCN24635X

Issue Date:17 Nov 2022


Title of Change:	PQFN_88 Leadframe Change – Removal of selective Ag-plating on Die Attach Pad (DAP)	
Proposed First Ship date:	22 Feb 2023 or earlier if approved by customer	
Contact Information:	Contact your local onsemi Sales Office or Joseph.Mendoza@onsemi.com	
PCN Samples Contact:	Contact your local onsemi Sales Office. Sample requests are to be submitted no later than 30 days from the date of first notification, Initial PCN or Final PCN, for this change. Samples delivery timing will be subject to request date, sample quantity and special customer packing/label requirements.	
Additional Reliability Data:	Contact your local onsemi Sales Office or Aileen.Allado@onsemi.com	
Type of Notification:	This is a Final Product/Process Change Notification (FPCN) sent to customers. FPCNs are issued 90 days prior to implementation of the change. onsemi will consider this change accepted, unless an inquiry is made in writing within 30 days of delivery of this notice. To do so, contact PCN.Support@onsemi.com	
Marking of Parts/ Traceability of Change:	Affected products will be identified with date code.	
Change Category:	Assembly Change	
Change Sub-Category(s):	Manufacturing Process Change	

Sites Affected:

onsemi Sites	External Foundry/Subcon Sites
onsemi Cebu, Philippines	None

Description and Purpose:

Removal of selective Ag-plating on Die Attach pad (DAP). This is to consolidate two leadframe parts, i.e., Bare Cu DAP, and with selective Ag plated DAP, into one LF Part – Bare Cu DAP.



There is no product marking change as a result of this change.

TEM001793 Rev. F Page 1 of 2



Final Product/Process Change Notification

Document #:FPCN24635X Issue Date:17 Nov 2022

Reliability Data Summary:

QV DEVICE NAME: FCMT199N60

RMS: F80338

PACKAGE: PQFN_88

Test	Specification	Condition	Interval	Results
HTSL	JESD22-A103	Ta= 150 °C	1,008 hrs	0/240
TC	JESD22-A104	Ta= -55°C to +150°C	1,000 cyc	0/240
uHAST	JESD22-A118	130°C, 85% RH, 18.8psig, unbiased	96 hrs	0/240
PC	J-STD-020 JESD-A113	MSL 1 @260 °C, Pre IOL, TC, uHAST, HAST for surface mount pkgs only		0/480
SD	JSTD002	Ta = 245C, 5 sec		0/66

Electrical Characteristics Summary:

Electrical characteristics are not impacted.

List of Affected Parts:

Note: Only the standard (off the shelf) part numbers are listed in the parts list. Any custom parts affected by this PCN are shown in the customer specific PCN addendum in the PCN email notification, or on the **PCN Customized Portal**.

Part Number	Qualification Vehicle
FCMT299N60	FCMT199N60
FCMT199N60	FCMT199N60

TEM001793 Rev. F Page 2 of 2