

AMP | Heavy Duty Sealed Connector Series

TE Internal #: 4-2358263-1 Housing for Female Terminals, Wire-to-Wire, 13 Position, 5 mm / 4 mm / 7.5 mm Centerline, Sealable, Blue, Heavy Duty Sealed Connector Series

#### View on TE.com >

Connectors > Automotive Connectors > Automotive Housings > Heavy Duty Sealed Connector Series Housings



Connector & Housing Type: Housing for Female Terminals

Mating Tab Width: 1.5 mm, 2.8 mm, 5.8 mm

Connector System: Wire-to-Wire

Number of Positions: 13

Centerline (Pitch): 4 mm, 5 mm, 7.5 mm

All Heavy Duty Sealed Connector Series Housings (204)



# Features

# Product Type Features

Connector Shape	Rectangular
Connector & Housing Type	Housing for Female Terminals
Connector System	Wire-to-Wire
Sealable	Yes
Hybrid Connector	Yes
Primary Locking Feature	On the Terminal
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Blank Cavity Position	0
Number of Positions	13
Number of Rows	1, 2
Electrical Characteristics	

## 4-2358263-1

Housing for Female Terminals, Wire-to-Wire, 13 Position, 5 mm / 4 mm / 7.5 mm Centerline, Sealable, Blue, Heavy Duty Sealed Connector Series



Operating Voltage	60 VDC
Nominal Voltage Architecture	12 V, 24 V, 42 V, 60 V
Body Features	
Cable Exit Angle	180°, 90°
Primary Product Color	Blue
Connector & Keying Code	D
Contact Features	
Contact Size	1.5K, 2.8mm, 4.8K, 6.3mm
Contact Type	Receptacle
Contact Type Mating Tab Width	Receptacle 1.5 mm, 2.8 mm, 5.8 mm
Mating Tab Width	
Mating Tab Width	
Mating Tab Width           Mechanical Attachment	1.5 mm, 2.8 mm, 5.8 mm
Mating Tab Width Mechanical Attachment Terminal Position Assurance	1.5 mm, 2.8 mm, 5.8 mm No
Mating Tab Width Mechanical Attachment Terminal Position Assurance Strain Relief	1.5 mm, 2.8 mm, 5.8 mm No Without
Mating Tab Width Mechanical Attachment Terminal Position Assurance Strain Relief Mating Alignment Type	1.5 mm, 2.8 mm, 5.8 mm No Without Keyed

# Housing Features

Housing Material	PBT GF
Centerline (Pitch)	4 mm, 5 mm, 7.5 mm
Dimensions	
Connector Height	31.25 mm
Product Width	25.7 mm
Product Length	67.2 mm
Row-to-Row Spacing	6 mm
Usage Conditions	
Operating Temperature Range	-40 – 140 °C
Operation/Application	
Circuit Application	Power & Signal
Industry Standards	
Degree of Protection	IP67, IP69K
UL Flammability Rating	UL 94V-0
Packaging Features	

**L** For support call+1 800 522 6752

## 4-2358263-1

Housing for Female Terminals, Wire-to-Wire, 13 Position, 5 mm / 4 mm / 7.5 mm Centerline, Sealable, Blue, Heavy Duty Sealed Connector Series



Packaging Method	Box	
Other		
Serviceable	Yes	
Connector Position Assurance Capable	No	

# **Product Compliance**

#### For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2023 (233) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach


# **Compatible Parts**



## 4-2358263-1

Housing for Female Terminals, Wire-to-Wire, 13 Position, 5 mm / 4 mm / 7.5 mm Centerline, Sealable, Blue, Heavy Duty Sealed Connector Series





# Also in the Series | Heavy Duty Sealed Connector Series |

# Documents

**Product Drawings** 13POS, REC HSG ASSY, SLD, COD D

English

### **CAD** Files

### 3D PDF

3D

**Customer View Model** 

### ENG\_CVM\_CVM\_4-2358263-1\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_4-2358263-1\_A.3d\_igs.zip

English

**Customer View Model** ENG\_CVM\_CVM\_4-2358263-1\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

**Product Specifications Product Specification** 

English