AMP | Round Connector System


TE Internal #: 962972-1

Automotive Terminals, Pin, Pin Diameter 2.5 mm [.098 in], 17 - 13 AWG Wire Size, 1 - 2.5 mm² Wire Size, Sealable, Round Connector System

View on TE.com >



Terminals & Splices > Automotive Terminals > ROUND CONNECTOR SYSTEM, PIN AND SOCKET



Terminal Type: Pin

Mating Pin Diameter: 2.5 mm [.098 in]
Terminal Transmits: 25 – 40 A (Power)

Wire Size: 1 – 2.5 mm²

All ROUND CONNECTOR SYSTEM, PIN AND SOCKET (74)

Features

Product Type Features

Receptacle Style	180°
Sealable	Yes
Primary Locking Feature	Locking Lance

Body Features

Terminal Seal Type	Single Wire Seal (SWS)
--------------------	------------------------

Contact Features

Contact Size	2.5mm
Contact Fabrication	Stamped & Formed
Wire Contact Termination Area Plating Material	Tin
Crimp Type	F-Crimp
Terminal Type	Pin
Mating Pin Diameter	2.5 mm[.098 in]
Interface Plating	Tin (Sn)

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

Dimensions



Compatible Insulation Diameter Range	2.2 – 3 mm[.086 – .118 in]
Wire Size	$1 - 2.5 \text{ mm}^2$
Wire Size Search	13 AWG, 14 AWG, 15 AWG, 16 AWG, 17 AWG
Usage Conditions	
Insulation Option	Uninsulated
Operating Temperature (Max)	80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C, 130 °C[176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F][266 °F]
Operating Temperature Range	-40 – 130 °C[-40 – 266 °F]
Operation/Application	
Compatible With Wire Base Material	Copper
Industry Standards	
Agency/Standard	AK
Packaging Features	
Packaging Quantity	500
Packaging Method	Box
Other	

Product Compliance

Terminal Transmits

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2023 (233) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

25 – 40 A (Power)



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts



TE Part # 58606-1 PROCRIMP 1.5 & 2.5MM PIN/SEAL















TE Part # 1579024-5 HT33-SDE HAND TOOL 1.5, 2.5 DIA. CONTACT

Also in the Series | Round Connector System



Automotive Connector Caps & Covers



Automotive Housings(16)



Automotive Seals & Cavity Plugs(3)



Automotive Terminals(74)





Customers Also Bought





















Documents

Product Drawings 2,5MMD PIN CONTACT

English

CAD Files

Customer View Model ENG_CVM_962972-1_A2.3d_igs.zip

English

Customer View Model



ENG_CVM_962972-1_A2.3d_stp.zip

English

Customer View Model

ENG_CVM_962972-1_A2.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

CONNECTOR SELECTOR

English