MP200 PXE™ SERIES Mobile Printer









PXE[™] SERIES Mobile Printers

Do your job smarter, faster and easier with PXE Series Mobile Printers. This full line of advanced identification printers combine Panduit's industry-leading performance and field-tested durability with Epson's world-class printing technology.



MP200 Mobile Label Printer

Better features and performance including PC connectivity for printing from a preferred software.

FEATURES:

- Shared MP Cassette Platform
- 180 dpi print resolution
- Automatic cutter with full or half cut
- Fast 1.2 in/sec print speed
- Up to 1.0 in wide label media
- Prints continuous labels only
- USB connectivity
- Prints from Easy-Mark Plus™ Software
- Magnetic attachment accessory*
- Rechargeable battery pack*
- Application specific label modes

*These features come with the MP200-KIT.



Easy-Mark Plus™ Software

- Common templates to easily create and print all electrical and network applications
- 11 languages included
- Available for USB flash drive, CD, web download or network server-based version
- Works with Panduit portable and desktop thermal transfer printers, Panduit embossing systems and other laser jet and ink jet printers
- A free 90 day trial version is available from www.panduit.com





PORTABLE LABEL PRINTER PARTNER

Epson™ Print Technology

Epson is a global technology leader dedicated to connecting people, things and information with efficient, compact and precision technologies.

Panduit[™] Labeling and Software Expertise

Panduit creates leading-edge labeling solutions for electrical and network environments, from the data center to the telecom room, the jobsite to the plant floor.





Highlights



Continuous Self-Laminating Labels



Flag Labels



Continuous Tapes



Patch Panel / Face Plate Labels



Mixed Length Labels




High printing speed



Half cut function



Front loading cassette



Less margin waste



Magnetic attachment



Label retention after cutting

Ordering Information

Printers and Accessories





MP200 KIT



	L

Part Number	Description
MP200	The MP200 printer is a rugged, high performance, economical industrial printer. It features fast print speeds up to 1.2"/sec, a powered cutter allowing both full and half cuts, a large LCD backlit screen, custom label modes, barcodes and symbols. The MP200 prints continuous tapes up to 1.0" wide for network, electrical, and other industrial applications. It comes with the printer, one T100X000VPM-BK continuous label cassette, and quick reference card. For use globally.
MP200 KIT	The MP200-KIT printer is a rugged, high performance, economical industrial printer. It features fast print speeds up to 1.2"/sec, a powered cutter, a large LCD backlit screen, custom label modes, barcodes and symbols. The MP200 prints continuous tapes up to 1.0" wide for network, electrical, and other industrial applications. It comes with the printer, one T100X000VPM-BK continuous label cassette, hard carrying case, rechargeable battery pack, magnetic feet, USB cable, and power adapter. For use in North America.
MP200/E-KIT	The MP200/E-KIT printer is a rugged, high performance, economical industrial printer. It features fast print speeds up to 1.2"/sec, a powered cutter, a large LCD backlit screen, custom label modes, barcodes and symbols. The MP200 prints continuous tapes up to 1.0" wide for network, electrical, and other industrial applications. It comes with the printer, one T100X000VPM-BK continuous label cassette, hard carrying case, rechargeable battery pack, magnetic feet, USB cable, and power adapter. For use outside North America.
MP-ACS-1	The MP-ACS-1 12-240 VAC Universal Power Adapter is designed for use with the MP100 and MP200 mobile printers. The universal power adapter is RoHS Compliant. The adapter is black and comes 1 per package. For use in North America.
MP-BATT	The MP-BATT Li-lon Rechargeable Replacement Battery Pack is designed for use with the MP200 and MP300 mobile printers. The battery pack is RoHS Compliant. The battery is gray and comes 1 per package. For use in North America.
MP-CASE	The MP-CASE is a Replacement Hard Carrying Case designed for the MP200 and MP300 mobile printers. The case is RoHS Compliant. The case is 15.57 inches L x 11.74 inches W (395.4 mm x 298.4 mm). It is black and comes 1 per package.
PTR-CLN	Printer cleaning kit - contains (1) cleaning pen, (8) cleaning solution soaked wipes, (8) foam swabs pre-saturated with cleaning solution, MSDS, and cleaning instructions

Part Number	Description
EMPLUS-CD	Easy-Mark Plus™ Labeling Software, CD-ROM.
EMPLUS-DL	Easy-Mark Plus™ Labeling Software, online download.
EMPLUS-2GO	Easy-Mark Plus™ Portable Application, USB flash drive.
EMPLUS-SERVER	Easy-Mark Plus™ Labeling Software, networkable server based version.

Easy-Mark Plus Labeling Software is sold separately, not included with PXE Printers







Continuous Self-Laminating Labels

- Fast-loading Label Cassette includes both label material and ribbon to make changing labels easy
- Self-laminating adhesive labels for wire/cable identification include a white print-on area and clear over-laminate



Self-Laminating Vinyl (VA)



-40°F to 150°F (-40°C to 66°C)

		Printer Compatibility		Print-On Area					Print-On Area Width		Min. Cable O.D.		Max. Cable O.D.		Wire/ Cable	Std. Pkg.	Std. Ctn.		
Part Number	Part Description	MP75	MP100	MP200	MP300		ln.	mm	Ft.	m	ln.	mm	ln.	mm	ln.	mm	Size Range	Qty.	Qty.
S000X100VAM	MP Cassette, Continuous Self-Lam Tape, Vinyl, 1.0" W x 26' L, White	N	Y	Y	Υ	White	0.945	24	26.2	8.0	0.315	8	0.10	2.5	0.20	5.1	12 – 10 AWG	1	5

Representative offering only, visit www.panduit.com for complete listing of products.



Non-Laminated Label Cassettes

- Fast-loading Label Cassette includes both label material and ribbon to make changing labels easy
- · Non-laminated adhesive labels for wire/cable identification



Nylon Cloth (C1M)



-65°F to 275°F (-54°C to 135°C)

		Pi	rinter Co	mpatibil	ity	Print-On	Height		Length		Std.	Std.
Part Number	Part Description	MP75	MP100	MP200	MP300	Area Color	ln.	mm	Ft.	m	Pkg. Qty.	Ctn. Qty.
T050X000C1M-BK	MP Cassette, Continuous Tape, Nylon Cloth, 0.50" W x 19' L, Black on White	V	N	Y	Y	Black on White	0.465	11.82	19	6	1	
T075X000C1M-BK	MP Cassette, Continuous Tape, Nylon Cloth, 0.75" W x 19' L, Black on White	Y					0.702	17.82				5
T100X000C1M-BK	MP Cassette, Continuous Tape, Nylon Cloth, 1.00" W x 19' L, Black on White	N					0.938	23.82				

Representative offering only, visit www.panduit.com for complete listing of products.







Continuous Heat Shrink Labels

- Fast-loading Label Cassette includes both label material and ribbon to make changing labels easy
- Non-adhesive flattened heat shrinkable polyolefin for wire/cable identification



Heat Shrinkable Polyolefin 3:1 Heat Shrink Ratio (H1, H2)

Heat Shrinkable Polyolefin 2:1 Heat Shrink Ratio (HP, HX)



-40°F to 257°F (-40°C to 125°C)


-67°F to 257°F (-55°C to 125°C)

				Pi	rinter Co	mpatibi	lity	Ribbon &	Wi	Width Le		Width Ler		ngth		in. ∋ O.D.	Max. Cable O.D		Wire/ Cable		Std.		
Part Number	Part Description	Shrink Ratio	Mil Spec	MP75	MP100	MP200	MP300	Material Color	ln.	mm	Ft.	m	ln.	mm	ln.	mm		Qty.					
H000X025H1M	MP Cassette, Continuous Heat Shrink Tubing, Mil Grade Polyolefin, .25" W x 8' L, White							Black on White	0.27	6.8			0.06	1.4	0.16	4.1	22 - 18						
H000X025H2M	MP Cassette, Continuous Heat Shrink Tubing, Mil Grade Polyolefin, .25" W x 8' L, Yellow			Y					Black on Yellow	0.27	0.8			0.06	1.4	0.16	4.1	AWG					
H000X034H1M	MP Cassette, Continuous Heat Shrink Tubing, Mil Grade Polyolefin, .34" W x 8' L, White	3:1	Y		E	Black on White	0.37	.37 9.3		0.07	1.9	0.22	5.7	18 - 12									
H000X034H2M	MP Cassette, Continuous Heat Shrink Tubing, Mil Grade Polyolefin, .34" W x 8' L, Yellow	3.1	T					Black on Yellow	0.37	9.5			0.07	1.5	0.22	0.7	AWG						
H000X044H1M	MP Cassette, Continuous Heat Shrink Tubing, Mil Grade Polyolefin, .44" W x 8' L, White								Y	Y	Y	Black on White	0.40	10.0	0.0	8.2 2.5	0.09	0.4	0.2	7.6	16 - 8		5
H000X044H2M	MP Cassette, Continuous Heat Shrink Tubing, Mil Grade Polyolefin, .44" W x 8' L, Yellow						Ť	1		Black on Yellow	0.46	12.3	6.2	2.5	0.09	2.4	0.3	7.0	AWG	1	5		
H000X064HPM	MP Cassette, 2:1 Continuous Heat Shrink Tubing, Polyolefin, .64" W x 8' L, White						E	Black on White	0.74	10.0					0.40		8 - 2	-					
H000X064HXM	MP Cassette, 2:1 Continuous Heat Shrink Tubing, Polyolefin, .64" W x 8' L, Yellow	0.4		N				Black on Yellow	0.71	18.0			0.21	5.3	0.43	10.9	AWG						
H000X084HPM	MP Cassette, 2:1 Continuous Heat Shrink Tubing, Polyolefin, .84" W x 8' L, White	2:1	N								Black on White	0.07	00.5			0.00	0.4	0.54	13.7	4 - 1			
H000X084HXM	MP Cassette, 2:1 Continuous Heat Shrink Tubing, Polyolefin, .84" W x 8' L, Yellow							Black on Yellow	0.87	7 22.5			0.32	8.1	0.54	13.7	AWG						

Representative offering only, visit www.panduit.com for complete listing of products.







Continuous Terminal Block Label Cassettes

- Fast-loading Label Cassette includes both label material and ribbon to make changing labels easy
- Print terminal block labels ranging in size from 0.24 inches to 0.38 inches





		Pı	inter Co	mpatibil	ity	Print-On	Height		Length		Std.	
Part Number	Part Description	MP75	MP100	MP200	MP300	Area Color	ln.	mm	Ft.	m	Pkg. Qty.	Ctn. Qty.
T024X000FJM-BK	MP Cassette, Continuous Tape, Polyolefin, 0.24" W x 23' L, Black on White		Y			Black on White	0.229	5.82	00	7		_
T038X000FJM-BK	MP Cassette, Continuous Tape, Polyolefin, 0.38" W x 23' L, Black on White	Y		Y	Y		0.347	8.82	23		1	5

Representative offering only, visit www.panduit.com for complete listing of products.



Like what you see? Want more?

Visit <u>panduit.com/mobileprinters</u> for the full offering of Panduit products








Continuous Tape Cassettes

- Fast-loading Label Cassette includes both label material and ribbon to make changing labels easy
- Print custom pipe markers, voltage markers, signs, bin markers, and network ID labels on demand
- For flat label applications only







-40°F to 257°F (-40°C to 125°C)



14°F to 104°F (-10°C to 40°C)

		P	rinter Co	mpatibili	ty	Ribbon &	Wi	dth	Lei	ngth	Std. Pkg.	Sto		
Part Number	Part Description	MP75	MP100	MP200	MP300	Material Color	ln.	mm	Ft.	m	Qty.	Qty		
T038X000VPM-BK	MP Cassette, Continuous Tape, Vinyl, 0.38" W x 23' L, Black on White.					Black on White			23	7.0				
T038X000VXM-BK	MP Cassette, Continuous Tape, Vinyl, 0.38" W x 23' L, Black on Yellow.					Black on Yellow	0.354	9.0	23	7.0				
T038X000YKM-BK	MP Cassette, Continuous Tape, Polyester, 0.38" W x 30' L, Black on Clear.					Black on Clear	0.354	9.0	30	9.1				
T038X000BYM-WH	MP Cassette, Continuous Tape, Polyester, 0.38"" W x 30' L, White on Black.	ester, White o			White on Black			30	9.1					
T050X000VPM-BK	MP Cassette, Continuous Tape, Vinyl, 0.50" W x 23' L, Black on White.					Black on White			23	7.0				
T050X000VXM-BK	MP Cassette, Continuous Tape, Vinyl, 0.50" W x 23' L, Black on Yellow.	Y				Black on Yellow	0.472	12.0	23	7.0				
T050X000YKM-BK	MP Cassette, Continuous Tape, Polyester, 0.50" W x 30' L, Black on Clear.	r				Black on Clear	0.472	12.0	30	9.1				
T050X000BYM-WH	MP Cassette, Continuous Tape, Polyester, 0.50" W x 30' L, White on Black.					White on Black			30	9.1				
T075X000VPM-BK	MP Cassette, Continuous Tape, Vinyl, 0.75" W x 23' L, Black on White.					Black on White			23	7.0	1			
Г075X000VXM-ВК	MP Cassette, Continuous Tape, Vinyl, 0.75" W x 23' L, Black on Yellow.					Black on Yellow	0.710	18.0	20	7.0				
T075X000YKM-BK	MP Cassette, Continuous Tape, Polyester, 0.75" W x 30' L, Black on Clear.		Y	Y	Υ	Black on Clear	0.710	10.0	30	9.1		5		
T075X000BYM-WH	MP Cassette, Continuous Tape, Polyester, 0.75" W x 30' L, White on Black.		<u>'</u>	ľ		White on Black			30	9.1	'	3		
Г100Х000МРМ-ВК	MP Cassette, Continuous Tape, Magnetic, 1.00" W x 4.9' L, Black on White.							Black on White			4.9	1.5		
T100X000MXM-BK	MP Cassette, Continuous Tape, Magnetic, 1.00" W x 4.9' L, Black on Yellow.					Black on Yellow			4.9	1.5				
T100X000VPM-BK	MP Cassette, Continuous Tape, Vinyl, 1.00" W x 23' L, Black on White.					Black on White			23	7.0				
T100X000VXM-BK	MP Cassette, Continuous Tape, Vinyl, 1.00" W x 23' L, Black on Yellow.					Black on Yellow			23	7.0				
T100X000YKM-BK	MP Cassette, Continuous Tape, Polyester, 1.00" W x 30' L, Black on Clear.	N				Black on Clear	0.945	24.0						
T100X000BQM-WH	MP Cassette, Continuous Tape, Polyester, 1.00"" W x 30' L, White on Blue.				White on Blue	0.943	24.0							
<u>Г100X000BSM-WH</u>	MP Cassette, Continuous Tape, Polyester, 1.00"" W x 30' L, White on Green.				White on Green			30	9.1					
Г100X000BUM-BK	MP Cassette, Continuous Tape, Polyester, 1.00" W x 30' L, Black on Orange.					Black on Orange			30	3.1				
Г100X000BWM-WH	MP Cassette, Continuous Tape, Polyester, 1.00" W x 30' L, White on Red.					White on Red								
T100X000BYM-WH	MP Cassette, Continuous Tape, Polyester, 1.00" W x 30' L, White on Black.					White on Black								





Mid-Range Mobile Printer Comparison









FEATURES	MP200	BMP21-PLUS	PT-E300M	Rhino 4200
Price	\$\$	\$\$	\$\$	\$\$
Label Width	1.0 in.	0.75 in.	0.7 in.	0.75 in.
Label Offering	****	****	***	***
Print Speed	1.2 lps	0.4 lps	0.8 lps	0.6 lps
Cutter	Automatic: Full and Half Cutting	Manual	Manual	Manual
Barcode, Symbols & File Storage	****	**	***	**
PC Interface and Connectivity	EasyMark Plus Labeling Software/USB	None	None	None

Competitive comparison based on published specifications.

PXE SERIES









WORLDWIDE SUBSIDIARIES AND SALES OFFICES

PANDUIT CANADA Markham, Ontario cs-cdn@panduit.com Phone: 800.777.3300 PANDUIT EUROPE LTD. London, UK cs-emea@panduit.com Phone: 44.20.8601.7200 PANDUIT SINGAPORE PTE. LTD. Republic of Singapore cs-ap@panduit.com

Phone: 65.6305.7575

PANDUIT JAPAN Tokyo, Japan cs-japan@panduit.com Phone: 81.3.6863.6000 PANDUIT LATIN AMERICA Guadalajara, Mexico cs-la@panduit.com Phone: 52.33.3777.6000 PANDUIT AUSTRALIA PTY. LTD. Victoria, Australia cs-aus@panduit.com Phone: 61.3.9794.9020

For a copy of Panduit product warranties, log on to www.panduit.com/warranty



For more information Visit us at www.panduit.com Contact Customer Service by email: cs@panduit.com or by phone: 800.777.3300