

# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Trade name or designation	GROOM FOAMING UPHOLSTERY CLEANER
of the mixture	
Registration number	-
Synonyms	None.
Product code	UDS000647AE
Issue date	09-November-2022
Version number	1.0
Revision date	09-November-2022
1.2. Relevant identified uses of the	ne substance or mixture and uses advised against
Identified uses	Cleaners - Heavy duty
Uses advised against	None known.
1.3. Details of the supplier of the	safety data sheet
Company name	CRC Industries UK Ltd.
Address	Wylds Road
	Castlefield Industrial Estate
	TA6 4DD Bridgwater Somerset
	United Kingdom
Telephone	+44 1278 727200
Fax	+44 1278 425644
E-mail	hse.uk@crcind.com
Website	www.crcind.com
Company name	CRC Industries Europe bv
Address	Touwslagerstraat 1
	9240 Zele
	Belgium
Telephone	+32(0)52/45.60.11
Fax	+32(0)52/45.00.34
E-mail	hse@crcind.com
Website	www.crcind.com

1.4. Emergency telephone number

Tel.:(+44)(0)1278 72 7200 (office hours: 9-17h GMT)

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

## Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards		
Aerosols	Category 1	H222 - Extremely flammable aerosol. H229 - Pressurized container: May burst if heated.
Health hazards		
Serious eye damage/eye irritation	Category 2	H319 - Causes serious eye irritation.

## 2.2. Label elements

Label according to Regulation (	EC) No. 1272/2008 as amended
Hazard pictograms	
Signal word	Danger
Hazard statements	
H222	Extremely flammable aerosol.
H229	Pressurized container: May burst if heated.
H319	Causes serious eye irritation.
Precautionary statements	
Prevention	
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
Response	Not assigned.
Storage	
P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Supplemental label information	According to Regulation (EC) No. 648/2004 on Detergents, as amended; Contains: Benzyl alcohol;. perfumes anionic surfactants <5% non-ionic surfactants <5% aliphatic hydrocarbons 5-15%
2.3. Other hazards	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

## **General information**

Chemical name	%	CAS-No. / EC No.	<b>REACH Registration No.</b>	Index No.	Notes
1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER	1 - 5	107-98-2 203-539-1	01-2119457435-35	603-064-00-3	#
Classification:	<sup>-</sup> lam. Liq.	3;H226, STOT SE 3;	H336		
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	1 - 5	- 926-141-6	01-2119456620-43	-	
Classification: /	Asp. Tox.	1;H304			
Propan-2-ol; Isopropyl alcohol; Isopropanol	1 - 5	67-63-0 200-661-7	01-2119457558-25	603-117-00-0	#
Classification:	-lam. Liq.	2;H225, Eye Irrit. 2;H	319, STOT SE 3;H336		
Glycine, N-methyl-N-(1-oxododecyl)-, sodium salt	<3	137-16-6 205-281-5	01-2119527780-39	-	
Classification: /	Acute Tox	. 2;H330, Skin Irrit. 2;	H315, Eye Dam. 1;H318		

#### List of abbreviations and symbols that may be used above

#: This substance has been assigned Union workplace exposure limit(s).

ATE: Acute toxicity estimate.

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### **Composition comments**

The full text for all H-statements is displayed in section 16.

## **SECTION 4: First aid measures**

**General information** 

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Inhalation	Mayo to freeh air. Coll a physician if aymptome develop or paraist
	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	In the unlikely event of swallowing contact a physician or poison control centre. Rinse mouth.
4.2. Most important symptoms and effects, both acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
4.3. Indication of any immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
SECTION 5: Firefighting m	leasures
General fire hazards	Extremely flammable aerosol.
5.1. Extinguishing media	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from the substance or mixture	Contents under pressure. Pressurised container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
Special fire fighting procedures	Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapour pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials. Use water spray to cool unopened containers. In the event of fire and/or explosion do not breathe

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

fumes.

6.1. Personal precautions, protect	ctive equipment and emergency procedures
For non-emergency personnel	Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
For emergency responders	Keep unnecessary personnel away. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.
6.2. Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
6.3. Methods and material for containment and cleaning up	Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material.
	Large Spills: Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Scoop up used absorbent into drums or other appropriate container. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use.
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

## **SECTION 7: Handling and storage**

7.1. Precautions for safe handling Pressurised container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Avoid contact with eyes. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C. Keep away from heat, sparks and open flame. This material can accumulate static charge which may cause spark and become an ignition source. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Keep container tightly closed. Store away from incompatible materials (see Section 10 of the SDS). Storage class (TRGS 510): 2B (Aerosol dispensers and lighters) Not available.

### 7.3. Specific end use(s)

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### **Occupational exposure limits**

Components	Туре	Value	
1-METHOXY-2-PROPANOL ; MONOPROPYLENE GLYCOL METHYL ETHER (CAS 107-98-2)	STEL	560 mg/m3	
		150 ppm	
	TWA	375 mg/m3	
		100 ppm	
Propan-2-ol; Isopropyl alcohol; Isopropanol (CAS 67-63-0)	STEL	1250 mg/m3	
		500 ppm	
	TWA	999 mg/m3	
		400 ppm	
logical limit values	No biological exposure limits noted	or the ingredient(s).	

Follow standard monitoring procedures.

# Recommended monitoring procedures

### Derived no effect levels (DNELs)

#### **General population**

Components	Value	Assessment factor	Notes
1-METHOXY-2-PROPANOL; MONOPRO	PYLENE GLYCOL METHYL	ETHER (CAS 107-98-2)	
Long-term, Systemic, Dermal	78 mg/kg bw/day	16.8	Repeated dose toxicity
Long-term, Systemic, Inhalation	43.9 mg/m3		Repeated dose toxicity
Long-term, Systemic, Oral	33 mg/kg bw/day	28	Repeated dose toxicity
Propan-2-ol; Isopropyl alcohol; Isopropano	ol (CAS 67-63-0)		
Long-term, Systemic, Dermal	319 mg/kg bw/day	2	Repeated dose toxicity
Long-term, Systemic, Inhalation	89 mg/m3	2	Repeated dose toxicity
Long-term, Systemic, Oral	26 mg/kg bw/day	2	Repeated dose toxicity
<u>Workers</u>			
Components	Value	Assessment factor	Notes
1-METHOXY-2-PROPANOL; MONOPRO	PYLENE GLYCOL METHYL	ETHER (CAS 107-98-2)	
Long-term, Systemic, Dermal	183 mg/kg bw/day	10.08	Repeated dose toxicity
Long-term, Systemic, Inhalation	369 mg/m3		Repeated dose toxicity
Short-term, Local, Inhalation	553.5 mg/m3		Neurotoxicity
Short-term, Systemic, Inhalation	553.5 mg/m3		Neurotoxicity
Propan-2-ol; Isopropyl alcohol; Isopropand	ol (CAS 67-63-0)		
Long-term, Systemic, Dermal	888 mg/kg bw/day	1	
Long-term, Systemic, Inhalation	500 mg/m3	1	
dicted no effect concentrations (PNECs)			
Components	Value	Assessment factor	Notes
1-METHOXY-2-PROPANOL; MONOPRO	PYLENE GLYCOL METHYL	ETHER (CAS 107-98-2)	
Freshwater	10 mg/l	100	
Sediment (freshwater)	52.3 mg/kg		
Soil	4.59 mg/kg		
STP	100 mg/l	10	
Propan-2-ol; Isopropyl alcohol; Isopropano	ol (CAS 67-63-0)		
Freshwater	140.9 mg/l	1	
Secondary poisoning	160 mg/kg	30	Oral
Sediment (freshwater)	552 mg/kg		

Material name: GROOM FOAMING UPHOLSTERY CLEANER - Ambersil - europe UDS000647AE Version #: 1.0 Revision date: 09-November-2022 Issue date: 09-November-2022

Soil	28 mg/kg
Exposure guidelines	
UK EH40 WEL: Skin design	nation
1-METHOXY-2-PROPAN GLYCOL METHYL ETH	NOL; MONOPROPYLENE Can be absorbed through the skin. ER (CAS 107-98-2)
8.2. Exposure controls	
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.
Individual protection measures	, such as personal protective equipment
General information	Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
Eye/face protection	Wear safety glasses with side shields (or goggles). Use eye protection conforming to EN 166.
Skin protection	
- Hand protection	When handling the product wear chemical-resistant gloves (standard EN 374). The breakthrough time of the glove should be longer than the total duration of product use. If work lasts longer than the breakthrough time, gloves should be changed part-way through. Nitrile gloves are recommended. Suitable gloves can be recommended by the glove supplier.
- Other	Wear suitable protective clothing.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. Chemical respirator with organic vapour cartridge and full facepiece. (Filter type ABEK)
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
Hygiene measures	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Appearance	
------------	--

Appearance	
Physical state	Liquid.
Form	Aerosol.
Colour	Not available.
Odour	Characteristic odor.
Odour threshold	Not available.
рН	10.8
Melting point/freezing point	Not available.
Initial boiling point and boiling range	82 °C (179.6 °F)
Flash point	12.0 °C (53.6 °F)
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Flammability (solid, gas) Upper/lower flammability or exp	
Upper/lower flammability or exp	losive limits
Upper/lower flammability or exp Explosive limit - lower ( %) Explosive limit – upper	losive limits 0.6 %
Upper/lower flammability or exp Explosive limit - lower ( %) Explosive limit – upper (%)	losive limits 0.6 % 15 %
Upper/lower flammability or exp Explosive limit - lower (%) Explosive limit – upper (%) Vapour pressure	losive limits 0.6 % 15 % Not available.
Upper/lower flammability or exp Explosive limit - lower (%) Explosive limit – upper (%) Vapour pressure Vapour density	losive limits 0.6 % 15 % Not available. Not available.
Upper/lower flammability or exp Explosive limit - lower (%) Explosive limit – upper (%) Vapour pressure Vapour density Relative density	losive limits 0.6 % 15 % Not available. Not available.
Upper/lower flammability or exp Explosive limit - lower (%) Explosive limit – upper (%) Vapour pressure Vapour density Relative density Solubility(ies)	losive limits 0.6 % 15 % Not available. Not available. 0.96 g/cm3 20 °C

Decomposition temperature	Not available.			
Viscosity	Not available.			
Explosive properties	Not explosive.			
Oxidising properties	Not oxidising.			
9.2. Other information				
VOC	150 g/l			
SECTION 10: Stability and reactivity				
10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.			
10.2. Chemical stability	Material is stable under normal conditions.			
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.			
10.4. Conditions to avoid	Avoid high temperatures.			
10.5. Incompatible materials	Strong oxidising agents.			
10.6. Hazardous decomposition products	Carbon oxides.			
SECTION 11: Toxicological information				
General information	Occupational exposure to the substance or mixture may cause adverse effects.			
Information on likely routes of exposure				
Inhalation	May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation may be harmful.			
Skin contact	May cause an allergic skin reaction.			
Eye contact	Causes serious eye irritation.			
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.			

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

## 11.1. Information on toxicological effects

Symptoms

Acute toxicity	Based on available data, the classi	Based on available data, the classification criteria are not met.		
Components	Species	Test Results		
1-METHOXY-2-PROPANOL; M	ONOPROPYLENE GLYCOL METHYL	ETHER (CAS 107-98-2)		
<u>Acute</u>				
Dermal				
LD50	Rabbit	13 g/kg		
Inhalation				
LC50	Rat	54.6 mg/l, 4 Hours		
Oral				
LD50	Rat	5.71 g/kg		
Glycine, N-methyl-N-(1-oxodode	cyl)-, sodium salt (CAS 137-16-6)			
<u>Acute</u>				
Inhalation				
LC50	Rat	1 mg/l		
Oral				
LD50	Rat	5001 mg/kg		
Propan-2-ol; Isopropyl alcohol; I	sopropanol (CAS 67-63-0)			
Acute				
Inhalation				
LC50	Rat	> 25000 mg/m3, 6 h		
Skin corrosion/irritation	Based on available data, the classi	fication criteria are not met.		
Serious eye damage/eye irritation	Causes serious eye irritation.			
Respiratory sensitisation	Based on available data, the classi	Based on available data, the classification criteria are not met.		
Skin sensitisation	Based on available data, the classi	Based on available data, the classification criteria are not met.		
Germ cell mutagenicity	Based on available data, the classi	Based on available data, the classification criteria are not met.		
Carcinogenicity	Based on available data, the classification criteria are not met.			

Reproductive toxicity		Based on available data, the classification criteria are not met.			
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.				
Specific target organ toxicity - repeated exposure	Based on ava	Based on available data, the classification criteria are not met.			
Aspiration hazard	Not likely, due to the form of the product.				
Mixture versus substance information	Not available	Not available.			
Other information	May cause a	llergic respiratory and skin reactions.			
SECTION 12: Ecological in	nformation				
12.1. Toxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.				
Components		Species	Test Results		
	NOPROPYLEN	E GLYCOL METHYL ETHER (CAS 107-	98-2)		
Aquatic			,		
Acute					
Algae	EC50	Algae	> 1000 mg/l, 72 h		
Crustacea	EC50	Daphnia	> 1000 mg/l, 48 h		
Fish	LC50	Oncorhynchus mykiss	> 1000 mg/l, 96 h		
Glycine, N-methyl-N-(1-oxododec	vI) sodium salt	t (CAS 137-16-6)			
Aquatic	,,,,				
Acute					
Crustacea	EC50	Daphnia magna	29.7 mg/l, 48 hours		
Fish	LC50	Zebra fish	107 mg/l, 96 hours		
Propan-2-ol; Isopropyl alcohol; Iso	propanol (CAS	67-63-0)			
Aquatic					
Acute					
Crustacea	LC50	Brine shrimp (Artemia salina)	> 10000 mg/l, 24 hours		
Fish	LC50	Bluegill (Lepomis macrochirus)	> 1400 mg/l, 96 hours		
12.2. Persistence and degradability	No data is av	No data is available on the degradability of any ingredients in the mixture.			
12.3. Bioaccumulative potential					
Partition coefficient					
n-octanol/water (log Kow) 1-METHOXY-2-PROPANOL;		LENE GLYCOL -0.49			
METHYL ETHER	MONOFICET	LEINE GETCOL -0.49			
Propan-2-ol; Isopropyl alcoho	l; Isopropanol	0.05			
Bioconcentration factor (BCF)	Not available	e.			
12.4. Mobility in soil	No data avail	lable.			
12.5. Results of PBT and vPvB assessment		This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.			
12.6. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. GWP: 0				
SECTION 13: Disposal co	nsideration	S			
13.1. Waste treatment methods					
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).				
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not reuise empty containers				

 EU waste code
 The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Disposal methods/informationCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents<br/>under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into<br/>sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used<br/>container. Dispose of contents/container in accordance with local/regional/national/international<br/>regulations.Special precautionsDispose in accordance with all applicable regulations.

# **SECTION 14: Transport information**

### ADR

ADR					
14.1. UN number	UN1950				
14.2. UN proper shipping	AEROSOLS, flammable				
name	,				
14.3. Transport hazard class					
Class	2.1				
	2.1				
Subsidiary risk	-				
Label(s)	2.1				
Hazard No. (ADR)	Not assigned.				
Tunnel restriction code	D				
ADR/RID - Classification	5F				
code:					
14.4. Packing group	Not assigned.				
14.5. Environmental hazards	No				
14.6. Special precautions	Not assigned.				
for user					
RID					
14.1. UN number	UN1950				
14.2. UN proper shipping	AEROSOLS, flammable				
name					
14.3. Transport hazard class					
Class	2.1				
Subsidiary risk	-				
Label(s)	2.1				
14.4. Packing group	Not assigned.				
14.5. Environmental hazards	No				
14.6. Special precautions	Not assigned.				
for user	-				
ADN					
14.1. UN number	UN1950				
14.2. UN proper shipping	AEROSOLS, flammable				
name					
14.3. Transport hazard class(	(es)				
Class	2.1				
Subsidiary risk	-				
Label(s)	2.1				
14.4. Packing group	Not assigned.				
14.5. Environmental hazards					
14.6. Special precautions	Not assigned.				
for user					
ΙΑΤΑ					
14.1. UN number	UN1950				
14.2. UN proper shipping	Aerosols, flammable				
name					
14.3. Transport hazard class	es)				
Class	2.1				
Subsidiary risk	-				
14.4. Packing group	Not assigned.				
14.5. Environmental hazards	-				
ERG Code	10L				
14.6. Special precautions	Not assigned.				
for user					
Other information					
Passenger and cargo	Allowed with restrictions.				
aircraft					
Cargo aircraft only	Allowed with restrictions.				
IMDG					
14.1. UN number	UN1950				

14.2. UN proper shipping	Aerosols, flammable
name	
14.3. Transport hazard class	(es)
Class	2.1
Subsidiary risk	-
14.4. Packing group	Not assigned.
14.5. Environmental hazards	
Marine pollutant	No
EmS	F-D, S-U
14.6. Special precautions	Not assigned.
for user	
14.7. Transport in bulk	Not established.
according to Annex II of	
MARPOL 73/78 and the IBC	
Code	
ADN; ADR; IATA; IMDG; RID	



## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **Retained direct EU regulations**

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

### Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

### **Restrictions on use**

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Propan-2-ol; Isopropyl alcohol; Isopropanol (CAS 67-63-0)

### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended 1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER (CAS 107-98-2) Propan-2-ol; Isopropyl alcohol; Isopropanol (CAS 67-63-0)

## Other regulations

Not available.

# 15.2. Chemical safety

No Chemical Safety Assessment has been carried out.

## **SECTION 16: Other information**

### List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dengarous Coode by Inland
ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road. ATE: Acute Toxicity Estimate according to REGULATION (EC) No 1272/2008 (CLP).
CAS: Chemical Abstract Service.
Ceiling: Short Term Exposure Limit Ceiling value.
CEN: European Committee for Standardization. CLP: Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.
GWP: Global Warming Potential.
IATA: International Air Transport Association.
IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.
IMDG: International Maritime Dangerous Goods. MAK: Threshold limit values Germany (Maximale Arbeitsplatzkonzentration - DFG).
MARPOL: International Convention for the Prevention of Pollution from Ships. PBT: Persistent, bioaccumulative and toxic.
REACH: Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No
1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals). RID: Regulations concerning the international carriage of dangerous goods by rail (Règlement International concernant le transport de marchandises dangereuses par chemin de fer). RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.
STEL: Short term exposure limit.
TLV: Threshold Limit Value. TWA: Time Weighted Average.
VOC: Volatile organic compounds.
vPvB: Very persistent and very bioaccumulative. STEL: Short-term Exposure Limit.
Not available.
Not available.
H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H318 Causes serious eye damage. H319 Causes serious eye irritation.
H330 Fatal if inhaled.
H336 May cause drowsiness or dizziness.
None.
Not available.
CRC Industries Europe UK Limited cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be
used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC. The products are governed by Regulation (EC) No 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP); Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (in each case, as amended and replaced) and other applicable laws. It is an importers or downstream users responsibility to ensure compliance of product they import. An SDS provided in the official language(s) of a country is not a guarantee of compliance in that country.