



Cleaners



NSF Registered:
category A1, no. 137997



Bio-degradable as per
OECD 301B

DEGREASER FG

BIO-DEGRADABLE WATER BASED CLEANER

Degreaser FG is a concentrated biodegradable, industrial strength water-based cleaner/degreaser. An exceptional multi-purpose cleaner containing a blend of synthetic and natural surface active components for general industrial maintenance. Authorised for use on food processing and packaging equipment, as a floor and wall cleaner; in inedible product processing, non-processing and exterior areas. A non-flammable, nonabrasive formula to be used a multitude of cleaning applications. Degreaser FG is economical to use because it can be diluted to meet all cleaning and degreasing needs.

Quickly penetrates removing grease, oil, grime and tough stains from any washable surface.

It is excellent for use in pressure washer, ultrasonic & steam cleaning equipment. Excellent in both cold & warm water .

Contains no ammonia, chlorinated or petroleum solvents and it is free of phosphate, EDTA & nonylphenoethoxylate, nut oils or nut oil derivatives.

PRODUCT CODES / FILL SIZES



30243 / 750ml

APPLICATIONS

- Machinery cleaning
- Equipment & parts cleaning
- Pressure washer
- Ultrasonic cleaning
- Steam cleaning
- Hard surfaces and fabrics
- Building maintenance
- Marine maintenance
- General cleaning & degreasing
- Driveway, floor cleaning
- Stainless steel, glass, counters
- Automobiles, vans, forklifts, trailers

DIRECTIONS

- Degreaser FG is effective in a trigger sprayer, pressure washer, steam cleaner, dip tank and as bulk cleaner.
- When cleaning fabrics, always spot test on a hidden surface first.
- If parts or equipment are intended to return to a food processing area, rinsing with potable water is required.

DIRECTIONS

FULL STRENGTH

- Use undiluted to remove grease, oil and other heavy contaminants from machinery, parts, tools and equipment.
- Wet surface with water first for best results.
- Apply directly to surface to be cleaned.
- Allow to penetrate for one minute or more.
- Rinse with cold water or wipe with damp cloth or sponge.
- Heavy deposits may require scrubbing with a brush or sponge.
- Repeat if necessary.

DILUTED

- Best results are obtained when using warm water (+50°C) for dilution.
- After application rinse with cold water. The suggested dilution ratios (e.g. 4:2 – add 4 parts water to 2 part DEGREASER FG) prepared below are guidelines.
- Every cleaning application will vary in the amount of soil to be removed.

APPLICATION CLEANING METHOD DILUTION RATIO

Heavy equipment, engines, trailers, forklifts, motors	Trigger Spray	Full strength
Heavy equipment, engines, trailers, forklifts, motors	Pressure Washer	4:1 to 8:1
Heavy equipment, engines, trailers, forklifts, motors	Steam Cleaner	10:1 to 30:1
General maintenance, concrete floors, driveways	Pressure Washer	10:1 to 30:1
Driveway, concrete floors (wet first, apply cleaner, use stiff brush)	Bulk Cleaning	Full strength 4:1
Tools, small parts, stampings, pulleys	Dip tanks, parts washers	4:1 to 8:1
Exhaust hoods, appliances	Trigger spray	4:1 to 10:1
Spot or fingerprint removal, walls, fabric	Trigger spray	10:1 to 30:1
Mop floor cleaning	Bulk cleaner	50:1 to 100:1
Stainless steel, glass, counters	Trigger spray	50:1 to 100:1
Automobiles, vans, exteriors (wet surface first)	Bulk cleaning (cloth) Trigger sprayer	30:1 to 50:1
Automobiles, vans, exteriors (wet surface first)	Bulk cleaning (cloth) Trigger sprayer	30:1 to 100:1

TECHNICAL DATA (WITHOUT PROPELLANT)

Appearance	Clear, blue liquid
Odour	Fresh
Specific Gravity (@ 20°C)	1.01
Initial Boiling Point	100°C
Freezing Point	-2°C
pH (undiluted, @ 20°C)	11
Solubility in Water	Complete
Biodegradability (OECD 301B)	Pass

MATERIALS COMPATIBILITY

OK	Safe on all metals. Safe on plastics, if rinsed after application.
CAUTION	-
NOT OK	Leather or non-washable surfaces. Not recommended for wood surfaces.

STORAGE & SHELF LIFE

The product may be stored at normal ambient temperatures and has a shelf life of not less than 6 years with correct storage.

HEALTH AND SAFETY

A separate Safety Data Sheet (SDS) according to EC Regulation 73/404/EEC and 648/2004/EC is available from Ambersil.com or via info.uk@crcind.com

MISREPRESENTATION ACT 1967

TRADE DESCRIPTIONS ACT 1968

The information given in this publication is based on our experience and reports from customers. There are many factors outside our control and knowledge which affect the use and performance of our products and for which reason no warranty is given, express or implied. Users should make their own tests to determine the applicability of such information or the suitability of any products for their own particular purposes. Statements concerning the use of the products described herein are not to be construed as recommending the infringement of any patent and no liability for infringement arising out of any such use is to be assumed.

CRC Industries UK Ltd.
Wylde Road, Bridgwater
Somerset, TA6 4DD
United Kingdom

Company Registered No. 04910479

t +44 (0)1278 727200
f +44 (0)1278 425644
e sales.uk@crcind.com
w www.ambersil.com

VAT No. GB 821 5195 42

Version 4.0
Created: July 2019
Updated: June 2021

