# **PHILIPS** Lighting



# MASTER Value GLASS LED candles and lustres

# MASTER VLE LEDCandleDT2.5-25W E14 B35CL G

MASTER Value Glass LED lustres feature a classic heritage design, these filament LED lamps combine the familiar shapes of incandescent candles and lustres with the benefits of long-lasting LED technology. These glass LED lustres offer more energy savings than normal LED candles and lustres. At the same time, they also provide customers with a good light experience, enhanced by excellent dimming performance (dimmable LED candles). MASTER Value Glass LED lustres deliver significant energy savings, using 30% less energy compared to normal glass LED candles and provide excellent quality of light. By offering a lifetime of 15,000 hours, these dimmable LED candles and lustres also reduce maintenance costs.

#### **Product data**

General information			
Cap base	E14 [ E14]		
CE mark	Yes		
EU RoHS compliant	Yes		
Nominal lifetime (nom.)	15000 h		
Switching cycle	20000		
	Sphere		
Tier	MASTER Value		
Light technical			
Colour Code	922-927 [ CCT of 2,200 K-2,700 K]		
Luminous flux (nom.)	340 lm		
Colour designation	Warm Glow (WG)		


Correlated Colour Temperature (Nom)	2200 2700 K	
Luminous efficacy (rated) (nom.)	136.00 lm/W	
Colour consistency	<6	
Colour rendering index (nom.)	90	
LLMF at end of nominal lifetime (nom.) 70 %		
Operating and electrical		
Input frequency	50 to 60 Hz	
Power (Rated) (Nom)	2.5 W	
Lamp current (nom.)	15 mA	
Wattage equivalent	25 W	
Starting time (nom.)	0.5 s	
Warm-up time to 60% light (nom.)	0.5 s	

## MASTER Value GLASS LED candles and lustres

Power factor (nom.)	0.6
Voltage (Nom)	220-240 V
Temperature	
T-Case maximum (nom.)	70 °C
Controls and dimming	
Dimmable	Only with specific dimmers
Mechanical and housing	
Lamp Finish	Clear
Bulb shape	B35 [ B 35mm]
Approval and application	
Energy Efficiency Class	D


Energy consumption kWh/1,000 hours	s 3 kWh
	1109136
Product data	
Full product code	871951432505000
Order product name	MASTER VLE LEDCandleDT2.5-25W E14 B35CL
	G
EAN/UPC – product	8719514325050
Order code	32505000
SAP numerator – quantity per pack	1
Numerator – packs per outer box	10
SAP material	929003011902
Net Weight (Piece)	0.014 kg

### Dimensional drawing




MASTER VLE LEDCandleDT2.5-25W E14 B35CL G

#### Photometric data




General uniform lighting

Product	D	с
MASTER VLE LEDCandleDT2.5-25W E14 B35CL G	35 mm	97 mm



Light Distribution Diagram


# MASTER Value GLASS LED candles and lustres



Photometric data

Spectral Power Distribution Colour

#### Lifetime



Life Expectancy Diagram

Lumen Maintenance Diagram



© 2022 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2022, December 5 - data subject to change