

2303088-1 ✓ ACTIVE




Nano MQS

TE Internal #: 2303088-1

Housing for Female Terminals, Wire-to-Wire / Wire-to-Board, 32 Position, .071 in [1.8 mm] Centerline, Water Blue, Wire & Cable, Signal, Nano MQS

[View on TE.com >](#)

Connectors > Automotive Connectors > Automotive Housings > MQS, CONNECTOR HOUSING



Connector System: **Wire-to-Board, Wire-to-Wire**

Number of Positions: **32**

Connector & Housing Type: **Housing for Female Terminals**

Centerline (Pitch): **1.8 mm [.071 in]**

Sealable: **No**

[All MQS, CONNECTOR HOUSING \(438\)](#)

Features

Product Type Features

Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector System	Wire-to-Board, Wire-to-Wire
Connector & Housing Type	Housing for Female Terminals
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Primary Locking Feature	On the Terminal

Configuration Features

Blank Cavity Position	32
Number of Positions	32
Number of Rows	2

Electrical Characteristics



Nominal Voltage Architecture	12 V, 24 V
------------------------------	------------

Body Features

Cable Exit Angle	180°
Primary Product Color	Water Blue
Connector & Keying Code	Z

Contact Features

Contact Size	.5mm
Contact Type	Receptacle
Mating Tab Width	.5 mm [.02 in]
Contact Current Rating (Max)	3 A

Mechanical Attachment

Terminal Position Assurance	Yes
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Housing Material	PBT GF
Centerline (Pitch)	1.8 mm [.071 in]

Dimensions

Connector Height	17.8 mm [.7 in]
Product Width	14.8 mm [.583 in]
Product Length	35 mm [1.38 in]
Row-to-Row Spacing	1.5 mm [.059 in]

Usage Conditions

Operating Temperature (Max)	105 °C [221 °F]
Operating Temperature Range	-40 – 105 °C [-40 – 221 °F]

Operation/Application

Circuit Application	Signal
---------------------	--------

Industry Standards

Agency/Standard	LV214
-----------------	-------

Packaging Features



Packaging Quantity	1000
--------------------	------

Packaging Method	Bag
------------------	-----

Other

Connector Position Assurance Capable	No
--------------------------------------	----

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
--	---

Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
-----------------	--

Solder Process Capability	Not reviewed for solder process capability
---------------------------	--

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Also in the Series | Nano MQS




Automotive Housings(55)



Automotive Terminals(8)



Insertion & Extraction Tools(6)




PCB Headers & Receptacles(19)

Customers Also Bought




TE Part #487406-2
FFC RCPT CONT SP 30AU RL



TE Part #929387-1
MQS0,63 Sn rec LL unseal. FFC



TE Part #2103414-1
SHIPPING CAP TYPE 1, PLUG, HVA280



TE Part #2367107-1
32POS,NANOMQS,REC HSG,UNSLD,
COD NEUT



TE Part #2404902-1
20POS,NANOMQS,REC HSG,UNSLD,
COD A,FPC




TE Part #2407059-1
20POS,NANOMQS,REC HSG,UNSLD,
COD A,FPC



TE Part #2389701-1
40POS,TAB0.5X0.4,HDR ASSY,90DEG,
COD A



TE Part #4-2328482-1
2POS,HC-STAK 25,HDR ASSY,COD A,
RDU, PH 3



TE Part #4-2840621-1
2POS,HC-STAK 25,HDR ASSY,COD A,
FDU, PH 3



TE Part #1-2437287-1
NANOMQS,TERMINAL,FFC,FPC

Documents

Product Drawings

32POS,NANOMQS,REC HSG,UNSLD,COD NEUT

English

CAD Files

3D PDF

3D



Customer View Model

[ENG_CVM_CVM_2303088-1_B1.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2303088-1_B1.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2303088-1_B1.2d_dxf.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Application Specification](#)

English