### HI 7030 Conductivity Calibration Solution 12,880 μs/cm

# **Health & Safety data sheets**

#### **SECTION 1 - IDENTIFICATION OF PREPARATION**

Product name: Cat. No. :

12,880 μs Standard solution
 HI7030

Application:

Conductivity calibration solution

Manufacturer HANNA INSTRUMENTS identification: V.le delle Industrie 12 Ronchi di Villafranca

Ronchi di Villafranci PADOVA **ITALY** 

### SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterization: Chemical composition:

Solution in water
 Potassium chloride: < 5.0%</li>

### **SECTION 3 - HAZARD IDENTIFICATION**

N/A

### **SECTION 4- FIRST AID MEASURES**

### Eye contact: Skin contact:

 Irrigate thoroughly with water. If discomfort persists obtain medical attention. · Wash off thoroughly with soap and water.

### Ingestion: Inhalation:

Wash out mouth thoroughly with water.
 In severe cases obtain medical attention.

N/A

## HI 7030 Conductivity Calibration Solution 12,880 μs/cm

## **Health & Safety data sheets**

### **SECTION 5 - FIRE FIGHTING MEASURES**

Special risks: Fire extinguisher: Special fire fighting precautions:

• N/A • N/A • None

### SECTION 6 - ACCIDENTAL RELEASE MEASURES

### In case of accidental spill or release:

- Wear appropriate protective clothing
- If local regulations permit, mop up with plenty of water and run to waste, diluting greatly
  with running water. Otherwise transfer to container and arrange removal by disposal
  company. Wash site of spillage thoroughly with detergent and water.

### **SECTION 7- HANDLING AND STORAGE**

### Handling:

- Under no circumstances eat or drink while handling this material
- Wash hands and face after working with material

### Storage:

- Store at room temperature (@ 15-25°C)
- Protect from direct sunlight and moisture
- Keep container well closed
- Keep away from children

#### SECTION 8- EXPOSURE CONTROL/PERSONAL PROTECTION

As appropriate to quantity handled

Respiratory protection: Protective gloves: Eye protection:

Not applicable
 Rubber or plastic
 Goggles/face shield

### SECTION 9- PHYSICAL/CHEMICAL PROPERTIES

Appearance and odor: Water reactivity: Solubility in water:

Clear and colorless liquid
 Non-reactive
 Miscible in any proportion

Odorless

Melting point:

■ N/A

Boiling point:

■ > 100 C°

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

## HI 7030 Conductivity Calibration Solution 12,880 μs/cm

## **Health & Safety data sheets**

### SECTION 10- STABILITY AND REACTIVITY

### Stability:

Stable

### SECTION 11- TOXICOLOGICAL INFORMATION

### In case of ingestion:

- After ingestion of large amounts: nausea, vomiting, cardiac dysrhythmia, cardiovascular failure. However, when handled properly, hazardous effects are unlikely to occur.
- Further data:

LD50 (oral-rat) N/A

NO evidence of carcinogenic properties. No evidence of mutagenic or teratogenic effects.

### SECTION 12- ECOLOGICAL INFORMATION

No environmental hazard is anticipated provided that the material is handled and disposed of with due care and attention

#### **SECTION 13- DISPOSAL CONSIDERATIONS**

### Waste disposal:

- Chemical residues are generally classified as special waste and thus covered by local regulations. Contact authorities or disposal companies for advice.
- In compliance with current regulations.

### SECTION 14- TRANSPORT INFORMATION

UN-No.: IMDG class: NR IMO: NR Packaging group: IATA: NR Packaging group:

Correct technical name: Not-Restricted

ADR/RID: NR

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

## HI 7030 Conductivity Calibration Solution 12,880 μs/cm

# Health & Safety data sheets

<b>SECTION 15</b>	<ul> <li>REGUL</li> </ul>	ATORY I	<b>INFORMAT</b>	ION
-------------------	---------------------------	---------	-----------------	-----

Labeling according to EEC directives:

R-phrases: -

S-phrases: -

### **SECTION 16- OTHER INFORMATION**

Emergency telephone number 0039-49-9070211

last rev. June 2002