Product data sheet

Specification





Motor disconnect switch, 3P, 30A, NEMA 1, 3, 3R, 4, 4X and 12 enclosure

MD3304X

Main

Range	MD
Product	Motor Disconnect Switch
Current Rating	30 A
Horsepower Rating	7.5 hp 220/240 V AC 20 hp 440/480 V AC 25 hp 600 V AC
Enclosure Rating	NEMA 4X
Certifications	UL listed

Complementary

Height	6.38 in (162.05 mm)
Width	3.90 in (99.06 mm)
Depth	4.37 in (111.00 mm)
Product Weight	1.50 lb(US) (0.68 kg)

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.92 in (12.5 cm)
Package 1 Width	5.24 in (13.3 cm)
Package 1 Length	7.20 in (18.3 cm)
Package 1 Weight	24.32 oz (689.5 g)
Unit Type Of Package 2	S04
Number Of Units In Package 2	18
Package 2 Height	11.81 in (30 cm)
Package 2 Width	15.75 in (40 cm)
Package 2 Length	23.62 in (60 cm)
Package 2 Weight	29.19 lb(US) (13.24 kg)
Unit Type Of Package 3	P06
Number Of Units In Package 3	72
Package 3 Height	30.31 in (77.0 cm)
Package 3 Width	31.50 in (80.0 cm)

Package 3 Length	23.62 in (60.0 cm)
Package 3 Weight	135.50 lb(US) (61.46 kg)

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

Ø	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
Ø	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations

Approximate Dimensions





