

Productname : Aero clean X force **Creationdate :** 22.07.04
Ref.Nr.: AB35740-3-220704 **Replaces:** 03.01.01

1. IDENTIFICATION OF PRODUCT AND COMPANY

Productname : Aero clean X force
Aerosol

Application : Cleaners - Precision

Company : CRC Industries Europe n.v.
Touwslagerstraat 1
9240 ZELE
Belgium
Tel.: (+32)(0)52/456011
Fax: (+32)(0)52/450034
E-mail : hse@crcind.com

In case of emergency : (+32) (0)52/45 60 11

Subsidiaries		Tel	Fax
CRC Industries Finland	Asemanrinne 13, 08500 Lohja AS	(+358)(0)19/32921	(+358)(0)19/383676
CRC Industries France	12, Bld des Martyrs de Chateaubriant F-95102 Argenteuil Cédex	(+33)(0)1/34112000	(+33)(0)1/34110996
CRC Industries Deutschland	Südring 9, 76473 Iffezheim	(+49)(0)7229/3030	(+49)(0)7229/303266
CRC Industries Iberia	Gremio del cuero S/N, 40195 Segovia	(+34)921/427546	(+34)921/436270
CRC Industries Sweden	Kryptogatan 14, 43153 Mölndal	(+46)(0)31/7068480	(+46)(0)31/273991

2. COMPOSITION AND INFORMATION ON COMPONENTS

Hazardous ingredient	CAS-nr	EINECS	w/w %	symbol	R-phrases*
dimethyl ether	115-10-6	204-065-8	1-5	F+	12

(* Explanation risk-phrases : see chapter 16)

3. HAZARD IDENTIFICATION

Health and Safety : Not flammable under normal conditions of use
In case of contact with liquid product frostbite symptoms may occur.

4. FIRST AID MEASURES

General Advice : The usual precautions for handling chemicals should be observed
If any symptoms should occur, seek medical advice.

Contact with eyes : If substance has got into eyes, immediately wash out with plenty of water for several minutes
Seek medical advice



Productname :	Aero clean X force	Creationdate :	22.07.04
Ref.Nr.:	AB35740-3-220704	Replaces:	03.01.01

Contact with skin : In case of contact with liquid, thaw frosted parts with water, then remove clothing carefully
Seek medical advice

Inhalation : Fresh air, keep warm and at rest.
Seek medical attention if ill effects occur

Ingestion : Ingestion is unlikely to occur
If swallowed accidentally, do not induce vomiting and seek medical advice.

5. FIRE-FIGHTING MEASURES

Flash point (without propellant): None

Extinguishing media : water, foam, carbon dioxide or dry agent

Fire-fighting procedures : Keep container(s) exposed to fire cool, by spraying with water

Unusual exposure hazard : Pressurized container : protect from sunlight and do not expose to temperatures exceeding 50°C.
HF may be formed under condition of fire

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Ensure adequate ventilation

Cleaning methods : Ventilate area

7. HANDLING AND STORAGE

Handling procedures : Ensure adequate ventilation
Avoid contact with skin and eyes, in case of contact with liquid product frostbite symptoms may occur.
Do not spray on a naked flame or incandescent material.
Do not pierce or burn aerosols, even after use.
Avoid contact with skin and eyes.

Storage procedures : Pressurized container : protect from sunlight and do not expose to temperatures exceeding 50°C.
Keep in a cool, dry, well ventilated place
Keep out of reach of children.

8. EXPOSURE CONTROL AND PERSONAL PROTECTION

Control procedures : Ensure adequate ventilation

Personal protection : It is advisable to take precautions to avoid contact with skin and eyes when handling the product.
Use only in well ventilated areas



Productname : Aero clean X force **Creationdate :** 22.07.04
Ref.Nr.: AB35740-3-220704 **Replaces:** 03.01.01

inhalation : In case of insufficient ventilation, wear suitable respiratory equipment.
(compressed air)

hands and skin : Wear suitable protective gloves

eyes : Wear safety goggles.

Exposure limits :

Hazardous ingredient	CAS-nr	method	
dimethyl ether	115-10-6	TWA	1000 ppm

9. PHYSICAL AND CHEMICAL PROPERTIES (for aerosols without propellant)

Apperance : physical state : liquified gas

colour : colourless

odour : neutral

Relative density : 1.165 (@ 20°C)

pH : not applicable

Flash point : None

10. STABILITY AND REACTIVITY

Conditions to be avoided : Pressurized container : protect from sunlight and do not expose to temperatures exceeding 50°C.

Materials to be avoided : alkali metals

Hazardous decomposition compounds : HF may be formed under condition of fire

11. TOXICOLOGICAL INFORMATION

Inhalation : High concentrations may cause narcotic effects.

Skin contact : In case of contact with liquid product frostbite symptoms may occur.

Eye contact : In case of contact with liquid product frostbite symptoms may occur.

12. ECOLOGICAL INFORMATION

No experimental data available

13. WASTE DISPOSAL

Product : Do not empty into drains.
Disposal should be in accordance with local, state or national legislation



Productname :	Aero clean X force	Creationdate :	22.07.04
Ref.Nr.:	AB35740-3-220704	Replaces:	03.01.01

14. TRANSPORT

UN-number :	1950
Road/Rail - ADR/RID :	UN1950 Aerosols Class : 2, PG : NA, Class code : 5A, Label : 2.2
Sea - IMDG :	UN1950 Aerosols, Limited Quantities Class : 2, PG : NA
EmS	F-D, S-U
Air - IATA/CAO :	UN1950 Aerosols, non-flammable Class : 2.2, PG : NA, Label : RNG
Packing instr. LQ	Y203
PAX	203
CAO	203

15. REGULATORY INFORMATION

Safety-phrase(s) : S2: Keep out of the reach of children.
S23: Do not breathe spray.

According to EU-directive 99/45/EC not classified

Pressurized container : protect from sunlight and do not expose to temperatures exceeding 50°C.
Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material.

16. OTHER INFORMATION

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation.

The information contained herewith is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It does not guarantee any specific properties.

Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.

***Explanation risk-phrases:** R12: Extremely flammable

This Material Safety Data Sheet may already have been revised at this moment for reason such as legislation, availability of components and newly acquired experiences. The latest and only valid version of this Material Safety Data Sheet will be sent to you upon simple request or can be found on our website : www.crcind.com. We recommend you to register on this website for this product so you will be able to receive any future updated version automatically.

