Micro Peltier Cooler Module


multicomp PRO

RoHS Compliant

Specification

Imax	[A]	1.8
Vmax	[Vdc]	3.5
Pc max	[W]	4
ΔTmax	[°C]	67
Max. hot side temp.	[°C]	90
А	[mm]	8.8
A1	[mm]	8.8
В	[mm]	8.8
Н	[mm]	2.4
Wire	AWG	n/a

- (At hot side temperature Th = 25° C / 298K, under dry N2).
- Pc max = Cooling power at $\Delta T = 0$ and I = Imax.
- Δ Tmax = Temperature difference at I = Imax and Pc = 0.
- Max hot side temperature given for best long term performance.
- Max mounting pressure: 1.5MPa.
- Unsealed
- Wires: PVC UL1569, 300V, 105°C




Dimensions : Millimetres

Newark.com/multicomp-pro Farnell.com/multicomp-pro sg.element14.com/b/multicomp-pro


multicomp PRO

multicomp PRO

At hot side temperature 25°C



At hot side temperature 50°C




Newark.com/multicomp-pro Farnell.com/multicomp-pro sg.element14.com/b/multicomp-pro



multicomp PRO

At hot side temperature 75°C



Part Number Table

Description	Part Number
Micro Peltier Cooler Module, 4W, 3.5V DC, 1.8A	MP008853

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for where the Group was aware of it (including liability resulting from negligence or where the Group was aware of the possibility for such as or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Famell Limited 2019.

Newark.com/multicomp-pro Farnell.com/multicomp-pro sg.element14.com/b/multicomp-pro

