
EVDW-40/13-3-STK
 \checkmark active

RAYCHEM | RAYCHEM VOLINSU EVDW

TE Internal #: ES43482001 Orange, 3:1, Dual Wall Tubing, Shrinks To .512 in [13 mm], Irradiated Modified Polyolefin, 1.575 in [40 mm] Inner Diameter, RAYCHEM VOLINSU EVDW

View on TE.com >

Heat Shrink Tubing



Primary Product Color: Orange

Wall Type: Dual Wall

Expanded Inside Diameter (Min): 40 mm [1.575 in]

Recovered Inside Diameter (Max): 13 mm [.512 in]

Shrink Ratio: 3:1

Features

Product Type Features

Wall Type

Dual Wall

Electrical Characteristics

connectivity

Operating Voltage (Max)	1 kV
Body Features	
Fluid Type	(ATF) Automatic Transmission Fluid, Battery Acid, Brake Fluid, Car Wash Detergent, Diesel Fuel, Engine Coolant, Engine Oil, Windshield Washer Fluid
Primary Product Color	Orange
Shrink Ratio	3:1
Primary Product Material	Irradiated Modified Polyolefin
Flexibility	Flexible
Dimensions	
Recovered Wall Thickness (Tolerance)	.5 mm[.02 in]
Recovered Wall Thickness (Nominal)	2.54 mm[.1 in]
Product Length	1220 mm[48 in]
Expanded Inside Diameter (Min)	40 mm[1.575 in]
Recovered Inside Diameter (Max)	13 mm[.512 in]

EVDW-40/13-3-STK

Orange, 3:1, Dual Wall Tubing, Shrinks To .512 in [13 mm], Irradiated Modified Polyolefin, 1.575 in [40 mm] Inner Diameter, RAYCHEM VOLINSU EVDW



Usage Conditions

Shrink Temperature (Min)	60 °C
Resistance Properties	Splash Protection
Tubing Flammability Type	Highly Flame-Retardant
Operating Temperature Range	-40 – 105 °C
Recovery Temperature	90 °C
Operation/Application	
Mechanical Resistance	Fluids, Mechanical Damage, Strain Relief
Product Availability	
Applicable Region	Global
Packaging Features	
Packaging Method	Bag & Box
Other	
Product Source	Czech Republic

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: DBMC (5% in Liner) Article Safe Usage Statements: Wash thoroughly after handling. Do not handle until all safety precautions have been read and understood. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability
Product Compliance Disclaimer	

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these

EVDW-40/13-3-STK

Orange, 3:1, Dual Wall Tubing, Shrinks To .512 in [13 mm], Irradiated Modified Polyolefin, 1.575 in [40 mm] Inner Diameter, RAYCHEM VOLINSU EVDW




limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



TE Part # EG1114-000 CV1981-ST-230V1600W-EU

Also in the Series | RAYCHEM VOLINSU EVDW



Documents

Product Drawings EVDW-40/13-3-STK

English

Datasheets & Catalog Pages EVDW data sheet German EVDW data sheet EVDW data sheet

EVDW data sheet

EVDW data sheet

English

EVDW-40/13-3-STK

Orange, 3:1, Dual Wall Tubing, Shrinks To .512 in [13 mm], Irradiated Modified Polyolefin, 1.575 in [40 mm] Inner Diameter, RAYCHEM VOLINSU EVDW



EVDW data sheet French EVDW data sheet Japanese Product Specifications Application Specification

English