Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



Fixing plate, Harmony XVC, metal, for tube mounting 100mm

XVCZ02

Main

Range Of Product	Harmony XVC6
Accessory / Separate Part Designation	Metal fixing plate
Product Or Component Type	Fixing plate
Accessory / Separate Part Type	Fixing plate
Accessory / Separate Part Category	Mounting and fixing accessories
Product Compatibility	XVC6B4
	XVC6B1
	XVC6B3
	XVC6B55S
	XVC6B35S
	XVC6B5
	XVC6B2
	XVC6B45S
	XVC6B25S
	XVC6B15S
Accessory / Separate Part Destination	Complete pre-wired monolithic tower light
Product Specific Application	For support tube mounting

Complementary

Diameter	100 mm
Height	30 mm
Net Weight	0.08 kg

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	8.4 cm
Package 1 Width	11.4 cm
Package 1 Length	11.4 cm
Package 1 Weight	196 g
Unit Type Of Package 2	S02
Number Of Units In Package 2	8
Package 2 Height	15 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	2.101 kg

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >




Transparency

Well-being performance

Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information

Dimensions Drawings

Dimensions and Mounting



- (1) M6 (SUS)
- (2) 4 elongated holes Ø5.2mm x 7mm / Ø0.20 in/ 0.28 in.