

EXPRESS DURASTAT TOTES

- 4MM Conductive Fluted Plastic (CFP)
- · Lightweight and stackable
- · Excellent returnable tote
- · Over 40 sizes to fit your exact needs
- · Fit with any of 533 Corstat cell sizes
- · Optional use of CFP partitions
- · These ship KDF assembly required
- · Ask CCI about assembled Durastat pricing

PN	LXWXH(D)	QTY/CASE
DT4202-KDF	21-1/2 X 18-1/2 X 2-1/4"	5
DT4002-KDF	16-5/8 X 9-3/4 X 2-3/4"	5
DT4004-KDF	16-5/8 X 9-3/4 X 3-3/4"	5
DT4204-KDF	21-1/2 X 18-1/2 X 4-1/4"	5
DT4006-KDF	16-5/8 X 9-3/4 X 5-5/8"	5
DT4230-KDF	18-5/8 X 15 X 5-7/8" 5	
DT4001-KDF	22-3/4 X 12-1/2 X 6-1/4" 5	
DT4007-KDF	16-5/8 X 9-3/4 X 7-1/2"	5
DT4130-KDF	18-5/8 X 15 X 8"	5
DT4140-KDF	22-7/8 X 12-7/8 X 8"	5
DT4008-KDF	16-5/8 X 9-3/4 X 9-1/4"	5



SPECIFICATIONS

These products meet and/or exceed ANSI/ESD S20.20-2021 and ANSI/ESD S541-2019.

CFP		
PROPERTY	VALUE (U.S.)	TEST METHOD
Color	Black	
Static Decay		
15% Relative Humidity	.03 sec	
50% Relative Humidity	.03 sec	
Resistance		
Volume Resistance	10 ² x10 ⁵	ANSI/ESD STM11.12-2021
Surface Resistance	10 ² x10 ⁵	ANSI/ESD STM11.11-2022
Resin	Polypropelene	
Board Weight	104-170-lbs per thousand sq ft.	
Thickness	2.00 MM, 3.00MM, 4.00MM	

All values are for pre-formed materials. Electrical values will vary with each individual design. All information, recommendations and suggestions appearing in this bulletin concerning the use of our products are based upon tests and data believed to be reliable: however, it is the user's responsibility to determine the suitability for their own use of the products described herein. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by Conductive Containers, Inc. as to the effects of such use or the results to be obtained, nor does Conductive Containers, Inc. assume any liability arising out of use, by others, of the products referred to herein. Nor is the information herein to be construed as absolutely complete since additional information may be necessary or desirable, when particular or exceptional conditions or circumstances exist orbecause of applicable laws or government regulations. Nothing herein contained is to be construed as permission or as a recommendation to infringe any patent.

