




KLEANSTAT BUBBLE TRAY LINERS

DIE CUT TO FIT
CAFETERIA
STYLE TRAYS



- LARGE BUBBLE: .040 mil KSB .75 high bubble liner for cafeteria trays
- SMALL BUBBLE: .015 mil KSB .25 high bubble liner for cafeteria trays
- FLAT LINER: .040 mil KSF flat liner for cafeteria trays
- MICRO BUBBLE: .015 mil KSF .22" high bubble liner for cafeteria trays

	PN	L X W X H (D)	QTY/CASE	GAUGE
MICRO BUBBLE	KSB2416-MIC-15-TPU	24.25 x 16.125 x .22"	10	0.015
SMALL BUBBLE	KSB2416-SB-15-TPU	24.25 x 16.125 x .25"	10	0.015
MEDIUM BUBBLE	KSB2416-MB-25-TPU	24.25 x 16.125 x .375"	10	0.025
FLAT SHEET	KSF2416-25-TPU	24 X 16 X .025	10	0.025

SPECIFICATIONS

These products meet and/or exceed ANSI/ESD S20.20-2021 and ANSI/ESD S541-2019.

KLEANSTAT FLEX TPU		
PROPERTY	VALUE (U.S.)	TEST METHOD
Color	Transparent	Visual
Static Decay Rate (+5000V-50V)	.01 sec	FTMS 101-C (12% RH)
Resistance		
Volume Resistance	$10^8 \times 10^{10}$ Ohms/cm	ANSI/ESD STM 11.12-2021
Surface Resistance	$10^8 \times 10^{10}$ Ohms/sq	ANSI/ESD STM 11.11-2022

All values are for pre-formed materials. Electrical values will vary with each individual design. All information, recommendations and suggestions appearing in this bulletin concerning the use of our products are based upon tests and data believed to be reliable; however, it is the user's responsibility to determine the suitability for their own use of the products described herein. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by Conductive Containers, Inc. as to the effects of such use or the results to be obtained, nor does Conductive Containers, Inc. assume any liability arising out of use, by others, of the products referred to herein. Nor is the information herein to be construed as absolutely complete since additional information may be necessary or desirable, when particular or exceptional conditions or circumstances exist or because of applicable laws or government regulations. Nothing herein contained is to be construed as permission or as a recommendation to infringe any patent.

