

TE Internal #: 2480655-2

MCX Cable Assembly, .305 m [1.01 ft], Brown Cable, 0 – 6 GHz

Operating Frequency, 50 ohm, FEP, 26 – 25 AWG, 1.53 mm [.06 in]

Diameter, MCX Plug

View on TE.com >



Cable Assemblies > RF Cable Assemblies



Cable Assembly (End A): MCX Plug
Cable Assembly (End B): MCX Plug

Cable Assembly Length: .305 m [1.01 ft]

Coax Cable Type: RG-316

Impedance: 50Ω

Features

Product Type Features

| Cable Assembly (End A) | MCX Plug |
|----------------------------|------------------|
| Cable Assembly (End B) | MCX Plug |
| Coax Cable Type | RG-316 |
| Cable Assembly Type | MCX |
| Configuration Features | |
| Number of Positions | 1 |
| Electrical Characteristics | |
| Impedance | 50 Ω |
| Body Features | |
| Conductor Plating Material | Gold |
| Shield Material | Brass |
| Body Plating Material | Gold |
| Conductor Material | Beryllium Copper |
| Jacket Material | FEP |



| Cable Color | Brown |
|--------------------------------------|----------------------------|
| Contact Features | |
| Center Contact Plating | Gold |
| Ferrule Plating Material | Gold |
| Contact Mating Area Plating Material | Gold |
| Contact Underplating Material | Nickel |
| Ferrule Material | Brass |
| Contact Base Material | Brass |
| Dimensions | |
| Outside Cable Diameter | 1.53 mm[.06 in] |
| Wire Size | 26 – 25 AWG |
| Usage Conditions | |
| Operating Temperature Range | -45 – 125 °C[-49 – 257 °F] |
| Operation/Application | |
| Shielded | Yes |
| Operating Frequency | 0 – 6 GHz |
| Other | |
| Cable Assembly Length | .305 m[1.01 ft] |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant with Exemptions |
|---|---|
| EU ELV Directive 2000/53/EC | Not Yet Reviewed |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) SVHC > Threshold: Pb (4.75% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location. |
| Halogen Content | Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free |



Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts















Documents

Product Drawings

MCX Plug to MCX Plug RA RG316 50 Ohm 12"

English

CAD Files

Customer View Model ENG_CVM_CVM_2480655-2_1.3d_stp.zip

English

Customer View Model

MCX Cable Assembly, .305 m [1.01 ft], Brown Cable, 0 – 6 GHz Operating Frequency, 50 ohm, FEP, 26 – 25 AWG, 1.53 mm [.06 in] Diameter, MCX Plug



ENG_CVM_CVM_2480655-2_1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2480655-2_1.2d_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.