# TXR54AB00-1210BI V ACTIVE

### RAYCHEM | RAYCHEM TXR

TE Internal #: 371385-000 Ruggedized, Backshell, .2 – 15.9 mm [.01 – .63 in] Cable Entry, Aluminum, Straight, 07 / 12 / 12S Shell Size, 10 Entry Size, RAYCHEM TXR

View on TE.com >



Connectors > Connector Accessories > Connector Backshells



Connector Backshell Product Style: Ruggedized Connector Backshell Product Type: Backshell Cable Entry Diameter: .2 – 15.9 mm [.01 – .63 in ] Primary Product Material: Aluminum Body Orientation: Straight

## Features

## **Product Type Features**

| Termination Device Included       | TR10BI   |
|-----------------------------------|--|
| Connector Backshell Product Style | Ruggedized   |
| Connector Backshell Product Type  | Backshell  |
| Termination Device Type           | Side-Entry Tinel-Lock Ring, Tinel-Lock<br>Adapter, Tinel-Lock Ring |
| Body Features                     |  |
| Primary Product Color             | Olive Drab   |
| Primary Product Material          | Aluminum   |
| Primary Product Plating Material  | Cadmium (AMS-QQ-P-416, Type II, Class 3)                           |
| Housing Features                  |  |
| Body Orientation                  | Straight   |
| Compatible With Connector Shape   | Circular   |
| Dimensions                        |  |
| Product Length                    | 43.3 mm[1.7 in]  |
| Compatible Cable Diameter Range   | 7.9 – 12.7 mm[.313 – .5 in]  |
| Cable Entry Diameter              | .2 – 15.9 mm[.01 – .63 in]   |
| Usage Conditions                  |  |

**C** For support call+1 800 522 6752

02/28/2025 04:26AM | Page 1

## TXR54AB00-1210BI

Ruggedized, Backshell, .2 – 15.9 mm [.01 – .63 in] Cable Entry, Aluminum, Straight, 07 / 12 / 12S Shell Size, 10 Entry Size, RAYCHEM TXR



| Salt Spray Resistance                 | 500 Hr  |
|---------------------------------------|---|
| Operating Temperature Range           | -65 – 175 °C[-85 – 347 °F]  |
| Operation/Application                 |   |
| Compatible With Connector Shell Size  | 07, 12, 12S   |
| Industry Standards                    |   |
| Connector Detail Specification Number | AS34001, AS34011, AS34041, AS34061,<br>AS34081, AS34091, AS34121, AS34241,<br>AS34461, AS34501, AS34511, AS34541,<br>AS34561, AS34641, AS34671, AS34681,<br>M83723/01, M83723/02, M83723/03,<br>M83723/04, M83723/05, M83723/06,<br>M83723/07, M83723/08, M83723/13,<br>M83723/14, M83723/36, M83723/37,<br>M83723/38, M83723/39, M83723/40,<br>M83723/41, M83723/42, M83723/40,<br>M83723/48, M83723/49, M83723/43,<br>M83723/48, M83723/49, M83723/65,<br>M83723/66, M83723/71, M83723/68,<br>M83723/69, M83723/71, M83723/72,<br>M83723/73, M83723/74, M83723/75,<br>M83723/76, M83723/74, M83723/78,<br>M83723/82, M83723/83, M83723/84,<br>M83723/85, M83723/86, M83723/87,<br>M83723/91, M83723/92, M83723/95,<br>M83723/96, M83723/97, M83723/98,<br>MS3459, MS3470, MS3471, MS3472, |

MS3459, MS3470, MS3471, MS3472, MS3474, MS3475, MS3476, NAS 1599, NAS 1641, NAS 1642, NAS 1643, NAS 1650, NAS 1651, NAS 1652, NAS 1653, NAS 1692, NAS 1693, NAS 1694, NAS 1699, NAS 1700, NAS 1701, NAS 1702

AS50151 Class D,L,U,W Crimp Contact, AS50151 Class D,L,U,W Crimp Contact Less ENDBELL, AS50151 Class L,W Crimp Contact, AS50151 Crimp Contact, AS81703 Series 3, AS81703 Series 3/Class E,L, MIL-DTL-26482 Series 2/Class A,L, MIL-DTL-83723 Series I/Class A,G,R, MIL-DTL-83723 Series I/Class G,R, MIL-DTL-83723 Series III /Class A,G,K,R, MIL-DTL-83723 Series III /Class A,G,K,R,S, MIL-DTL-83723 Series III /Class A,G,R, MIL-DTL-83723 Series III /Class G,R, MIL-DTL-83723 Series III/Class G,R,W, MIL-DTL-83723 Series III/Class S, MIL-DTL-83723 Series III/Class H

TE Connector Interface Code

Connector Interface Specification

54

Other

## TXR54AB00-1210BI

Ruggedized, Backshell, .2 – 15.9 mm [.01 – .63 in] Cable Entry, Aluminum, Straight, 07 / 12 / 12S Shell Size, 10 Entry Size, RAYCHEM TXR



Entry Size Code

10

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU                  | Not Compliant   |
|---|---|
| EU ELV Directive 2000/53/EC                   | Not Compliant   |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold  |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUNE 2024<br>(241)<br>Candidate List Declared Against: JAN 2024<br>(240)<br>SVHC > Threshold:<br>Pb (.3% in BODY & NUT)<br>Cd (3% in BODY & NUT)<br>Aticle Safe Usage Statements:<br>Use personal protective equipment as required. Do not eat, drink or smoke when<br>using this product. Wash thoroughly after handling. Recycle if possible and dispose<br>of the article by following all applicable governmental regulations relevant to your<br>geographic location. |
| Halogen Content                               | Low Halogen - Br, Cl, F, I < 900 ppm per<br>homogenous material. Also BFR/CFR/PVC<br>Free   |
| Solder Process Capability                     | Not applicable for solder process capability  |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

## **Compatible Parts**



## TXR54AB00-1210BI

Ruggedized, Backshell, .2 – 15.9 mm [.01 – .63 in] Cable Entry, Aluminum, Straight, 07 / 12 / 12S Shell Size, 10 Entry Size, RAYCHEM TXR



## Also in the Series | RAYCHEM TXR






Circular Connector Backshells & Clamps(2043)

Connector Backshells(2043)



# Customers Also Bought







## Documents

Product Drawings TXR54AB00-1210BI

English