

CN Information

Change Notice Information Announcement

Customer Care Center: 1(888)778-2733 2733 for all customers

Channel Partners: Contact MySchneider Support

Also CHAT with us at: www.se.com/us/en/work/support/contacts.jsp



RED Flag Notice

Time to End of Commercialization: 5 Months

Note: The red flag notification signals an **obsolescence**, withdrawal or discontinuation of an offer.

Product Name(s):	XVB Tower Lights	Customer Support No.	1(888)778-2733
Product Line Description:	70mm modular beacons and tower lights, with steady or flashing lights, and with incandescent or LED illumination	Document Issued:	01/23/2025

Description of Change:

The **XVB series** of 70mm tower lights are being **obsoleted on June 30th, 2025**. The XVB will be fully **replaced by the newer, similarly named XVB7 series** of 70mm tower lights launching on **May 1st, 2025**. The XVB7 will cover all of the old functionalities and more. While the diameter size, primary lighting functions, mounting surface area, and mounting hole sizing remains the same, there will be a few differences. (See page 2 for more information).

Please reference the attached transition supplement for more details.

Inventory Disposition and Return Policy:

Use to depletion. Standard warranty applies. Ineligible for Stock Rotations. All sales are final.

Product Photos



Current Product: XVB



New Product: XVB7

Critical Dates

Last Buy: (Or Until Inventory Depletion)	Product Support Ends:	Availability Date of New Product:	End of Commercialization
06/30/2025	12/31/2026	05/01/2025	06/30/2025

Transition Tools:

XVB CN Info _ Transition Tool 1-24-24.xls

Internal

CN Information

Change Notice Information Announcement

Customer Care Center: 1(888)778-2733 2733 for all customers

Channel Partners: Contact MySchneider Support

Also CHAT with us at: www.se.com/us/en/work/support/contacts.jsp



Definition of Dates:

- Last buy** shall be the last date that we will accept a PO. This date shall take into account the lead time to build the product as well as current inventory levels.
- Product support** shall be 1 yr beyond end of commercialization or last buy whichever the latter.
- Availability date of new product** is when the new products are expected to be orderable.
- End of commercialization** (EOC) if made to stock; this date will be before the last buy date (taking into account the build / shipping lead time as well as current inventory levels). If made to order; this date will equal the last buy date.

Note: Our factories have limited capacities for products going obsolete. Product availability will be set on a first come first serve basis.

Description of Change (Continued):

While a long-standing offer in Schneider Electric tower lights, to align with industrial automation trends, changing market needs, and superior manufacturing & tooling, we are moving forward with a more feature rich and modernized version.

Along with slight form factor variances, there will be upgrades in customizability, lighting features, sound features, connect-ability, I/O link capability, mounting options, and power efficiency. The older XVB series and its part numbers will be obsoleted with last time buy opportunities until June 30th, 2025.

Product Photos



New Product: XVB7

NEW Product

Internal

CN Information

Change Notice Information Announcement

Customer Care Center: 1(888)778-2733 2733 for all customers

Channel Partners: Contact MySchneider Support

Also CHAT with us at: www.se.com/us/en/work/support/contacts.jsp



Recommended Replacement					
Obsolete part number	Description	Replacement part number	Base (if required for full replacement)	Category	Comments or Differences
XVBC020	Support tube concealment cover, Harmony XVB, ABS, black, for XVBZ02 and XVBZ02A, for modular tower lights,			No Sub	
XVBC030	Support tube concealment cover, Harmony XVB, ABS, black, for XVBZ03 and XVBZ03A, for modular tower lights,			No Sub	
XVBC040	Support tube concealment cover for modular tower lights , ABS, black, for XVBZ04 / XVBZ04A			No Sub	
XVBC2B3	Indicator bank, Harmony XVB, illuminated unit, plastic, green, 70mm, steady, integral LED, 24V AC/DC	XVB7C23		Direct	
XVBC2B4	Indicator bank, Harmony XVB, illuminated unit, plastic, red, 70mm, steady, integral LED, 24V AC/DC	XVB7C24		Direct	
XVBC2B5	Indicator bank, Harmony XVB, illuminated unit, plastic, orange, 70mm, steady, integral LED, 24V AC/DC	XVB7C25		Direct	
XVBC2B6	Indicator bank, Harmony XVB, illuminated unit, plastic, blue, 70mm, steady, integral LED, 24V AC/DC	XVB7C26		Direct	
XVBC2B7	Indicator bank, Harmony XVB, illuminated unit, plastic, clear, 70mm, steady, integral LED, 24V AC/DC	XVB7C27		Direct	
XVBC2B8	Indicator bank, Harmony XVB, illuminated unit, plastic, yellow, 70mm, steady, integral LED, 24V AC/DC	XVB7C28		Direct	
XVBC2G3	Indicator bank, Harmony XVB, illuminated unit, plastic, green, 70mm, steady, integral LED, 120V AC	XVB7C23		Indirect	Only base is diff, all lens is 24V
XVBC2G4	Indicator bank, Harmony XVB, illuminated unit, plastic, red, 70mm, steady, integral LED, 120V AC	XVB7C24		Indirect	Only base is diff, all lens is 24V
XVBC2G5	Indicator bank, Harmony XVB, illuminated unit, plastic, orange, 70mm, steady, integral LED, 120V AC	XVB7C25		Indirect	Only base is diff, all lens is 24V
XVBC2G6	Indicator bank, Harmony XVB, illuminated unit, plastic, blue, 70mm, steady, integral LED, 120V AC	XVB7C26		Indirect	Only base is diff, all lens is 24V
XVBC2G7	Indicator bank, Harmony XVB, illuminated unit, plastic, clear, 70mm, steady, integral LED, 120V AC	XVB7C27		Indirect	Only base is diff, all lens is 24V

Internal

CN Information

Change Notice Information Announcement

Customer Care Center: 1(888)778-2733 2733 for all customers

Channel Partners: Contact MySchneider Support

Also CHAT with us at: www.se.com/us/en/work/support/contacts.jsp



Recommended Replacement					
Obsolete part number	Description	Replacement part number	Base (if required for full replacement)	Category	Comments or Differences
XVBC2G8	Indicator bank, Harmony XVB, illuminated unit, plastic, yellow, 70mm, steady, integral LED, 120V AC	XVB7C28		Indirect	Only base is diff, all lens is 24V
XVBC2M3	Indicator bank, Harmony XVB, illuminated unit, plastic, green, 70mm, steady, integral LED, 230V AC	XVB7C23		Indirect	Only base is diff, all lens is 24V
XVBC2M4	Indicator bank, Harmony XVB, illuminated unit, plastic, red, 70mm, steady, integral LED, 230V AC	XVB7C24		Indirect	Only base is diff, all lens is 24V
XVBC2M5	Indicator bank, Harmony XVB, illuminated unit, plastic, orange, 70mm, steady, integral LED, 230V AC	XVB7C25		Indirect	Only base is diff, all lens is 24V
XVBC2M6	Indicator bank, Harmony XVB, illuminated unit, plastic, blue, 70mm, steady, integral LED, 230V AC	XVB7C26		Indirect	Only base is diff, all lens is 24V
XVBC2M7	Indicator bank, Harmony XVB, illuminated unit, plastic, clear, 70mm, steady, integral LED, 230V AC	XVB7C27		Indirect	Only base is diff, all lens is 24V
XVBC2M8	Indicator bank, Harmony XVB, illuminated unit, plastic, yellow, 70mm, steady, integral LED, 230V AC	XVB7C28		Indirect	Only base is diff, all lens is 24V
XVBC4B3	Indicator bank, Harmony XVB, illuminated unit, plastic, green, 70mm, flashing, for bulb or LED, 24V AC, 24...48V DC	XVB7C23		Indirect	LED is all integrated
XVBC4B4	Indicator bank, Harmony XVB, illuminated unit, plastic, red, 70mm, flashing, for bulb or LED, 24V AC, 24...48V DC	XVB7C24		Indirect	LED is all integrated
XVBC4B5	Indicator bank, Harmony XVB, illuminated unit, plastic, orange, 70mm, flashing, for bulb or LED, 24V AC, 24...48V DC	XVB7C25		Indirect	LED is all integrated
XVBC4B6	Indicator bank, Harmony XVB, illuminated unit, plastic, blue, 70mm, flashing, for bulb or LED, 24V AC, 24...48V DC	XVB7C26		Indirect	LED is all integrated
XVBC4B7	Indicator bank, Harmony XVB, illuminated unit, plastic, clear, 70mm, flashing, for bulb or LED, 24V AC, 24...48V DC	XVB7C27		Indirect	LED is all integrated
XVBC4B8	Indicator bank, Harmony XVB, illuminated unit, plastic, yellow, 70mm, flashing, for bulb or LED, 24V AC, 24...48V DC	XVB7C28		Indirect	LED is all integrated
XVBC4M3	Indicator bank, Harmony XVB, illuminated unit, plastic, green, 70mm, flashing, for bulb or LED, 48... 230V AC	XVB7C23		Indirect	LED is all integrated, all Lens is 24V

Internal

CN Information

Change Notice Information Announcement

Customer Care Center: 1(888)778-2733 2733 for all customers

Channel Partners: Contact MySchneider Support

Also CHAT with us at: www.se.com/us/en/work/support/contacts.jsp



Recommended Replacement					
Obsolete part number	Description	Replacement part number	Base (if required for full replacement)	Category	Comments or Differences
XVBC4M4	Indicator bank, Harmony XVB, illuminated unit, plastic, red, 70mm, flashing, for bulb or LED, 48... 230V AC	XVB7C24		Indirect	LED is all integrated, all Lens is 24V
XVBC4M5	Indicator bank, Harmony XVB, illuminated unit, plastic, orange, 70mm, flashing, for bulb or LED, 48... 230V AC	XVB7C25		Indirect	LED is all integrated, all Lens is 24V
XVBC4M6	Indicator bank, Harmony XVB, illuminated unit, plastic, blue, 70mm, flashing, for bulb or LED, 48... 230V AC	XVB7C26		Indirect	LED is all integrated, all Lens is 24V
XVBC4M7	Indicator bank, Harmony XVB, illuminated unit, plastic, clear, 70mm, flashing, for bulb or LED, 48... 230V AC	XVB7C27		Indirect	LED is all integrated, all Lens is 24V
XVBC4M8	Indicator bank, Harmony XVB, illuminated unit, plastic, yellow, 70mm, flashing, for bulb or LED, 48... 230V AC	XVB7C28		Indirect	LED is all integrated, all Lens is 24V
XVBC5B3	Indicator bank, Harmony XVB, illuminated unit, plastic, green, 70mm, flashing, integral LED, 24V AC/DC	XVB7C23		Direct	
XVBC5B4	Indicator bank, Harmony XVB, illuminated unit, plastic, red, 70mm, flashing, integral LED, 24V AC/DC	XVB7C24		Direct	
XVBC5B5	Indicator bank, Harmony XVB, illuminated unit, plastic, orange, 70mm, flashing, integral LED, 24V AC/DC	XVB7C25		Direct	
XVBC5B6	Indicator bank, Harmony XVB, illuminated unit, plastic, blue, 70mm, flashing, integral LED, 24V AC/DC	XVB7C26		Direct	
XVBC5B7	Indicator bank, Harmony XVB, illuminated unit, plastic, clear, 70mm, flashing, integral LED, 24V AC/DC	XVB7C27		Direct	
XVBC5B8	Indicator bank, Harmony XVB, illuminated unit, plastic, yellow, 70mm, flashing, integral LED, 24V AC/DC	XVB7C28		Direct	
XVBC5G3	Indicator bank, Harmony XVB, illuminated unit, plastic, green, 70mm, flashing, integral LED, 120V AC	XVB7C53		Indirect	Only base is diff, all lens is 24V
XVBC5G4	Indicator bank, Harmony XVB, illuminated unit, plastic, red, 70mm, flashing, integral LED, 120V AC	XVB7C54		Indirect	Only base is diff, all lens is 24V
XVBC5G5	Indicator bank, Harmony XVB, illuminated unit, plastic, orange, 70mm, flashing, integral LED, 120V AC	XVB7C55		Indirect	Only base is diff, all lens is 24V

Internal

CN Information

Change Notice Information Announcement

Customer Care Center: 1(888)778-2733 2733 for all customers

Channel Partners: Contact MySchneider Support

Also CHAT with us at: www.se.com/us/en/work/support/contacts.jsp



Recommended Replacement					
Obsolete part number	Description	Replacement part number	Base (if required for full replacement)	Category	Comments or Differences
XVBC5G6	Harmony XVB, Illuminated unit for modular tower lights, plastic, blue, $\tilde{A}\sim 70$, flashing, integral LED, 120 V AC	XVB7C56		Indirect	Only base is diff, all lens is 24V
XVBC5G7	Illuminated unit for modular tower lights, plastic, clear, $\tilde{A}\sim 70$, flashing, integral LED, 120 V AC	XVB7C57		Indirect	Only base is diff, all lens is 24V
XVBC5G8	Illuminated unit for modular tower lights, plastic, yellow, $\tilde{A}\sim 70$, flashing, integral LED, 120 V AC	XVB7C58		Indirect	Only base is diff, all lens is 24V
XVBC5M3	Indicator bank, Harmony XVB, illuminated unit, plastic, green, 70mm, flashing, integral LED, 230V AC	XVB7C53		Indirect	Only base is diff, all lens is 24V
XVBC5M4	Indicator bank, Harmony XVB, illuminated unit, plastic, red, 70mm, flashing, integral LED, 230V AC	XVB7C54		Indirect	Only base is diff, all lens is 24V
XVBC5M5	Indicator bank, Harmony XVB, illuminated unit, plastic, orange, 70mm, flashing, integral LED, 230V AC	XVB7C55		Indirect	Only base is diff, all lens is 24V
XVBC5M6	Indicator bank, Harmony XVB, illuminated unit, plastic, blue, 70mm, flashing, integral LED, 230V AC	XVB7C56		Indirect	Only base is diff, all lens is 24V
XVBC5M7	Indicator bank, Harmony XVB, illuminated unit, plastic, clear, 70mm, flashing, integral LED, 230V AC	XVB7C57		Indirect	Only base is diff, all lens is 24V
XVBC5M8	Indicator bank, Harmony XVB, illuminated unit, plastic, yellow, 70mm, flashing, integral LED, 230V AC	XVB7C58		Indirect	Only base is diff, all lens is 24V
XVBC6B3	Indicator bank, Harmony XVB, illuminated unit, plastic, green, 70mm, integral flash discharge tube, 5joule, 24V AC/DC	XVB763		Direct	
XVBC6B4	Indicator bank, Harmony XVB, illuminated unit, plastic, red, 70mm, integral flash discharge tube, 5joule, 24V AC/DC	XVB764		Direct	
XVBC6B5	Indicator bank, Harmony XVB, illuminated unit, plastic, orange, 70mm, integral flash discharge tube, 5joule, 24V AC/DC	XVB765		Direct	
XVBC6B6	Indicator bank, Harmony XVB, illuminated unit, plastic, blue, 70mm, integral flash discharge tube, 5joule, 24V AC/DC	XVB766		Direct	
Recommended Replacement					

Internal

CN Information

Change Notice Information Announcement

Customer Care Center: 1(888)778-2733 2733 for all customers

Channel Partners: Contact MySchneider Support

Also CHAT with us at: www.se.com/us/en/work/support/contacts.jsp



Obsolete part number	Description	Replacement part number	Base (if required for full replacement)	Category	Comments or Differences
XVBC6B7	Indicator bank, Harmony XVB, illuminated unit, plastic, clear, 70mm, integral flash discharge tube, 5joule, 24V AC/DC	XVB767		Direct	
XVBC6B8	Indicator bank, Harmony XVB, illuminated unit, plastic, yellow, 70mm, integral flash discharge tube, 5joule, 24V AC/DC	XVB768		Direct	
XVBC6G3	Illuminated unit for modular tower lights, plastic, green, 70mm, integral "flash" discharge tube, 5 joule, 120 V AC	XVB763		Indirect	Only base is diff, all lens is 24V
XVBC6G4	Indicator bank, Harmony XVB, illuminated unit, plastic, red, 70mm, integral flash discharge tube, 5joule, 120V AC	XVB764		Indirect	Only base is diff, all lens is 24V
XVBC6G5	Indicator bank, Harmony XVB, illuminated unit, plastic, orange, 70mm, integral flash discharge tube, 5joule, 120V AC	XVB765		Indirect	Only base is diff, all lens is 24V
XVBC6G6	Illuminated unit for modular tower lights, plastic, blue, 70mm, integral "flash" discharge tube, 5 joule, 120 V AC	XVB766		Indirect	Only base is diff, all lens is 24V
XVBC6G7	Illuminated unit for modular tower lights, plastic, clear, 70mm, integral "flash" discharge tube, 5 joule, 120 V AC	XVB767		Indirect	Only base is diff, all lens is 24V
XVBC6G8	Indicator bank, Harmony XVB, illuminated unit, plastic, yellow, 70mm, integral flash discharge tube, 5joule, 120V AC	XVB768		Indirect	Only base is diff, all lens is 24V
XVBC6M3	Indicator bank, Harmony XVB, illuminated unit, plastic, green, 70mm, integral flash discharge tube, 5joule, 230V AC	XVB763		Indirect	Only base is diff, all lens is 24V
XVBC6M4	Indicator bank, Harmony XVB, illuminated unit, plastic, red, 70mm, integral flash discharge tube, 5joule, 230V AC	XVB764		Indirect	Only base is diff, all lens is 24V
XVBC6M5	Indicator bank, Harmony XVB, illuminated unit, plastic, orange, 70mm, integral flash discharge tube, 5joule, 230V AC	XVB765		Indirect	Only base is diff, all lens is 24V
XVBC6M6	Indicator bank, Harmony XVB, illuminated unit, plastic, blue, 70mm, integral flash discharge tube, 5joule, 230V AC	XVB766		Indirect	Only base is diff, all lens is 24V
XVBC6M7	Indicator bank, Harmony XVB, illuminated unit, plastic, clear, 70mm, integral flash discharge tube, 5joule, 230V AC	XVB767		Indirect	Only base is diff, all lens is 24V
XVBC6M8	Indicator bank, Harmony XVB, illuminated unit, plastic, yellow, 70mm, integral flash discharge tube, 5joule, 230V AC	XVB768		Indirect	Only base is diff, all lens is 24V

Internal

CN Information

Change Notice Information Announcement

Customer Care Center: 1(888)778-2733 2733 for all customers

Channel Partners: Contact MySchneider Support

Also CHAT with us at: www.se.com/us/en/work/support/contacts.jsp



Recommended Replacement					
Obsolete part number	Description	Replacement part number	Base (if required for full replacement)	Category	Comments or Differences
XVBC07	Base unit for modular tower lights, Harmony XVB, plastic, black, 70mm, bottom or side cable entry	XVBC21B		Indirect	Individual Voltage base instead of a specific discharge base
XVBC8B3	Indicator bank, Harmony XVB, illuminated unit, plastic, green, 70mm, integral flash discharge tube, 10joule, 24V AC/DC	XVB763		Direct	
XVBC8B4	Indicator bank, Harmony XVB, illuminated unit, plastic, red, 70mm, integral flash discharge tube, 10joule, 24V AC/DC	XVB764		Direct	
XVBC8B5	Indicator bank, Harmony XVB, illuminated unit, plastic, orange, 70mm, integral flash discharge tube, 10joule, 24V AC/DC	XVB765		Direct	
XVBC8B6	Indicator bank, Harmony XVB, illuminated unit, plastic, blue, 70mm, integral flash discharge tube, 10joule, 24V AC/DC	XVB766		Direct	
XVBC8B7	Indicator bank, Harmony XVB, illuminated unit, plastic, clear, 70mm, integral flash discharge tube, 10joule, 24V AC/DC	XVB767		Direct	
XVBC8B8	Indicator bank, Harmony XVB, illuminated unit, plastic, yellow, 70mm, integral flash discharge tube, 10joule, 24V AC/DC	XVB768		Direct	
XVBC8E5	Indicator bank, Harmony XVB, illuminated unit, plastic, orange, 70mm, steady, flashing, 24V AC/DC	XVB765		Indirect	Only base is diff, all lens is 24V
XVBC8G3	Indicator bank, Harmony XVB, illuminated unit, plastic, green, 70mm, integral flash discharge tube, 10joule, 120V AC	XVB763		Indirect	Only base is diff, all lens is 24V
XVBC8G4	Indicator bank, Harmony XVB, illuminated unit, plastic, red, 70mm, integral flash discharge tube, 10joule, 120V AC	XVB764		Indirect	Only base is diff, all lens is 24V
XVBC8G5	Indicator bank, Harmony XVB, illuminated unit, plastic, orange, 70mm, integral flash discharge tube, 10joule, 120V AC	XVB765		Indirect	Only base is diff, all lens is 24V
XVBC8G6	Indicator bank, Harmony XVB, illuminated unit, plastic, blue, 70mm, integral flash discharge tube, 10joule, 120V AC	XVB766		Indirect	Only base is diff, all lens is 24V
Recommended Replacement					

Internal

CN Information

Change Notice Information Announcement

Customer Care Center: 1(888)778-2733 2733 for all customers

Channel Partners: Contact MySchneider Support

Also CHAT with us at: www.se.com/us/en/work/support/contacts.jsp



Obsolete part number	Description	Replacement part number	Base (if required for full replacement)	Category	Comments or Differences
XVBC8G7	Harmony XVB, Illuminated unit for modular tower lights, plastic, clear, 70mm, integral "flash" discharge tube, 10 joule, 120 V AC	XVB767		Indirect	Only base is diff, all lens is 24V
XVBC8G8	Indicator bank, Harmony XVB, illuminated unit, plastic, yellow, 70mm, integral flash discharge tube, 10joule, 120V AC	XVB768		Indirect	Only base is diff, all lens is 24V
XVBC8M3	Illuminated unit for modular tower lights, plastic, green, 70mm, integral "flash" discharge tube, 10 joule, 230 V AC	XVB763		Indirect	Only base is diff, all lens is 24V
XVBC8M4	Indicator bank, Harmony XVB, illuminated unit, plastic, red, 70mm, integral flash discharge tube, 10joule, 230V AC	XVB764		Indirect	Only base is diff, all lens is 24V
XVBC8M5	Indicator bank, Harmony XVB, illuminated unit, plastic, orange, 70mm, integral flash discharge tube, 10joule, 230V AC	XVB765		Indirect	Only base is diff, all lens is 24V
XVBC8M6	Indicator bank, Harmony XVB, illuminated unit, plastic, blue, 70mm, integral flash discharge tube, 10joule, 230V AC	XVB766		Indirect	Only base is diff, all lens is 24V
XVBC8M7	Indicator bank, Harmony XVB, illuminated unit, plastic, clear, 70mm, integral flash discharge tube, 10joule, 230V AC	XVB767		Indirect	Only base is diff, all lens is 24V
XVBC8M8	Indicator bank, Harmony XVB, illuminated unit, plastic, yellow, 70mm, integral flash discharge tube, 10joule, 230V AC	XVB768		Indirect	Only base is diff, all lens is 24V
XVBC9B	Indicator bank, Harmony XVB, audible unit for modular tower lights, plastic, 70mm, buzzer, continuous or intermitten tone, 70...90dB, 12...48V AC DC	XVB7C9S		Direct	
XVBC9M	Indicator bank, Harmony XVB, audible unit for modular tower lights, plastic, 70mm, buzzer, continuous or intermitten tone, 70...90dB, 120...230V AC	XVB7C9S		Indirect	Only base is diff, all sounder is 24V
XVBC14	Adaptor, Harmony XVB, for side entry through base unit, for modular tower lights	XVBC21B		Direct	
XVBC21	Base unit+cover for modular tower lights, Harmony XVB, plastic, black, 70mm, bottom entry, side cable entry	XVBC21B		Indirect	Separate into both AC & DC base
XVBC21A	Base unit with cover, Harmony XVB Universal, side cable entry, plastic, black, 70mm, AS-Interface connection			No Substitution	Eol All ASI base
Recommended Replacement					

Internal

CN Information

Change Notice Information Announcement

Customer Care Center: 1(888)778-2733 2733 for all customers

Channel Partners: Contact MySchneider Support

Also CHAT with us at: www.se.com/us/en/work/support/contacts.jsp



Obsolete part number	Description	Replacement part number	Base (if required for full replacement)	Category	Comments or Differences
XVBC21B	Base unit with cover, Harmony XVB Universal, side cable entry, plastic with glass reinforced, black, 70mm, AS-Interface connection	`		No Substitution	Eol All ASI base
XVBC22	Harmony XVB, indicating bank accessories +options	`		No Substitution	Acc
XVBC23	Harmony XVB, indicating bank accessories +options	`		No Substitution	Acc
XVBC33	Indicator bank, Harmony XVB, illuminated unit, plastic, green, 70mm, steady, bulb or LED not included, 250V	XVB7C23		Indirect	
XVBC34	Indicator bank, Harmony XVB, illuminated unit, plastic, red, 70mm, steady, bulb or LED not included, 250V	XVB7C24		Indirect	
XVBC35	Indicator bank, Harmony XVB, illuminated unit, plastic, orange, 70mm, steady, bulb or LED not included, 250V	XVB7C25		Indirect	
XVBC36	Indicator bank, Harmony XVB, illuminated unit, plastic, blue, 70mm, steady, bulb or LED not included, 250V	XVB7C26		Indirect	
XVBC37	Indicator bank, Harmony XVB, illuminated unit, plastic, clear, 70mm, steady, bulb or LED not included, 250V	XVB7C27		Indirect	
XVBC38	Indicator bank, Harmony XVB, illuminated unit, plastic, yellow, 70mm, steady, bulb or LED not included, 250V	XVB7C28		Indirect	
XVBC081	Cover, Harmony XVB, for modular tower lights, plastic, black, 70mm	`		No Substitution	Cap are integrated in BASE
XVBCY1	INDICATING BANK +OPTIONS	`		No Substitution	Acc
XVBCY2	Harmony XVB, indicating bank +options	`		No Substitution	Acc
XVBL0B3	illuminated unit for modular tower lights, Harmony XVB, plastic, green, 70mm, steady, integral LED, 24V AC/DC	XVB7L23	XVB7C21B	Direct	Base + Lens
XVBL0B4	illuminated unit for modular tower lights, Harmony XVB, plastic, red, 70mm, steady, integral LED, 24V AC/DC	XVB7L24	XVB7C21B	Direct	Base + Lens
XVBL0B5	illuminated unit for modular tower lights, Harmony XVB, plastic, orange, 70mm, steady, integral LED, 24V AC/DC	XVB7L25	XVB7C21B	Direct	Base + Lens

Internal

CN Information

Change Notice Information Announcement

Customer Care Center: 1(888)778-2733 2733 for all customers

Channel Partners: Contact MySchneider Support

Also CHAT with us at: www.se.com/us/en/work/support/contacts.jsp



Recommended Replacement					
Obsolete part number	Description	Replacement part number	Base (if required for full replacement)	Category	Comments or Differences
XVBL0B6	illuminated unit for modular tower lights, Harmony XVB, plastic, blue, 70mm, steady, integral LED, 24V AC/DC	XVB7L26	XVB7C21B	Direct	Base + Lens
XVBL0B7	Complete beacon, Harmony XVB Universal, 70mm, tower light, steady, clear, IP65, 24V	XVB7L27	XVB7C21B	Direct	Base + Lens
XVBL0B8	Complete beacon, Harmony XVB Universal, 70mm, tower light, steady, yellow, IP65, 24V	XVB7L28	XVB7C21B	Direct	Base + Lens
XVBL0G3	Complete beacon, Harmony XVB Universal, 70mm, tower light, steady, green, IP65, 120V	XVB7L23	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL0G4	Complete beacon, Harmony XVB Universal, 70mm, integral LED, steady, red, IP65/66, 120V AC	XVB7L24	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL0G5	Ã~ 70 mm tower light - steady - orange - IP65 - 120 V	XVB7L25	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL0G6	Ã~ 70 mm tower light - steady - blue - IP65 - 120 V	XVB7L26	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL0G7	Ã~ 70 mm tower light - steady - clear - IP65 - 120 V	XVB7L27	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL0G8	Complete beacon, Harmony XVB Universal, Ã~ 70 mm tower light, steady, yellow, IP65, 120 V	XVB7L28	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL0M3	Complete beacon, Harmony XVB Universal, 70mm, tower light, steady, green, IP65, 230V	XVB7L23	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL0M4	illuminated unit for modular tower lights, Harmony XVB, plastic, red, 70mm, steady, integral LED, 230V AC	XVB7L24	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL0M5	Complete beacon, Harmony XVB Universal, 70mm, tower light, steady, orange, IP65, 230V	XVB7L25	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens

Internal

CN Information

Change Notice Information Announcement

Customer Care Center: 1(888)778-2733 2733 for all customers

Channel Partners: Contact MySchneider Support

Also CHAT with us at: www.se.com/us/en/work/support/contacts.jsp



Recommended Replacement					
Obsolete part number	Description	Replacement part number	Base (if required for full replacement)	Category	Comments or Differences
XVBL0M6	Complete beacon, Harmony XVB Universal, 70mm, tower light, steady, blue, IP65, 230V	XVB7L26	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL0M7	Complete beacon, Harmony XVB Universal, 70mm, tower light, steady, clear, IP65, 230V	XVB7L27	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL0M8	Complete beacon, Harmony XVB Universal, 70 mm tower light, steady, yellow, IP65, 230 V	XVB7L28	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL1B3	Complete beacon, Harmony XVB Universal, 70mm, tower light, flashing, green, IP65, 24V	XVBC53	XVB7C21B	Indirect	No Blinking Beacon
XVBL1B4	illuminated unit for modular tower lights, Harmony XVB, plastic, red, 70mm, flashing, integral LED, 24V AC/DC	XVBC54	XVB7C21B	Indirect	Base + Lens
XVBL1B5	illuminated unit for modular tower lights, Harmony XVB, plastic, orange, 70mm, flashing, integral LED, 24V AC/DC	XVBC55	XVB7C21B	Indirect	Base + Lens
XVBL1B6	Complete beacon, Harmony XVB Universal, 70mm, tower light, flashing, blue, IP65, 24V	XVBC56	XVB7C21B	Indirect	Base + Lens
XVBL1B7	70 mm tower light - flashing - clear - IP65 - 24 V	XVBC57	XVB7C21B	Indirect	Base + Lens
XVBL1B8	illuminated unit for modular tower lights, Harmony XVB, plastic, yellow, 70mm, flashing, integral LED, 24V AC/DC	XVBC58	XVB7C21B	Indirect	Base + Lens
XVBL1G3	70 mm tower light - flashing - green - IP65 - 120 V	XVBC53	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL1G4	Complete beacon, Harmony XVB Universal, 70mm, tower light, flashing, red, IP65, 120V	XVBC54	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL1G5	Complete beacon, Harmony XVB Universal, 70mm, tower light, flashing, orange, IP65, 120V	XVBC55	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL1G6	70 mm tower light - flashing - blue - IP65 - 120 V	XVBC56	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens

Internal

CN Information

Change Notice Information Announcement

Customer Care Center: 1(888)778-2733 2733 for all customers

Channel Partners: Contact MySchneider Support

Also CHAT with us at: www.se.com/us/en/work/support/contacts.jsp



Recommended Replacement					
Obsolete part number	Description	Replacement part number	Base (if required for full replacement)	Category	Comments or Differences
XVBL1G7	Complete beacon, Harmony XVB Universal, \tilde{A} 70 mm tower light, flashing, clear, IP65, 120 V	XVBC57	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL1G8	Complete beacon, Harmony XVB Universal, \tilde{A} 70 mm tower light, flashing, yellow, IP65, 120 V	XVBC58	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL1M3	Complete beacon, Harmony XVB Universal, 70mm, tower light, flashing, green, IP65, 230V	XVBC53	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL1M4	illuminated unit for modular tower lights, Harmony XVB, plastic, red, 70mm, flashing, integral LED, 230V AC	XVBC54	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL1M5	illuminated unit for modular tower lights, Harmony XVB, plastic, orange, 70mm, flashing, integral LED, 230V AC	XVBC55	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL1M6	Complete beacon, Harmony XVB Universal, \tilde{A} 70 mm tower light, flashing, blue, IP65, 230 V	XVBC56	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL1M7	Complete beacon, Harmony XVB Universal, \tilde{A} 70 mm tower light, flashing, clear, IP65, 230 V	XVBC57	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL1M8	Complete beacon, Harmony XVB Universal, 70mm, tower light, flashing, yellow, IP65, 230V	XVBC58	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL4B3	Complete beacon, Harmony XVB Universal, indicating 48 VDC 10 W +options	`		No	NO Blinking Beacon
XVBL4B4	Complete beacon, Harmony XVB Universal, illuminated, plastic, red, 70mm, steady, incandescent with BA15d base, 24V AC	`		No	NO Blinking Beacon
XVBL4B5	Complete beacon, Harmony XVB, illuminated, plastic, orange, 70mm, flashing, incandescent with BA15d base, 24V AC	`		No	NO Blinking Beacon
XVBL4B6	Complete beacon, Harmony XVB Universal, indicating 48 VDC 10 W +options	`		No	NO Blinking Beacon
Recommended Replacement					

Internal

CN Information

Change Notice Information Announcement

Customer Care Center: 1(888)778-2733 2733 for all customers

Channel Partners: Contact MySchneider Support

Also CHAT with us at: www.se.com/us/en/work/support/contacts.jsp



Obsolete part number	Description	Replacement part number	Base (if required for full replacement)	Category	Comments or Differences
XVBL4B7	Complete beacon, Harmony XVB Universal, indicating 48 VDC 10 W +options	`		No	NO Blinking Beacon
XVBL4B8	Complete beacon, Harmony XVB Universal, indicating 48 VDC 10 W +options	`		No	NO Blinking Beacon
XVBL4M3	Complete beacon, Harmony XVB Universal, indicating 230 VAC 10	`		No	NO Blinking Beacon
XVBL4M4	Complete beacon, Harmony XVB, illuminated, plastic, red, 70mm, flashing, incandescent with BA15d base, 48...230V AC	`		No	NO Blinking Beacon
XVBL4M5	Complete beacon, Harmony XVB, flashing, orange, indicating 230VAC 10W + options	`		No	NO Blinking Beacon
XVBL4M6	INDICATING BEACON 230VAC 10	`		No	NO Blinking Beacon
XVBL4M7	Complete beacon, Harmony XVB Universal, indicating 230 VAC 10	`		No	NO Blinking Beacon
XVBL4M8	Complete beacon, Harmony XVB, flashing, yellow, indicating 230VAC 10W + options	`		No	NO Blinking Beacon
XVBL6B3	Complete beacon, Harmony XVB Universal, green strobe 5 joule, 24 V AC dc	XVB7L63	XVB7C21B	Direct	Base + Lens
XVBL6B4	Illuminated beacon, Harmony XVB, plastic, red, 70mm, flashing, integral flash discharge tube, 5 joule, 24V AC DC	XVB7L64	XVB7C21B	Direct	Base + Lens
XVBL6B5	Illuminated beacon, Harmony XVB, plastic, orange, 70mm, flashing, integral flash discharge tube, 5 joule, 24V AC DC	XVB7L65	XVB7C21B	Direct	Base + Lens
XVBL6B6	Complete beacon, Harmony XVB Universal, blue strobe beacon, 70mm, 5 joules, 24V AC/DC	XVB7L66	XVB7C21B	Direct	Base + Lens
XVBL6B7	Complete beacon, Harmony XVB Universal, clear strobe, 70mm, 5 joules, 24V AC/DC	XVB7L67	XVB7C21B	Direct	Base + Lens
XVBL6B8	Complete beacon, Harmony XVB Universal, yellow strobe, 70mm, 5 joules, 24V AC/DC	XVB7L68	XVB7C21B	Direct	Base + Lens
XVBL6G3	Complete beacon, Harmony XVB Universal, green strobe 5 joule, 120 V AC	XVB7L63	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL6G4	Complete beacon, Harmony XVB Universal, red strobe, 70mm, 5 joules, 120V AC	XVB7L64	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
Recommended Replacement					

Internal

CN Information

Change Notice Information Announcement

Customer Care Center: 1(888)778-2733 2733 for all customers

Channel Partners: Contact MySchneider Support

Also CHAT with us at: www.se.com/us/en/work/support/contacts.jsp



Obsolete part number	Description	Replacement part number	Base (if required for full replacement)	Category	Comments or Differences
XVBL6G5	Illuminated beacon, Harmony XVB, plastic, orange, 70mm, flashing, integral flash discharge tube, 5 joule, 120V AC	XVB7L65	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL6G6	Ã~ 70 mm tower light - flashing - blue - IP65 - 120 V	XVB7L66	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL6G7	CLEAR STROBE BEACON 5 JOULE,120V AC	XVB7L67	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL6G8	YELLOW STROBE BEACON 5 JOULE, 120V AC	XVB7L68	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL6M3	GREEN STROBE BEACON 5 JOULE,230V AC	XVB7L63	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL6M4	Complete beacon, Harmony XVB, illuminated, plastic, red, 70mm, flashing, integral flash discharge tube, 5 joule, 230V AC	XVB7L64	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL6M5	Illuminated beacon, Harmony XVB, plastic, orange, 70mm, flashing, integral flash discharge tube, 5 joule, 230V AC	XVB7L65	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL6M6	Complete beacon, Harmony XVB Universal, blue strobe, 70mm, 5 joules, 230V AC	XVB7L66	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL6M7	Complete beacon, Harmony XVB Universal, clear strobe 5 joule, 230 V AC	XVB7L67	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL6M8	YELLOW STROBE BEACON 5 JOULE, 230V AC	XVB7L68	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL8B3	GREEN STROBE BEACON	XVB7L63	XVB7C21B	Direct	Base + Lens
XVBL8B4	Illuminated beacon, Harmony XVB, plastic, red, 70mm, flashing, integral flash discharge tube, 10 joule, 24V AC DC	XVB7L64	XVB7C21B	Direct	Base + Lens
Recommended Replacement					

Internal

CN Information

Change Notice Information Announcement

Customer Care Center: 1(888)778-2733 2733 for all customers

Channel Partners: Contact MySchneider Support

Also CHAT with us at: www.se.com/us/en/work/support/contacts.jsp



Obsolete part number	Description	Replacement part number	Base (if required for full replacement)	Category	Comments or Differences
XVBL8B5	Illuminated beacon, Harmony XVB, plastic, orange, 70mm, flashing, integral flash discharge tube, 10 joule, 24V AC DC	XVB7L65	XVB7C21B	Direct	Base + Lens
XVBL8B6	Complete beacon, Harmony XVB Universal, blue strobe, 70mm, 10 joules, 24V AC/DC	XVB7L66	XVB7C21B	Direct	Base + Lens
XVBL8B7	Complete beacon, Harmony XVB Universal, clear strobe	XVB7L67	XVB7C21B	Direct	Base + Lens
XVBL8B8	Complete beacon, Harmony XVB, yellow strobe	XVB7L68	XVB7C21B	Direct	Base + Lens
XVBL8G3	~ 70 mm tower light - flashing - green - IP65 - 120 V	XVB7L63	XVB7C21B	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL8G4	Complete beacon, Harmony XVB Universal, red strobe, 70mm, 10 joules, 120V AC	XVB7L64	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL8G5	Illuminated beacon, Harmony XVB, plastic, orange, 70mm, flashing, integral flash discharge tube, 10 joule, 120V AC	XVB7L65	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL8G6	Complete beacon, Harmony XVB Universal, blue strobe, 70mm, 10 Joules, 120V AC	XVB7L66	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL8G7	Complete beacon, Harmony XVB Universal, clear strobe	XVB7L67	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL8G8	Complete beacon, Harmony XVB Universal, yellow strobe, 70mm, flashing	XVB7L68	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL8M3	Complete beacon, Harmony XVB Universal, green strobe	XVB7L63	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL8M4	Illuminated beacon, Harmony XVB, plastic, red, 70mm, flashing, integral flash discharge tube, 10 joule, 230V AC	XVB7L64	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens

Internal

CN Information

Change Notice Information Announcement

Customer Care Center: 1(888)778-2733 2733 for all customers

Channel Partners: Contact MySchneider Support

Also CHAT with us at: www.se.com/us/en/work/support/contacts.jsp



Recommended Replacement					
Obsolete part number	Description	Replacement part number	Base (if required for full replacement)	Category	Comments or Differences
XVBL8M5	Illuminated beacon, Harmony XVB, plastic, orange, 70mm, flashing, integral flash discharge tube, 10 joule, 230V AC	XVB7L65	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL8M6	Complete beacon, Harmony XVB Universal, blue strobe, 70mm, 10 Joules, 230V AC	XVB7L66	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL8M7	Complete beacon, Harmony XVB Universal, clear strobe	XVB7L67	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL8M8	Complete beacon, Harmony XVB Universal, yellow strobe	XVB7L68	XVB7C21M	Indirect	Onle Base is diff, Lens is all 24V, Base + Lens
XVBL33	Complete beacon, Harmony XVB, indicating 250V 10W + options, green	XVB7L23	XVB7C21B/XVB7C21M	No	EOL all Bulb Technology
XVBL34	Illuminated complete beacon, Harmony XVB Universal, plastic, red, 70mm, steady, incandescent with BA15d base, It 250V	XVB7L24	XVB7C21B/XVB7C21M	No	EOL all Bulb Technology
XVBL35	Illuminated complete beacon, Harmony XVB Universal, plastic, orange, 70mm, steady, incandescent with BA15d base, It 250V	XVB7L25	XVB7C21B/XVB7C21M	No	EOL all Bulb Technology
XVBL36	Complete beacon, Harmony XVB, indicating 250V 10W + options, blue	XVB7L26	XVB7C21B/XVB7C21M	No	EOL all Bulb Technology
XVBL37	Complete beacon, Harmony XVB, indicating 250V 10W + options, clear	XVB7L27	XVB7C21B/XVB7C21M	No	EOL all Bulb Technology
XVBL38	Complete beacon, Harmony XVB, indicating 250V 10W + options, yellow	XVB7L28	XVB7C21B/XVB7C21M	No	EOL all Bulb Technology
XVBZ02	Fixing base, Harmony XVB, for modular tower lights, plastic, 70mm, 80mm black aluminium support tube + black fixing plate	XVZ02			
XVBZ02A	Fixing base, Harmony XVB, for modular tower lights, plastic, 70mm, 80mm aluminium support tube + black fixing plate	XVZ02Q			
XVBZ03	Fixing base, Harmony XVB, for modular tower lights, plastic, 70mm, 380mm black aluminium support tube + black fixing plate	XVZ01	XVZ400		
Recommended Replacement					

Internal

CN Information

Change Notice Information Announcement

Customer Care Center: 1(888)778-2733 2733 for all customers

Channel Partners: Contact MySchneider Support

Also CHAT with us at: www.se.com/us/en/work/support/contacts.jsp



Obsolete part number	Description	Replacement part number	Base (if required for full replacement)	Category	Comments or Differences
XVBZ03A	Fixing base, Harmony XVB, for modular tower lights, plastic, 70mm, 380mm aluminium support tube + black fixing plate	XVZ01Q	XVZ400		
XVBZ04	Fixing base, Harmony XVB, for modular tower lights, plastic, 70mm, 780mm black aluminium support tube + black fixing plate	XVZ01	XVZ800		
XVBZ04A	Fixing base, Harmony XVB, for modular tower lights, plastic, 70mm, 780mm aluminium support tube + black fixing plate	XVZ01Q	XVZ400		
XVBZ01	Fixing base, Harmony XVB, for modular tower lights, plastic, black, 70mm	XVZ01		Direct	EOL all Bulb Technology
DL1BDB1	LED bulb, Harmony XVB, BA 15d, white, steady light, 24V AC/DC	`		No	EOL all Bulb Technology
DL1BDB3	LED bulb, Harmony XVB, BA 15d, green, steady light, 24V AC/DC	`		No	EOL all Bulb Technology
DL1BDB4	LED bulb, Harmony XVB, BA 15d, red, steady light, 24V AC/DC	`		No	EOL all Bulb Technology
DL1BDB5	LED bulb, Harmony XVB, BA 15d, orange, steady light, 24V AC/DC	`		No	EOL all Bulb Technology
DL1BDB6	LED bulb, Harmony XVB, BA 15d, blue, steady light, 24V AC/DC	`		No	EOL all Bulb Technology
DL1BDB8	LED bulb, Harmony XVB, BA 15d, yellow, steady light, 24V AC/DC	`		No	EOL all Bulb Technology
DL1BDG1	LED bulb, Harmony XVB, BA 15d, white, steady light, 120V AC	`		No	EOL all Bulb Technology
DL1BDG3	LED bulb, Harmony XVB, BA 15d, green, steady light, 120V AC	`		No	EOL all Bulb Technology
DL1BDG4	LED bulb, Harmony XVB, BA 15d, red, steady light, 120V AC	`		No	EOL all Bulb Technology
DL1BDG5	LED bulb, Harmony XVB, BA15d, orange, steady light, 120V AC	`		No	EOL all Bulb Technology
DL1BDG6	LED bulb, Harmony XVB, BA 15d, blue, steady light, 120V AC	`		No	EOL all Bulb Technology
DL1BDG8	LED bulb, Harmony XVB, BA 15d, yellow, steady light, 120V AC	`		No	EOL all Bulb Technology
DL1BDM1	LED bulb, Harmony XVB, BA 15d, white, steady light, 230V AC	`		No	EOL all Bulb Technology
DL1BDM3	LED bulb, Harmony XVB, BA 15d, green, steady light, 230V AC	`		No	EOL all Bulb Technology
Recommended Replacement					

Internal

CN Information

Change Notice Information Announcement

Customer Care Center: 1(888)778-2733 2733 for all customers

Channel Partners: Contact MySchneider Support

Also CHAT with us at: www.se.com/us/en/work/support/contacts.jsp



Obsolete part number	Description	Replacement part number	Base (if required for full replacement)	Category	Comments or Differences
DL1BDM4	LED bulb, Harmony XVB, BA 15d, red, steady light, 230V AC	`		No	EOL all Bulb Technology
DL1BDM5	LED bulb, Harmony XVB, BA15d, orange, steady light, 230V AC	`		No	EOL all Bulb Technology
DL1BDM6	BA 15D LED CLUSTER 230 VOLT BLUE	`		No	EOL all Bulb Technology
DL1BDM8	LED bulb, Harmony XVB, BA15d, yellow, steady light, 230V AC	`		No	EOL all Bulb Technology
DL1BEB	Incandescent bulb, Harmony XVB, BA 15d, 7W, 24V AC/DC	`		No	EOL all Bulb Technology
DL1BEE	Incandescent bulb, Harmony XVB, BA 15d, 7W, 48V AC/DC	`		No	EOL all Bulb Technology
DL1BEG	Incandescent bulb, Harmony XVB, BA 15d, 7W, 120V AC/DC	`		No	EOL all Bulb Technology
DL1BEJ	Incandescent bulb, Harmony XVB, BA 15d, 7W, 12V AC/DC	`		No	EOL all Bulb Technology
DL1BEM	Incandescent bulb, Harmony XVB, BA 15d, 7W, 230V AC/DC	`		No	EOL all Bulb Technology
DL1BKB1	LED bulb, Harmony XVB, BA15d, white, flashing signaling type, 24V AC	`		No	EOL all Bulb Technology
DL1BKB3	LED bulb, Harmony XVB, BA15d, green, flashing signaling type, 24V AC/DC	`		No	EOL all Bulb Technology
DL1BKB4	LED bulb, Harmony XVB, BA15d, red, flashing signaling type, 24V AC	`		No	EOL all Bulb Technology
DL1BKB5	LED bulb, Harmony XVB, BA15d, orange, flashing signaling type, 24V AC	`		No	EOL all Bulb Technology
DL1BKB6	Flashing LED, 24 Vac/Vdc Blue	`		No	EOL all Bulb Technology
DL1BKB8	LED bulb, Harmony XVB, BA15d, yellow, flashing signaling type, 24V AC/DC	`		No	EOL all Bulb Technology
DL1BKG1	Flashing LED, 120 Vac White	`		No	EOL all Bulb Technology
DL1BKG3	Flashing LED, 120 Vac Green	`		No	EOL all Bulb Technology
DL1BKG4	LED bulb, Harmony XVB, BA15d, red, flashing signaling type, 120V AC	`		No	EOL all Bulb Technology
DL1BKG5	protected LED bulb with BA15d base - flashing - orange - 120 V	`		No	EOL all Bulb Technology
DL1BKG6	Flashing LED, 120 Vac Blue	`		No	EOL all Bulb Technology

Internal

CN Information

Change Notice Information Announcement

Customer Care Center: 1(888)778-2733 2733 for all customers

Channel Partners: Contact MySchneider Support

Also CHAT with us at: www.se.com/us/en/work/support/contacts.jsp



Recommended Replacement					
Obsolete part number	Description	Replacement part number	Base (if required for full replacement)	Category	Comments or Differences
DL1BKG8	Flashing LED, 120 Vac Yellow/Amber	`		No	EOL all Bulb Technology
DL1BKM1	LED bulb, Harmony XVB, BA15d, white, flashing signaling type, 230V AC	`		No	EOL all Bulb Technology
DL1BKM3	LED bulb, Harmony XVB, BA15d, green, flashing signaling type, 230V AC	`		No	EOL all Bulb Technology
DL1BKM4	LED bulb, Harmony XVB, BA15d, red, flashing signaling type, 230V AC	`		No	EOL all Bulb Technology
DL1BKM5	protected LED bulb with BA15d base - flashing - orange - 230 V	`		No	EOL all Bulb Technology
DL1BKM6	Flashing LED, 230 Vac Blue	`		No	EOL all Bulb Technology
DL1BKM8	Flashing LED, 230 Vac Yellow/Amber	`		No	EOL all Bulb Technology

Internal