




Part Number : 675810011

Product Description : 1.27mm Pitch Serial ATA Crimp Terminal for Power Cable Receptacle, 0.76µm Gold (Au) Plating, with Reel Direction - Type 2, Lead free



Series Number : 67581

Status : Active

Product Category : Crimp Terminals

Documents & Resources

Drawings

[675810011_sd.pdf](#)

[PK-67581-001-001.pdf](#)

3D Models and Design Files

[675810011_stp.zip](#)

Specifications

[PS-67490-002-001.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not saleable
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)6225-DC (07 Nov 2024)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D

- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
Category	Crimp Terminals
Series	67581
Description	1.27mm Pitch Serial ATA Crimp Terminal for Power Cable Receptacle, 0.76µm Gold (Au) Plating, with Reel Direction - Type 2, Lead free
Application	Signal, Wire-to-Board
Product Name	Serial ATA
UPC	822348046515

Electrical

Current - Maximum per Contact	1.5A
Voltage - Maximum	15V DC

Physical

Durability (mating cycles max)	50
Gender	Female
Material - Metal	Phosphor Bronze
Material - Plating Mating	Gold
Material - Plating Termination	Tin
Net Weight	0.152/g
Packaging Type	Reel
Plating min - Mating	0.762µm
Plating min - Termination	1.905µm
Termination Interface Style	Crimp or Compression
Wire Insulation Diameter	2.20-1.60mm
Wire Size (AWG)	18, 20, 22

Wire Size mm ²	2.00-3.79
---------------------------	-----------

Solder Process Data

Lead-Free Process Capability	WAVE
------------------------------	------

Use with Part(s)

Description	Part Number
1.27mm Pitch Crimp Housings for Serial ATA Power Cable Receptacles	<u>67582</u>

Application Tooling

Global

Description	Part Number
Extraction and Activation Tool	<u>638132700</u>
Hand Crimp Tool For SATA Power Cable Crimp Receptacles	<u>638239900</u>
T2 Terminator Die	<u>638561000</u>
FineAdjust Applicator	<u>638661000</u>
FineAdjust Applicator for Serial SATA Crimp Power Terminal	<u>639023500</u>
T2 Terminator for Serial SATA Crimp Power Terminal	<u>639123500</u>

This document was generated on Mar 13, 2025