


Dimensions: [mm]




Scale 2:1

Product Marking:


WE-S
p/n without "820"
cURus, VDE
Date Code - WWY

Recommended Hole Pattern: [mm]



Scale 6:1

Schematic:



Electrical Properties:

Properties	Test conditions	Value	Unit	Tol.
AC Operating Voltage	V_{RMS}	275	V	max.
DC Operating Voltage	V_{DC}	350	V	max.
Clamping Voltage	V_{Clamp}	710	V	max.
(Reverse) Peak Pulse Current	I_{Peak} @ 8/20 μs	1750	A	max.
Power Dissipation	P_{Diss}	0.25	W	max.
Energy Absorption	W_{max}	40	J	max.
Nominal Discharge Current	I_n	1	kA	max.
Measured Limiting Voltage	V_{ML}	1090	V	max.
(Reverse) Breakdown Voltage	V_{BR}	430	V	$\pm 10\%$
(Channel) Input Capacitance	C_{Ch}	105	pF	typ.

Certification:

RoHS Approval	Compliant [2011/65/EU&2015/863]
REACH Approval	Conform or declared [IEC1907/2006]
Halogen Free	Conform [JEDEC JS709B]
Halogen Free	Conform [IEC 61249-2-2.1]
VDE Approval	Yes [40016998]
cULus Approval	UL1449 [E332875]


General Information:

Operating Temperature	-40 °C up to +105 °C
Storage Conditions (in original packaging)	< 40 °C ; < 75 % rH
Moisture Sensitivity Level (MSL)	1
Test conditions of Electrical Properties: +20 °C, 33 % rH if not specified differently	


DIN EN 60721-3-2 CLASS 3		DATE (YY-MM-DD) 2025-02-10	GENERAL TOLERANCE DIN ISO 2768-1m	PROJECTION METHOD
DESCRIPTION ROD		REVISION 006.000	WE-VD Disk Varistor	
SIZE/TYPE 7 mm		BUSINESS UNIT eSOS	ORDER CODE 820472711	PAGE 1/7
WÜRTH ELEKTRONIK MORE THAN YOU EXPECT		WÜRTH Elektronik eSOS GmbH & Co. KG EMC & Machine Solutions Max-Eyth-Str. 1 74638 Waldenburg Germany Tel. +49 (0) 79 42 945 - 0 www.wue-online.com eSOS@wue-online.com		

This electronic component has been designed and developed for usage in general electronic equipment only. This product is not authorized for use in equipment where a higher safety standard and reliability standard is especially required or where a failure of the product is reasonably expected to cause severe personal injury or death, unless the parties have entered an agreement specifically governing such use. Würth Elektronik eSOS GmbH & Co. KG products are neither designed nor intended for use in areas such as military, aerospace, aviation, clear control, submarine, transportation, transportation signal, disaster prevention, medical, public information network etc.. Würth Elektronik eSOS GmbH & Co. KG must be informed about the intent of such usage before the design-in stage. In addition, sufficient reliability evaluation checks for safety must be performed on every electronic component which is used in electrical circuits that require high safety and/or reliability functions or performance.

Rated Current vs. Voltage:





Pulse Lifetime Derating:



RoHS COMPLIANT REACH COMPLIANT HALOGEN FREE DVE CS WÜRTH ELEKTRONIK MORE THAN YOU EXPECT Würth Elektronik eSSa GmbH & Co. KG EMC & Inductive Solutions Mörs-Enn-Sch. 1 74638 Walsdorf Tel. +49 (0) 79 42 945 - 0 www.we-online.com eSSa@we-online.com				PROJECTION METHOD		GENERAL TOLERANCE		DATE (YYYY-MM-DD)		REVISION		DIE CODE	
						DIN ISO 2768-1(m)		006.000		820472711			
WÜRTH ELEKTRONIK MORE THAN YOU EXPECT Würth Elektronik eSSa GmbH & Co. KG EMC & Inductive Solutions Mörs-Enn-Sch. 1 74638 Walsdorf Tel. +49 (0) 79 42 945 - 0 www.we-online.com eSSa@we-online.com				DESCRIPTION		WE-VD Disk Varistor		ORDER CODE					
								820472711					
SIZE/TYPE		BUSINESS UNIT		STATUS		PAGE							
7 mm		eSSa		Valid		2/7							

This electronic component has been designed and developed for usage in general electronic equipment only. This product is not authorized for use in equipment where a higher safety standard and reliability standard is especially required or where a failure of the product is especially hazardous to persons, property, the environment, or the public. Würth Elektronik eSSa GmbH & Co. KG must be informed about the intent of such usage before the design-in stage. In addition, sufficient reliability evaluation checks for safety must be performed on every electronic component which is used in electrical circuits that require high safety and/or reliability functions or performance.

Packaging Specification - Reel: [mm]





Packaging is referred to the international standard IEC 60286-2:2015

P	P0	P1	F	W	W0	W1	W2	H	H1	D0	d	T	T1	Material	Packaging Unit
± 1.0	± 0.3	± 0.7	± 0.5	± 0.2	mini.	mini.	max.	± 0.5	max.	± 0.2	max.	max.	max.	max.	pcs.
± 2.7	± 0.7	± 3.85	5	18	10	9	3	20	27.5	4	0.6	0.7	1.6	Paper	1000



**WURTH
ELEKTRONIK
MORE THAN
YOU EXPECT**

Wurth Elektronik eGmbH & Co. KG
EMC & Inductive Solutions
Max-Eyth-Str. 1
74638 Völklingen
Germany
Tel. +49 (0) 79 42 945 - 0
www.w-e-online.com
eGmbH@w-e-online.com




A	C	N	W1	W2	W3
typ.	min.	max.	± 2.0	max.	± 3.0
340,00	30,00	89,00	43,00	51,00	43,00

DATE (YYYY-MM-DD)	GENERAL TOLERANCE	PROJECTION METHOD 
DIN ISO 2768-1m		
REVISION	DATE (YYYY-MM-DD)	DESCRIPTION
P00	006.000	
SHEET TYPE	BUSINESS UNIT	WE-V D Disk Varistor
7 mm	eSUS	
ORDER CODE		
820472711		
SERIALS	PAGE	
Valid	3 / 7	


This electronic component has been designed and developed for usage in general electronic equipment only. This product is not authorized for use in equipment where a higher safety standard and reliability standard is especially required or where a failure of the product is reasonably expected to cause severe personal injury or death, unless the parties have executed an agreement specifically governing such use. Moreover, Würth Elektronik eSS CO-AG products are neither designed nor intended for use in areas such as military, aerospace, aviation, nuclear control, submarine, transportation, transportation signal, disaster prevention, medical, public information network, etc. Würth Elektronik eSS GmbH & Co. KG must be informed about the intent of such usage before the design-in stage. In addition, sufficient reliability evaluation checks for safety must be performed or every electronic product which is used in electrical circuits that require high safety and reliability must be performed or verified.

Packaging Specification - Reel in Carton: [mm]




L_C (mm)	W_C (mm)	H_C (mm)	Packaging Unit	Material
typ.	typ.	typ.	bcs.	
350.00	350.00	107.00	2000	Paper

Packaging Specification - Outer Carton: [mm]



L_c (mm)	W_c (mm)	H_c (mm)	No. of inner Carton	Packaging Unit	Material
bpr.	bpr.	bpr.	pcs.	pcs.	Paper
370.00	370.00	575.00	5	10000	

 RoHS COMPLIANT	 REACH COMPLIANT	 HALOGEN FREE	 DYE	 ePlus	Würth Elektronik eSOS GmbH & Co. KG EMC & Inductive Solutions Max-Eyth-Str. 1 74638 Wallenburg Germany Tel. +49 (0) 79 42 945 - 0 info@we-online.com www.we-online.com	WE-VD Disk Varistor			CHECKED RAD	REVISION 0005.0000	DATE (YYMM-CC) 2025-02-10	GENERAL TOLERANCE DIN ISO 2768-1m	ORDER CODE 820472711	PRODUCTION METHOD 	SIZE/TYPE 7 mm	S.S.PRESS UNIT eSOS	STATUS Valid	PAGE 4/7
--	---	--	---	--	--	------------------------------	--	--	----------------	-----------------------	------------------------------	--------------------------------------	--------------------------------	--	-------------------	------------------------	-----------------	-------------

This electronic component has been designed and developed for use in equipment where a higher safety standard and reliability standard is reasonably expected to cause severe personal injury or death, unless the parties have executed an agreement specifically governing such use. Moreover, Wurtz Elektronik eGSS GmbH & Co KG products are neither designed nor intended for use in areas such as military, aerospace, aviation, nuclear control, submarine, transportation, transportation signal, disaster prevention, medical, public information network etc.. Wurtz Elektronik eGSS GmbH & Co KG must be informed about the intent of such usage before the design-in stage. In addition, sufficient reliability evaluation checks for safety must be performed on every electronic product which is used in electrical circuits that require high safety and/or reliability functions or performance.

Cautions and Warnings:

The following conditions apply to all goods within the product series of WE-VD of Würth Elektronik eiSos GmbH Co. KG:

General:

- This electronic component is designed and manufactured for use in general electronic equipment.
- Würth Elektronik must be asked for written approval (following the PPAP procedure) before incorporating the components into any equipment in fields such as military, aerospace, aviation, nuclear control, submarine, transportation (automotive control, train control, ship control), transportation signal, disaster prevention, medical, public information network, etc. where higher safety and reliability are especially required and/or if there is the possibility of direct damage or human injury.
- Electronic components that will be used in safety-critical or high-reliability applications, should be pre-evaluated by the customer.
- The component is designed and manufactured to be used within the datasheet specified values. If the usage and operation conditions specified in the datasheet are not met, the wire insulation may be damaged or dissolved.
- Do not drop or impact the components, the component may be damaged
- Würth Elektronik products are qualified according to international standards, which are listed in each product reliability report. Würth Elektronik does not warrant any customer qualified product characteristics beyond Würth Elektronik's specifications, for its validity and sustainability over time.
- The responsibility for the applicability of the customer specific products and use in a particular customer design is always within the authority of the customer. All technical specifications for standard products also apply to customer specific products.

Product specific:

Soldering:

- The solder profile must comply with the technical product specifications. All other profiles will void the warranty.
- All other soldering methods are at the customers' own risk.

Cleaning and Washing:

- Washing agents used during the production to clean the customer application might damage or change the characteristics of the coating insulation, marking or plating. Washing agents may have a negative effect on the long-term functionality of the product.

Potting:

- If the product is potted in the customer application, the potting material might shrink or expand during and after hardening. Shrinking could lead to an incomplete seal, allowing contaminants into the component body, pins or termination. Expansion could damage the components. We recommend a manual inspection after potting to avoid these effects.

Storage Conditions:

- A storage of Würth Elektronik products for longer than 12 months is not recommended. Within other effects, the terminals may suffer degradation, resulting in bad solderability. Therefore, all products shall be used within the period of 12 months based on the day of shipment.
- Do not expose the components to direct sunlight.
- The storage conditions in the original packaging are defined according to DIN EN 61760-2.
- The storage conditions stated in the original packaging apply to the storage time and not to the transportation time of the components.

Packaging:

- The packaging specifications apply only to purchase orders comprising whole packaging units. If the ordered quantity exceeds or is lower than the specified packaging unit, packaging in accordance with the packaging specifications cannot be ensured.
- Please be aware that Products provided in bulk packaging may get bent and might lead to derivations from the mechanical manufacturing tolerances mentioned in chapter A, which is not considered to be a material defect.

Handling:

- Violation of the technical product specifications such as exceeding the rated voltage will void the warranty.
- The varistor is not designed for voltage stabilization with continuous power dissipation.
- The exposure of steam, saline spray, atmosphere with reduced oxygen content, corrosive gases, rain or condensation and direct sunlight shall be prohibited.
- Signals operated continuously with a high ratio of direct-current voltage might have an influence on the product lifetime.
- The temperature rise of the component must be taken into consideration. The operating temperature is comprised of ambient temperature and temperature rise of the component. The operating temperature of the component shall not exceed the maximum temperature specified.

These cautions and warnings comply with the state of the scientific and technical knowledge and are believed to be accurate and reliable. However, no responsibility is assumed for inaccuracies or incompleteness.

 				 WÜRTH ELEKTRONIK MORE THAN YOU EXPECT WE Würth Elektronik eiSos GmbH & Co. KG EPC & Machine Solutions Max-Eyth-Str. 1 74638 Waldburg Germany Tel. +49 (0) 79 42 945 - 0 www.we-online.com eiSos@we-online.com				
ORDER CODE 820472711 DESCRIPTION WE-VD Disk Varistor				GENERAL TOLERANCE		PROJECTION METHOD		
				DIN ISO 2768-1m				
				DATE (YYMMJJ)				REVISION
				2025-02-10				006.000
DIE CODE		BUSINESS UNIT		STATUS		PAGE		
R0D		eiSos		Valid		6/7		
SIZE/TYPE		7 mm						

This electronic component has been designed and developed for usage in general electronic equipment only. This product is not authorized for use in equipment where a higher safety standard and reliability standard is especially required or where a failure of the product is reasonably expected to cause severe personal injury or death, unless the parties have entered an agreement specifically governing such use. Würth Elektronik eiSos GmbH & Co. KG products are neither designed nor intended for use in areas such as military, aerospace, aviation, disaster prevention, medical, public information network, etc.. Würth Elektronik eiSos GmbH & Co. KG must be informed about the intent of such usage before the design-in stage. In addition, sufficient reliability evaluation checks for safety must be performed on every electronic component which is used in electrical circuits that require high safety and reliability functions or performance.

Important Notes

The following conditions apply to all goods within the product range of Würth Elektronik eiSos GmbH & Co. KG:

1. General Customer Responsibility

Some goods within the product range of Würth Elektronik eiSos GmbH & Co. KG contain statements regarding general suitability for certain application areas. These statements about suitability are based on our knowledge and experience of typical requirements concerning the areas, serve as general guidance and cannot be estimated as binding statements about the suitability for a customer application. The responsibility for the applicability and use in a particular customer design is always solely within the authority of the customer. Due to this fact it is up to the customer to evaluate, where appropriate to investigate and decide whether the device with the specific product characteristics described in the product specification is valid and suitable for the respective customer application or not.

2. Customer Responsibility related to Specific, in particular Safety-Safety-Relevant Applications

It has to be clearly pointed out that the possibility of a malfunction of electronic components or failure before the end of the usual lifetime cannot be completely eliminated in the current state of the art, even if the products are operated within the range of the specifications. In certain customer applications requiring a very high level of safety and especially in customer applications in which the malfunction or failure of an electronic component could endanger human life or health it must be ensured by most advanced technological aid of suitable design of the customer application that no injury or damage is caused to third parties in the event of malfunction or failure of an electronic component. Therefore, customer is cautioned to verify that data sheets are current before placing orders. The current data sheets can be downloaded at www.we-online.com.

3. Best Care and Attention

Any product-specific notes, cautions and warnings must be strictly observed. Any disregard will result in the loss of warranty.

4. Customer Support for Product Specifications

Some products within the product range may contain substances which are subject to restrictions in certain jurisdictions in order to serve specific technical requirements. Necessary information is available on request. In this case the field sales engineer or the internal sales person in charge should be contacted who will be happy to support in this matter.

5. Product R&D

Due to constant product improvement product specifications may change from time to time. As a standard reporting procedure of the Product Change Notification (PCN) according to the JEDEC-Standard inform about minor and major changes. In case of further queries regarding the PCN, the field sales engineer or the internal sales person in charge should be contacted. The basic responsibility of the customer as per Section 1 and 2 remains unaffected.

6. Product Life Cycle

Due to technical progress and economical evaluation we also reserve the right to discontinue production and delivery of products. As a standard reporting procedure of the Product Termination Notification (PTN) according to the JEDEC-Standard we will inform at an early stage about inevitable product discontinuance. According to this we cannot guarantee that all products within our product range will always be available. Therefore it needs to be verified with the field sales engineer or the internal sales person in charge about the current product availability expectancy before or when the product for application design-in disposal is considered. The approach named above does not apply in the case of individual agreements deviating from the foregoing for customer-specific products.

7. Property Rights

All the rights for contractual products produced by Würth Elektronik eiSos GmbH & Co. KG on the basis of ideas, development contracts as well as models or templates that are subject to copyright, patent or commercial protection supplied to the customer will remain with Würth Elektronik eiSos GmbH & Co. KG. Würth Elektronik eiSos GmbH & Co. KG does not warrant or represent that any license, either expressed or implied, is granted under any patent right, copyright, mask work right, or other intellectual property right relating to any combination, application, or process in which Würth Elektronik eiSos GmbH & Co. KG components or services are used.

8. General Terms and Conditions

Unless otherwise agreed in individual contracts, all orders are subject to the current version of the "General Terms and Conditions of Würth Elektronik eiSos Group", last version available at www.we-online.com.





WÜRTH ELEKTRONIK
MORE THAN
YOU EXPECT

Würth Elektronik eiSos GmbH & Co. KG
EPC & Machine Solutions
Max-Eyth-Str. 1
74638 Waldenburg
Germany
Tel. +49 (0) 79 42 945 - 0
www.we-online.com
eiSos@we-online.com

ORDERED
R0D

REVISION
006.000

DATE (YY-MM-DD)
2025-02-10

GENERAL TOLERANCE
DIN ISO 2768-1m

PROJECTION METHOD


DESCRIPTION
WE-VD Disk Varistor

ORDER CODE
820472711

BUSINESS UNIT
eiSos

STATUS
Valid

PAGE
7/7

This electronic component has been designed and developed for usage in general electronic equipment only. This product is not authorized for use in equipment where a higher safety standard and reliability standard is especially required or where a failure of the product is reasonably expected to cause severe personal injury or death, unless the parties have entered an agreement specifically governing such use. Moreover Würth Elektronik eiSos GmbH & Co. KG products are neither designed nor intended for use in areas such as military aerospace, aviation, clear control, submarine, transportation, transportation signal, disaster prevention, medical, public information network, etc.. Würth Elektronik eiSos GmbH & Co. KG must be informed about the intent of such usage before the design-in stage. In addition, sufficient reliability evaluation checks for safety must be performed on every electronic component which is used in electrical circuits that require high safety and reliability functions or performance.