



Energy & Power > Power Systems Connectors > Wedge Connectors



Product Availability: Americas, Asia, China

Installation Technology: Energised Installation, Wedge

Voltage Class: ≤ 500 kV

Features

Product Type Features

Power Component Options	Hot Stick Accessories, Insulated Cover
Installation Technology	Energised Installation, Wedge

Configuration Features

Visual Inspection	Yes
-------------------	-----

Electrical Characteristics

Voltage Class	≤ 500 kV
---------------	----------

Dimensions

Compatible Conductor Range - Main	170 mm²[336.4 – 336.4 AWG/kcmil]
Compatible Conductor Range - Tap	13.3 mm²[6 –6 AWG/kcmil]

Usage Conditions

	-40 – 392 °F
--	--------------

Operation/Application

Power Component Application Type	Overhead Transmission & Distribution Connections
----------------------------------	--

Industry Standards

Compatible With Agency/Standards Products	RUS
---	-----

Product Availability

Product Availability	Americas, Asia, China
----------------------	-----------------------

Other

Color Cartridge Required	Yellow
--------------------------	--------



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts



Customers Also Bought




TE Part #69338-4
CARTRIDGE ASSY AMPACT YELLOW




TE Part #600403
AMPACT Tap 1/0-1/0,2/0-2,1/0-2



TE Part #CAT-AMPACT-AL
AMPACT Wedge Pressure Tap Connectors



TE Part #602004
AMPACT Tap 336.4-4/0



TE Part #602002
AMPACT Tap 336.4-2/0



TE Part #1974130-1
ASBS 3/0-500



TE Part #CR5850-000
SL-350-120V-F-01(B1)

Documents

Product Drawings

AMPACT Tap 336.4-6

English

Datasheets & Catalog Pages

AMPACT ALUMINUM TAP CONNECTORS

English

Instruction Sheets

Customer Manual (U.S.)

English

Customer Manual (U.S.)

English

Agency Approvals

UL Report

English