



Description

This is a 22.5mm non-illuminated metal touch piezo switch with a recessed face which is engineered for ultimate durability and performance, whilst providing protection against moisture and dust.

This has a recessed face offering a more tactile experience while still offering a lifespan of 50 million operations. This provides a trustworthy answer to your control panel demands even in the harshest conditions, with a rating of IP69. It is an ideal choice across a wide range of applications in various industries, like spas and swimming pools, among others, where harsh environments call for the highest level of resistance.

This switch is also customisable, available in Aviation Grade Aluminium or Stainless Steel 303, with optional variants in Stainless Steel 304 or 316, ensuring maximum durability and reliability. This switch can also be anodized to have a silver, black, red, green, blue or gold finish. Laser engraving or anodized printing is also available, meaning it's easy to adapt the switch to your needs.


Specification

Housing Material	: Stainless Steel
Connection	: Red PVC Wires 24 AWG
Switching Voltage	: 1 - 24V AC/DC
Switching Current	: 0.2A
Switch Resistance "ON"	: <20Ω
Switch Resistance "OFF"	: >5MΩ
Actuation Force	: 3-5 N
Make Impulse Time	: 125 - 300mSec
Operating and Storage Temp.	: -40°C to +125°C

Finish

Stainless Steel	: 6 to 10µm
Colour	: Natural

Diagram



Part Number Table

Description	Part Number
Piezo Switch, 22.5mm, Recessed Actuator Stainless Steel, 24V	MP015464

Dimensions : Millimetres

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.