

SAFETY DATA SHEET

SILCOSET 152

IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY:

PRODUCT NAME: SILCOSET 152

PART No.: 80041004

APPLICATIONS: A one-part room temperature vulcanising (RTV), moisture curing silicone sealant.

MANUFACTURER: Ambersil Ltd (Silicones Division)

Castlefield Industrial Estate, Wylds Rd, Bridgwater, Somerset. UK. TA6 4DD

1-5 %

1-5 %

Tel: +44 (0)1278 727200 Fax: +44 (0)1278 727266

COMPOSITION/INFORMATION ON INGREDIENTS:

NAME CONTENT

CAS No.: **EINECS Nr.: CLASSIFICATION** DI-ACETOXY-DI-TERT-BUTOXYSILANE

13170-23-5 236-112-3

C R-14, 34

METHYL TRI-ACETOXY SILANE

4253-34-3 224-221-9 C R-14, 34

The Full Text for all R-Phrases are Displayed in Section 16

COMPOSITION COMMENTS: Risk phrases in this section apply only to individual constituents and not the finished

preparation.

HAZARDS IDENTIFICATION:

Liberates a small amount of acetic acid on curing which is irritating to eyes, skin and

respiratory system.

FIRST AID MEASURES:

INHALATION: Remove from exposure, rest and keep warm. Seek medical attention if irritation

persists.

INGESTION: DO NOT induce vomiting.

Seek medical attention immediately and show this safety data sheet.

SKIN: Wash skin thoroughly with soap and water.

Get medical attention if irritation persists after washing.

EYES: Wash affected eye(s) with clean cold water or eyewash for at least 15 minutes. Seek

medical attention immediately.

10211 - SILCOSET 152 REVISION DATE:07/11/2002

5. FIRE FIGHTING MEASURES:

EXTINGUISHING MEDIA: Powder, foam or CO2. Water spray, fog or mist.

SPECIAL FIRE FIGHTING

PROCEDURES:

Wear suitable respiratory equipment.

HAZAR DOUS COMBUSTION

PRODUCTS:

Irritating gases/vapors/fumes of: Acetic acid and silica dust from hydrolysis and

combustion.

6. ACCIDENTAL RELEASE MEASURES:

PERSONAL PRECAUTION IN

SPILL:

Wear suitable protective clothing and gloves.

PRECAUTIONS TO PROTECT

ENVIRONMENT:

Not classified as harmful to the environment under current legislation.

SPILL CLEANUP METHODS: Smaller spill: Allow material to cure, scrape up and place in suitable containers for

disposal according to local regulations.

Larger spill: Absorb in vermiculite, dry sand or earth and place into containers. See

section 13 Disposal Considerations.

7. HANDLING AND STORAGE:

USAGE PRECAUTIONS:Do not use in confined spaces without adequate ventilation and/or respirator.

STORAGE PRECAUTIONS: Store at moderate temperatures in dry, well ventilated area. Keep in original container.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION:

INGREDIENT NAME:CAS No.:STDLT EXP 8 HrsST EXP 15 MinACETIC ACID64-19-7OES10 ppm15 ppm

INGREDIENT COMMENTS: Acetic acid is given off as vapour during the curing process.

PROTECTIVE EQUIPMENT:





VENTILATION: This product must not be used in a confined space without good ventilation.

RESPIRATORS: Respiratory protection must be used if the general level exceeds the Occupational

Exposure Level (OEL).

PROTECTIVE GLOVES: Chemical resistant gloves required for prolonged or repeated contact.

EYE PROTECTION: Wear approved safety spectacles.

HYGIENIC WORK PRACTICES: Good personal hygeine practices are always advisable, especially when working with

chemicals.

10211 - SILCOSET 152 REVISION DATE:07/11/2002

9. PHYSICAL AND CHEMICAL PROPERTIES:

APPEARANCE: Thixotropic paste

COLOUR: White.

ODOUR/TASTE: Acetic acid

DENSITY/SPECIFIC GRAVITY

(g/ml):

1.06 **Temperature (°C):**

SOLUBILITY DESCRIPTION: Not soluble in water. Dispersible in White spirit.

FLASH POINT (°C): >150 Method: CC (Closed cup).

10. STABILITY AND REACTIVITY:

STABILITY: No particular stability concerns.

POLYMERIZATION Store in original container to avoid contamination.

Cures on contact with moisture liberating acetic acid.

HAZAR DOUS DECOMP.

PRODUCTS:

Irritating gases/vapours/fumes of: Acetic acid.

11. TOXICOLOGICAL INFORMATION:

HEALTH HAZARDS, GENERAL: An acute toxicity study of this product has not been conducted. Information given in this

section relates only to individual constituents contained in this product. On curing in the

presence of moisture this product will liberate acetic acid.

INHALATION: Vapour may irritate respiratory system.

SKIN: Irritating to skin.

EYES: Exposure to acetic acid vapour may cause transient irritation, burning, lacrimation or

blurred vision.

12. ECOLOGICAL INFORMATION:

ECOLOGICAL INFORMATION: An ecotoxicity study of this product has not been conducted. However this product

contains no substances considered dangerous to the environment.

13. DISPOSAL CONSIDERATIONS:

DISPOSAL METHODS: Dispose of in accordance with Local Authority requirements. Disposal is normally

achieved by landfill on an approved site or by incineration under controlled conditions.

10211 - SILCOSET 152 REVISION DATE:07/11/2002

14. TRANSPORT INFORMATION:

GENERAL: This product is not classified for the purposes of transport.

15. REGULATORY INFORMATION:

NC Not classified

RISK PHRASES: Not classified.

SAFETY PHRASES: P-13 Safety data sheet available for professional user on request.

S-24/25 Avoid contact with skin and eyes.

S-26 In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S-51 Use only in well ventilated areas.

APPROVED CODE OF PRACTICE: The Chemicals (Hazards Information and Packaging for Supply) Regulations

16. OTHER INFORMATION:

USER NOTES:The purpose of the above information is to describe this product only in terms of Health

and Safety requirements. The information given therefore, should not be construed as guaranteeing specific properties or specification. Customers should satisfy themselves as to the suitability and completeness of this information for their own particular use, bearing in mind any other Health & Safety legislation or regulations. The information and recommendations in this publication are to the best of our knowledge reliable. However, nothing herein is construed as a warranty or representation. Statements concerning the use of the products described herein are not to be construed as recommending the infringement of any patent and no liability for infringement arising

out of any such use is to be assumed.

INFORMATION SOURCES: HSE EH40 Occupational Exposure Limits.

Suppliers health & safety data sheets. COSHH essentials. HSE Books .

Control of Substances Hazardous to Health Regulations (COSHH).

REVISION DATE: 07/11/2002

REV. No/REPL. SDS

GENERATED:

1

SAFETY DATA SHEET STATUS: Under preparation.

R-PHRASES (Full Text): R-14 Reacts violently with water. R-34 Causes burns.