SAFETY DATA SHEET



Identification of the substance/preparation and of the company/undertaking 1.

Aero HF585B **Product name** UK-1973, NL-01974, DE-18964, CH-5101 SDS # **Product Use** Hydraulic fluid Supplier Castrol (U.K.) Limited Wakefield House Pipers Way Swindon Wiltshire, SN3 1RE United Kingdom Tel.: +44 (0)1793 512712 Fax.: +44 (0)1793 486083 **EMERGENCY TELEPHONE**

+44 (0)1793 512712

Composition/information on ingredients 2.

Highly refined mineral oil and additives.

NUMBER

Chemical name	CAS no.	%	EINECS / ELINCS.	Classification
Distillates (petroleum), hydrotreated middle	64742-46-7	50 - 100	265-148-2	Xn; R65
See Section 16 for the full text of the R Phrases declared above				
Occupational Exposure Limit(s), if available, are listed in Section 8				

3. Hazards identification

This preparation is not classified as dangerous according to Directive 1999/45/EC as amended and adapted.

]	Effects and symptoms	
	Eyes	May cause mild eye irritation.
	Skin	Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis.
	Inhalation	Inhalation of oil mist or vapours at elevated temperatures may cause respiratory irritation.
	Ingestion	Ingestion may cause gastrointestinal irritation and diarrhoea.

First-aid measures 4.

Eye Contact	In case of contact, immediately flush eyes with a copious amount of water for at least 15 minutes. Get medical attention if irritation occurs.
Skin contact	Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if irritation develops.
Inhalation	If inhaled, remove to fresh air. Get medical attention if symptoms appear.
Ingestion	Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately.

5. **Fire-fighting measures**

Extinguishing Media	
Suitable	In case of fire, use water fog, foam, dry chemical or CO2 extinguisher or spray.
Not Suitable	Do not use water jet.
Unusual fire/explosion Hazards	This material is not explosive as defined by established regulatory criteria.
Special fire-fighting procedures	None identified.
Protection of fire-fighters	Fire fighters should wear self-contained positive pressure breathing apparatus (SCBA) and full turnout gear.

Product Name Aero HF585B		Product Code	UK-1973 Page: 1/4
Version 1.01	Date of issue 1 August 2002	Format United Kingdom (UK)	Language
			(ENGLISH)

6. Accidental release measures

Personal Precautions	Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment (Section 8). Follow all fire fighting procedures (Section 5).	
Environmental precautions and cleanup methods	If emergency personnel are unavailable, contain spilled material. For small spills add absorbent (soil may be used in the absence of other suitable materials) scoop up material and place in a sealed, liquid-proof container for disposal. For large spills dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal. Minimize contact of spilled material with soils to prevent runoff to surface waterways. See Section 13 for Waste Disposal Information.	
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.	

7. Handling and storage

Handling	Wash thoroughly after handling.		
Storage	Keep container tightly closed. Keep container in a cool, well-ventilated area.		

8. Exposure controls/personal protection

Ingredient Name	Occupational Exposure Limits	
Highly refined mineral oi	EH40-OES (United Kingdom (UK)). TWA: 5 mg/m ³ Form: Oil mist, mineral	
	STEL: 10 mg/m³ Form: Oil mist, mineral	
Control Measures	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective occupational exposure limits.	
Hygiene measures	Wash hands after handling compounds and before eating, smoking, using lavatory, and at the end of day.	
Personal protective equipment		
Respiratory system	None required; however, use of adequate ventilation is good industrial practice.	
Skin and body	Avoid prolonged or repeated contact with skin	
Hands	Wear protective gloves if prolonged or repeated contact is likely.	
Eyes	Safety glasses with side shields.	

9. Physical and chemical properties

Flash point	95 °C (CLOSED CUP)
Pour Point	-63 °C
Colour	Red.
Odour	Slight.
Odour threshold	Not available.
Physical state	Liquid.
Boiling point / range	>200 °C
Density	<1 g/cm ³ at 20 °C
Solubility	Insoluble in cold water.
Viscosity	kinematic at 40°C: 13.5 cSt kinematic: 5 cSt at 100°C

10. Stability and reactivity

Incompatibility with Various Substances	Reactive with oxidizing agents.
Hazardous Polymerization	Will not occur.
11 Tessie als sized info	

11. Toxicological information

Chronic toxicity

Carcinogenic effects

No component of this product at levels greater than 0.1% is identified as a carcinogen by ACGIH, the International Agency for Research on Cancer (IARC) or the European Commission (EC).

Product Name Aero HF585B		Product Code UK-19	973 Page: 2/4
Version 1.01	Date of issue 1 August 2002	Format United Kingdom (UK)	Language
			(ENGLISH)

12. Ecological information

Persistence/degradabilityInherently biodegradableEnvironmental hazardsNot classified as dangerous.

13. Disposal considerations

Disposal Consideration / Waste	Avoid contact of spilled material and runoff with soil and surface waterways. Consult an environmental
information	professional to determine if local, regional or national regulations would classify spilled or contaminated
	materials as hazardous waste. Use only approved transporters, recyclers, treatment, storage or disposal
	facilities

14. Transport information

Not classified as hazardous for transport (ADR, RID, UN , IMO, IATA/ICAO).

15. Regulatory information

Label Requirements		
Risk Phrases	This product is not classified according to the EU regulations.	
EU Regulations	Classification and labeling have been performed according to EU directives 1999/45/EC and 67/548/EEC as amended and adapted.	
Other Regulations		
Inventories	AUSTRALIAN INVENTORY (AICS): Not listed	
	CANADA INVENTORY (DSL): Not determined.	
	CHINA INVENTORY (IECS): Not determined.	
	EC INVENTORY (EINECS): In compliance.	
	JAPAN INVENTORY (ENCS): Not determined.	
	KOREA INVENTORY (ECL): Not determined.	
	PHILIPPINE INVENTORY (PICCS): Not determined. US INVENTORY (TSCA): Listed on inventory.	

16. Other information

Full text of R-phrases appearing in section 2	R65- Harmful: may cause lung damage if swallowed.	
HISTORY		
Date of issue	01/08/2002.	
Date of previous issue	30/07/2002.	
Prepared by	Product Stewardship	

Notice to Reader

The data and advice given apply when the product is sold for the stated application or applications. The product is not sold as suitable for any other application. Use of the product for applications other than as stated in this sheet may give rise to risks not mentioned in this sheet. You should not use the product other than for the stated application or applications without seeking advice from us.

If you have purchased the product for supply to a third party for use at work, it is your duty to take all necessary steps to secure that any person handling or using the product is provided with the information in this sheet.

If you are an employer, it is your duty to tell your employees and others who may be affected of any hazards described in this sheet and of any precautions which should be taken

Further copies of this Safety Data Sheet may be obtained from Castrol.

Product Name Aero HF585B		Product Code UK-1973	Page: 3/4
Version 1.01	Date of issue 1 August 2002	Format United Kingdom (UK)	Language
			(ENGLISH)

Product Name Aero HF585B		Product Code	JK-1973 Page: 3/4
Version 1.01	Date of issue 1 August 2002	Format United Kingdom (UK)	Language
			(ENGLISH)