



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

GC 10 SAC305T3 885V 52K

Version number: GHS 1.0

Date of compilation: 28.07.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name **GC 10 SAC305T3 885V 52K**
Registration number (REACH) not relevant (mixture)
Alternative number(s) 2029502, UFI: ER1G-CWFG-220H-TKXJ

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses industrial use

1.3 Details of the supplier of the safety data sheet

HARIMATEC CZECH s.r.o.
PointPark Prague D8, Hala DC03, Zdibsko 614
250 67 Klecany
Czech Republic

Telephone: +420 284 688 922
e-mail: sds-cz@harimagroup.com
Website: <https://www.harimatec.eu>

e-mail (competent person) lucie.dolska@harimagroup.com (Lucie Dolská)

1.4 Emergency telephone number

Emergency information service
Numero telefonico di emergenza: 800452661 (operativo 24h/24h tutti i giorni)
N° telefonico Centro Antiveneni di Niguarda 02 66101029 (operativo 24h/24h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Section | Hazard class | Category | Hazard class and category | Hazard statement |
|---------|---|----------|---------------------------|------------------|
| 3.4S | skin sensitisation | 1 | Skin Sens. 1 | H317 |
| 4.1C | hazardous to the aquatic environment - chronic hazard | 3 | Aquatic Chronic 3 | H412 |

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects
Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word warning

GC 10 SAC305T3 885V 52K

Version number: GHS 1.0

Date of compilation: 28.07.2025

- Pictograms

GHS07



- Hazard statements

H317

May cause an allergic skin reaction.

H412

Harmful to aquatic life with long lasting effects.

- Precautionary statements

P261

Avoid breathing dust/fume/gas/mist/vapours/spray.

P273

Avoid release to the environment.

P280

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P333+P313

If skin irritation or rash occurs: Get medical advice/attention.

- Hazardous ingredients for labelling

Modified rosin, Dodecane-1-thiol, Rosin

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0,1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.





SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

| Name of substance | Identifier | Wt% | Classification acc. to GHS | Pictograms |
|-------------------|--|-----------|---|---|
| Tin | CAS No 7440-31-5 EC No 231-141-8 REACH Reg. No 01-2119486474-28- xxxx | 75 – < 90 | Acute Tox. 4 / H332 Aquatic Acute 1 / H400 |   |
| Modified rosin | CAS No 144413-22-9 EC No 434-230-1 Index No 607-682-00-4 REACH Reg. No | 1 – < 5 | Skin Sens. 1 / H317 Aquatic Acute 1 / H400 |   |









Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

GC 10 SAC305T3 885V 52K

Version number: GHS 1.0


Date of compilation: 28.07.2025

| Name of substance | Identifier | Wt% | Classification acc. to GHS | Pictograms |
|------------------------------------|---|---------|---|---|
| | 01-2120117087-62-xxxx 01-2120781943-42-xxxx | | | |
| Silver | CAS No 7440-22-4 EC No 231-131-3 REACH Reg. No 01-2119555669-21-xxxx | 1 – < 5 | Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410 |  |
| Rosin | CAS No 8050-09-7 EC No 232-475-7 Index No 650-015-00-7 REACH Reg. No 01-2119480418-32-xxxx | 1 – < 5 | Skin Sens. 1 / H317 |  |
| Triethylene glykol monobutyl ether | CAS No 143-22-6 EC No 205-592-6 Index No 603-183-00-0 REACH Reg. No 01-2119475107-38-xxxx | 1 – < 5 | Eye Dam. 1 / H318 |  |
| Copper, metal | CAS No 7440-50-8 EC No 231-159-6 Index No 029-024-00-X REACH Reg. No 01-2119480154-42-xxxx | < 1 | Acute Tox. 3 / H331 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411 |   |
| Dodecane-1-thiol | CAS No 112-55-0 EC No 203-984-1 REACH Reg. No 01-2119491318-31-xxxx | < 1 | Acute Tox. 4 / H312 Acute Tox. 3 / H331 Skin Corr. 1C / H314 Eye Dam. 1 / H318 Skin Sens. 1A / H317 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410 |    |

GC 10 SAC305T3 885V 52K

Version number: GHS 1.0

Date of compilation: 28.07.2025

| Name of substance | Identifier | Wt% | Classification acc. to GHS | Pictograms |
|---------------------------------------|--|-----|----------------------------|---|
| Triethylene glycol hydroxy propionate | CAS No 36443-68-2 EC No 253-039-2 REACH Reg. No 01-2119956160-44-xxxx | < 1 | Aquatic Chronic 1 / H410 |  |

| Name of substance | Specific Conc. Limits | M-Factors | ATE | Exposure route |
|------------------------------------|---|---|-------------------------------|---|
| Tin | - | M-factor (acute) = 10 | >4,75 mg/l/4h | inhalation: dust/mist |
| Silver | - | M-factor (acute) = 1.000 M-factor (chronic) = 10 | - | |
| Triethylene glykol monobutyl ether | Eye Dam. 1; H318: C ≥ 30 % Eye Irrit. 2; H319: 20 % ≤ C < 30 % | - | - | |
| Copper, metal | - | - | >5,11 mg/l/4h 0,5 mg/l/4h | inhalation: vapour inhalation: dust/mist |
| Dodecane-1-thiol | - | - | ≥2.000 mg/kg ≥5,11 mg/l/4h | dermal inhalation: vapour |

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

GC 10 SAC305T3 885V 52K

Version number: GHS 1.0

Date of compilation: 28.07.2025

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media
Water, Foam, ABC-powder

Unsuitable extinguishing media
Water jet

5.2 Special hazards arising from the substance or mixture

Deposited combustible dust has considerable explosion potential.
Hazardous combustion products
Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel
Remove persons to safety.

For emergency responders
Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill
Covering of drains, Take up mechanically

Advice on how to clean up a spill
Take up mechanically.

Other information relating to spills and releases
Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

GC 10 SAC305T3 885V 52K

Version number: GHS 1.0

Date of compilation: 28.07.2025

- Measures to prevent fire as well as aerosol and dust generation
Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Ground/bond container and receiving equipment.
 - Specific notes/details
Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.
- Advice on general occupational hygiene
Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres
Removal of dust deposits.
- Ventilation requirements
Use local and general ventilation.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| Occupational exposure limit values (Workplace Exposure Limits) | | | | | | | | | | | |
|--|---------------|-----------|------------|-----------|--------------------------|------------|---------------------------|-----------------|--------------------------------|------------------|---------------|
| Country | Name of agent | CAS No | Identifier | TWA [ppm] | TWA [mg/m ³] | STEL [ppm] | STEL [mg/m ³] | Ceiling-C [ppm] | Ceiling-C [mg/m ³] | Notation | Source |
| CZ | rock dust | | PEL | | 10 | | | | | i | Zákon ČNR Sb. |
| CZ | rock dust | | PEL | | 2 | | | | | r | Zákon ČNR Sb. |
| CZ | silver | 7440-22-4 | PEL | | 0,1 | | 0,3 | | | | Zákon ČNR Sb. |
| CZ | copper | 7440-50-8 | PEL | | 1 | | 2 | | | dust, aerosol, i | Zákon ČNR Sb. |
| CZ | copper | 7440-50-8 | PEL | | 0,1 | | 0,2 | | | fume, aerosol, r | Zákon ČNR Sb. |
| CZ | colophony | 8050-09-7 | PEL | | 1 | | | | | df, aerosol, i | Zákon ČNR Sb. |
| EU | silver | 7440-22-4 | IOELV | | 0,1 | | | | | | 2000/39 /EC |

Notation

aerosol as aerosols

Ceiling-C ceiling value is a limit value above which exposure should not occur



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

GC 10 SAC305T3 885V 52K

Version number: GHS 1.0

Date of compilation: 28.07.2025

Notation

| | |
|------|--|
| df | as dust and fumes |
| dust | as dust |
| fume | as fume |
| i | inhalable fraction |
| r | respirable fraction |
| STEL | short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) |
| TWA | time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) |

Relevant DNELs of components

| Name of substance | CAS No | Endpoint | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
|-------------------|-----------|----------|----------------------|------------------------------------|-------------------|----------------------------|
| Tin | 7440-31-5 | DNEL | 71 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| Tin | 7440-31-5 | DNEL | 10 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |
| Copper, metal | 7440-50-8 | DNEL | 137 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |
| Copper, metal | 7440-50-8 | DNEL | 273 mg/kg bw/day | human, dermal | worker (industry) | acute - systemic effects |

Relevant PNECs of components

| Name of substance | CAS No | Endpoint | Threshold level | Organism | Environmental compartment | Exposure time |
|------------------------------------|-----------|----------|-----------------|-----------------------|------------------------------|------------------------------|
| Triethylene glykol monobutyl ether | 143-22-6 | PNEC | 2 mg/l | aquatic organisms | freshwater | short-term (single instance) |
| Triethylene glykol monobutyl ether | 143-22-6 | PNEC | 0,2 mg/l | aquatic organisms | marine water | short-term (single instance) |
| Triethylene glykol monobutyl ether | 143-22-6 | PNEC | 200 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| Triethylene glykol monobutyl ether | 143-22-6 | PNEC | 7,7 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| Triethylene glykol monobutyl ether | 143-22-6 | PNEC | 0,77 mg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| Triethylene glykol monobutyl ether | 143-22-6 | PNEC | 0,47 mg/kg | terrestrial organisms | soil | short-term (single instance) |
| Copper, metal | 7440-50-8 | PNEC | 6,3 µg/l | aquatic organisms | freshwater | short-term (single instance) |
| Copper, metal | 7440-50-8 | PNEC | 5,2 µg/l | aquatic organisms | marine water | short-term (single instance) |
| Copper, metal | 7440-50-8 | PNEC | 230 µg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| Copper, metal | 7440-50-8 | PNEC | 87 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |

GC 10 SAC305T3 885V 52K

Version number: GHS 1.0

Date of compilation: 28.07.2025

| Relevant PNECs of components | | | | | | |
|---------------------------------------|------------|----------|-----------------|-----------------------|---------------------------|------------------------------|
| Name of substance | CAS No | Endpoint | Threshold level | Organism | Environmental compartment | Exposure time |
| Copper, metal | 7440-50-8 | PNEC | 676 mg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| Copper, metal | 7440-50-8 | PNEC | 65 mg/kg | terrestrial organisms | soil | short-term (single instance) |
| Triethylene glycol hydroxy propionate | 36443-68-2 | PNEC | 0,001 mg/l | aquatic organisms | freshwater | short-term (single instance) |
| Triethylene glycol hydroxy propionate | 36443-68-2 | PNEC | 0 mg/l | aquatic organisms | marine water | short-term (single instance) |
| Triethylene glycol hydroxy propionate | 36443-68-2 | PNEC | 0,195 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| Triethylene glycol hydroxy propionate | 36443-68-2 | PNEC | 0,019 mg/kg | aquatic organisms | marine sediment | short-term (single instance) |

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear protective gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

Particulate filter device (EN 143).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|------------------------------|----------------|
| Physical state | solid |
| Colour | grey |
| Odour | characteristic |
| Melting point/freezing point | 217 °C |



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

GC 10 SAC305T3 885V 52K

Version number: GHS 1.0

Date of compilation: 28.07.2025

| | |
|--|----------------------|
| Boiling point or initial boiling point and boiling range | not determined |
| Flammability | non-combustible |
| Lower and upper explosion limit | not relevant (solid) |
| Flash point | 131 °C |
| Auto-ignition temperature | not determined |
| Decomposition temperature | not relevant |
| pH (value) | not applicable |
| Kinematic viscosity | not relevant |
| Solubility(ies) | not determined |

Partition coefficient

| | |
|---|-----------------------------------|
| Partition coefficient n-octanol/water (log value) | this information is not available |
|---|-----------------------------------|

| | |
|-----------------|---------|
| Vapour pressure | 0,83 Pa |
|-----------------|---------|

Density and/or relative density

| | |
|-------------------------|----------------------|
| Density | not determined |
| Relative vapour density | not relevant (solid) |

| | |
|--------------------------|-------------------|
| Particle characteristics | no data available |
|--------------------------|-------------------|

9.2 Other information

| | |
|--|--|
| Information with regard to physical hazard classes | hazard classes acc. to GHS (physical hazards): not relevant |
|--|--|

Other safety characteristics

| | |
|----------------|---------|
| Liquid content | 6,002 % |
| Solid content | 94 % |



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

GC 10 SAC305T3 885V 52K

Version number: GHS 1.0

Date of compilation: 28.07.2025

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if swallowed, in contact with skin or if inhaled.

Acute toxicity estimate (ATE) of components

| Name of substance | CAS No | Exposure route | ATE |
|-------------------|-----------|-----------------------|---------------|
| Tin | 7440-31-5 | inhalation: dust/mist | >4,75 mg/l/4h |
| Copper, metal | 7440-50-8 | inhalation: vapour | >5,11 mg/l/4h |
| Copper, metal | 7440-50-8 | inhalation: dust/mist | 0,5 mg/l/4h |
| Dodecane-1-thiol | 112-55-0 | dermal | ≥2.000 mg/kg |
| Dodecane-1-thiol | 112-55-0 | inhalation: vapour | ≥5,11 mg/l/4h |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

GC 10 SAC305T3 885V 52K

Version number: GHS 1.0

Date of compilation: 28.07.2025

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

| Aquatic toxicity (chronic) of components | | | | | |
|--|-------------|----------|--------------|-----------------------|---------------|
| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
| Tin | 7440-31-5 | EC50 | 1.303 µg/l | aquatic invertebrates | 7 d |
| Tin | 7440-31-5 | LC50 | >3.200 µg/l | aquatic invertebrates | 7 d |
| Modified rosin | 144413-22-9 | EC50 | >1.000 mg/l | microorganisms | 3 h |
| Silver | 7440-22-4 | EbC50 | 2,56 µg/l | aquatic invertebrates | 14 d |
| Silver | 7440-22-4 | EC50 | 12,01 µg/l | aquatic invertebrates | 21 d |
| Rosin | 8050-09-7 | EC50 | >10.000 mg/l | microorganisms | 3 h |

12.2 Persistence and degradability

| Degradability of components | | | | | | |
|-----------------------------|-------------|---------------------------|------------------|------|--------|--------|
| Name of substance | CAS No | Process | Degradation rate | Time | Method | Source |
| Modified rosin | 144413-22-9 | carbon dioxide generation | 25 % | 28 d | | ECHA |
| Rosin | 8050-09-7 | carbon dioxide generation | 89 % | 28 d | | ECHA |
| Rosin | 8050-09-7 | oxygen depletion | 71 % | 28 d | | ECHA |

GC 10 SAC305T3 885V 52K

Version number: GHS 1.0

Date of compilation: 28.07.2025

| Degradability of components | | | | | | |
|---------------------------------------|------------|---------------------------|------------------|------|--------|--------|
| Name of substance | CAS No | Process | Degradation rate | Time | Method | Source |
| Triethylene glykol monobutyl ether | 143-22-6 | oxygen depletion | 3 % | 5 d | | ECHA |
| Dodecane-1-thiol | 112-55-0 | oxygen depletion | 0 % | 28 d | | ECHA |
| Triethylene glycol hydroxy propionate | 36443-68-2 | carbon dioxide generation | 8 % | 28 d | | ECHA |

12.3 Bioaccumulative potential

Data are not available.

| Bioaccumulative potential of components | | | | |
|---|-------------|-----|----------------------------|----------|
| Name of substance | CAS No | BCF | Log KOW | BOD5/COD |
| Modified rosin | 144413-22-9 | | >6 | |
| Silver | 7440-22-4 | 70 | | |
| Rosin | 8050-09-7 | | >3 – ≤6,2 | |
| Triethylene glykol monobutyl ether | 143-22-6 | | 0,51 (pH value: 7, 25 °C) | |
| Dodecane-1-thiol | 112-55-0 | | >6,5 (pH value: 7, 25 °C) | |
| Triethylene glycol hydroxy propionate | 36443-68-2 | | 4,7 (pH value: 6,4, 23 °C) | |

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of ≥ 0,1%.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

GC 10 SAC305T3 885V 52K

Version number: GHS 1.0

Date of compilation: 28.07.2025

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

- 14.1 UN number or ID number** not subject to transport regulations
- 14.2 UN proper shipping name** not relevant
- 14.3 Transport hazard class(es)** none
- 14.4 Packing group** not assigned
- 14.5 Environmental hazards** non-environmentally hazardous acc. to the dangerous goods regulations
- 14.6 Special precautions for user**
There is no additional information.
- 14.7 Maritime transport in bulk according to IMO instruments**
The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- Relevant provisions of the European Union (EU)**
- Restrictions according to REACH, Annex XVII**

| Dangerous substances with restrictions (REACH, Annex XVII) | | | | |
|--|--|--------|-------------|----|
| Name of substance | Name acc. to inventory | CAS No | Restriction | No |
| Rosin | substances in tattoo inks and permanent make-up | | R75 | 75 |
| Dodecane-1-thiol | this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC | | R3 | 3 |
| Dodecane-1-thiol | substances in tattoo inks and permanent make-up | | R75 | 75 |

Legend

R3 1. Shall not be used in:



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

GC 10 SAC305T3 885V 52K

Version number: GHS 1.0

Date of compilation: 28.07.2025

Legend

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
 - tricks and jokes,
 - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
2. Articles not complying with paragraph 1 shall not be placed on the market.
3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
- can be used as fuel in decorative oil lamps for supply to the general public, and
 - present an aspiration hazard and are labelled with H304.
4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
- (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
 - (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
 - (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.;
- R75 1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:
- (a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
 - (b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
 - (c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
 - (d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:
 - (i) 0,1 % by weight, if the substance is used solely as a pH regulator;
 - (ii) 0,01 % by weight, in all other cases;
 - (e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
 - (f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:
 - (i) "Rinse-off products";
 - (ii) "Not to be used in products applied on mucous membranes";
 - (iii) "Not to be used in eye products";
 - (g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column;
 - (h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.
2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.
3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.
4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:
- (a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
 - (b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).
5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.
6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

GC 10 SAC305T3 885V 52K

Version number: GHS 1.0

Date of compilation: 28.07.2025

Legend

the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.

7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:

(a) the statement "Mixture for use in tattoos or permanent make-up";

(b) a reference number to uniquely identify the batch;

(c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;

(d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;

(e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;

(f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13;

(g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.

The information shall be clearly visible, easily legible and marked in a way that is indelible.

The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise.

Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use.

Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph.

8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

none of the ingredients are listed

Deco-Paint Directive

| | |
|-------------|---------|
| VOC content | 1,279 % |
|-------------|---------|

Industrial Emissions Directive (IED)

| | |
|-------------|---------|
| VOC content | 3,499 % |
|-------------|---------|

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

GC 10 SAC305T3 885V 52K

Version number: GHS 1.0

Date of compilation: 28.07.2025

Pollutant release and transfer registers (PRTR)

| Name of substance | CAS No | Remarks | Threshold for releases to air (kg/year) |
|-------------------|-----------|---------|---|
| Copper, metal | 7440-50-8 | (8) | 100 |

Legend

(8) All metals shall be reported as the total mass of the element in all chemical forms present in the release

Water Framework Directive (WFD)

List of pollutants (WFD)

| Name of substance | CAS No | Listed in | Remarks |
|-------------------|--------|-----------|---------|
| Silver | | a) | |
| Tin | | a) | |
| Copper, metal | | a) | |

Legend

a) Indicative list of the main pollutants

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-----------------|---|
| 2000/39/EC | Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC |
| Acute Tox. | Acute toxicity |
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) |
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road) |
| Aquatic Acute | Hazardous to the aquatic environment - acute hazard |
| Aquatic Chronic | Hazardous to the aquatic environment - chronic hazard |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BOD | Biochemical Oxygen Demand |



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

GC 10 SAC305T3 885V 52K

Version number: GHS 1.0

Date of compilation: 28.07.2025

| Abbr. | Descriptions of used abbreviations |
|------------|--|
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| COD | Chemical oxygen demand |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EbC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) |
| ED | Endocrine disruptor |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| Eye Dam. | Seriously damaging to the eye |
| Eye Irrit. | Irritant to the eye |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods Code |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| IOELV | Indicative occupational exposure limit value |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| log KOW | n-Octanol/water |
| M-factor | Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| PEL | Workplace exposure limit |
| PNEC | Predicted No-Effect Concentration |
| ppm | Parts per million |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

GC 10 SAC305T3 885V 52K

Version number: GHS 1.0

Date of compilation: 28.07.2025

| Abbr. | Descriptions of used abbreviations |
|---------------|---|
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) |
| Skin Corr. | Corrosive to skin |
| Skin Irrit. | Irritant to skin |
| Skin Sens. | Skin sensitisation |
| STEL | Short-term exposure limit |
| SVHC | Substance of Very High Concern |
| TWA | Time-weighted average |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |
| Zákon ČNR Sb. | Sbírka zákonu: Nařízení vlády o podmínky ochrany zdraví při práci |

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|---|
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H331 | Toxic if inhaled. |
| H332 | Harmful if inhaled. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.