



11<sup>th</sup> July 2025

To: Valued Customer

From: Littelfuse Product Management

Subject: LFPCN 41554 - Addition of KC logo on Fuse Body

This is a 90-day PCN.

With regards to the above reference. Littelfuse would like to inform you that there will be a change in the marking on our fuse bodies. In compliance to the requirement set by the Korean Testing Laboratory (KTL), we will be incorporating the **KC logo** into the fuse marking.





















Please note that this change is purely related to regulatory requirement and does not affect the performance or specifications of the product.







We would do the running change from 13<sup>th</sup> October 2025

Please let us know should you have further queries.

Alvin Salvador/John Semana/Winson Wang  
Product Manager- Asia  
Electronics Business Unit  
Littelfuse Phils, Inc (Philippines)  
+63 43 430-0100  
[asalvador@littelfuse.com](mailto:asalvador@littelfuse.com),  
[jsemana@littelfuse.com](mailto:jsemana@littelfuse.com)  
[wwang@littelfuse.com](mailto:wwang@littelfuse.com)

## Affected Product Line and Series

Product Line	Series	Rating	Before	After
TRTE	369 Series	1A - 5A		
TRTE	369 Series	6.3A		
TRTE	370 Series	50mA - 800mA		
TRTE	370 Series	1A - 5A		
TRTE	370 Series	6.3A		
TRTE	392 Series	500mA - 800mA		
TRTE	392 Series	1A - 5A		
TRTE	392 Series	6.3A		
TRTE	400 Series	500mA - 800mA		
TRTE	400 Series	1A - 6.3A		

Product Line	Series	Rating	Current	Target Adjustment
Pico	877	2A - 6.3A		
Pico	876	160mA - 630mA stamping		
Pico	876	1.6A - 5A	 inkjet	 stamping

*Note: For 876 Fuse Series 1.6A – 5A, Fuse marking will change from Inkjet printing to Pad Printing.*

Product Line	Series	Rating	Current	Target Adjustment
Nano	443	500mA - 5A	