

Last revised date: 27.03.2024 Supersedes Date: 18.12.2023

#### **TSE397-C**

# SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation(EU) No. 2020/878

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: TSE397-C

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Professional Consumer Industrial

Uses advised against: Not known.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Importer/Distr

ibutor Information

Momentive Performance Materials GmbH Chempark Leverkusen Gebaeude V7

DE - 51368 Leverkusen

Germany

Contact person : commercial.services@momentive.com

**Telephone** : General information

+390510924300 (Customer Service Centre)

1.4

number

Emergency telephone

Europe, Israel & All other: +44 (0) 1235239670; Middle East:+44

(0) 1235239671

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

The product has been classified according to the legislation in force.

Classification according to Regulation (EC) No 1272/2008 as amended.

**Health Hazards** 

Serious eye irritation Category 2 H319: Causes serious eye irritation.

Toxic to reproduction Category 1B H360FD: May damage fertility. May damage the

unborn child.

**Environmental Hazards** 

Chronic hazards to the aquatic Category 3 H412: Harmful to aquatic life with long lasting

environment effects.

2.2 Label Elements

Contains: Dibutyltin Dilaurate

SDS\_GB 1/21



Last revised date: 27.03.2024 Supersedes Date: 18.12.2023

# **TSE397-C**



Signal Words: Danger

Hazard Statement(s): H319: Causes serious eye irritation.

H360FD: May damage fertility. May damage the unborn child.

H412: Harmful to aquatic life with long lasting effects.

**Precautionary Statements** 

**Prevention:** P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and

understood.

P273: Avoid release to the environment.

P280: Wear protective gloves/ protective clothing/ eye protection/ face

protection.

**Response:** P305+P351+P338: IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue

rinsina.

P337+P313: If eye irritation persists: Get medical advice/attention. P308+P313: IF exposed or concerned: Get medical advice/attention.

**Storage:** P405: Store locked up.

**Disposal:** P501: Dispose of contents/ container to an approved facility in

accordance with local, regional, national and international regulations.

Supplemental label information

EUH208: Contains (gamma-Aminopropyltriethoxysilane, Dibutyltin

Dilaurate). May produce an allergic reaction.

: Restricted to professional users.

# **Unknown toxicity - Health**

Acute toxicity, oral 0 %
Acute toxicity, dermal 0 %
Acute toxicity, inhalation, vapor 0 %
Acute toxicity, inhalation, dust 0 %

or mist

# **Unknown toxicity - Environment**

Acute hazards to the aquatic

environment

0 %

Chronic hazards to the aquatic 0 %

environment

Additional Information: No data available.

SDS\_GB 2/21



Last revised date: 27.03.2024 Supersedes Date: 18.12.2023

#### **TSE397-C**

#### 2.3 Other hazards

### PBT/vPvB data

Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB)

# **Endocrine disrupting properties-Toxicity**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# Endocrine disrupting properties-Ecotoxicity

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

Chemical nature: Mixture of polydimethylsiloxanes, fillers and cross-linkers.

#### 3.2 Mixtures

**General information:** No data available.

Chemical name	Concentration	CAS-No.	EC No.	REACH Registration No.	M-Factor:	Notes
CYCLOPENT YLSILAZANE- AMINOSILOX ANE COPOLYMER , METHOXY TERMINATED	1 - <3%	134759-20-9	638-885-6	Polymer	Not applicable	
gamma- Aminopropyltri ethoxysilane	0,1 - <1%	919-30-2	213-048-4	01- 2119480479- 24-XXXX	Not applicable	
DibutyItin Dilaurate	0,3 - <1%	77-58-7	201-039-8	01- 2119496068- 27-XXXX	Aquatic Toxicity (Acute): 1	
Decamethylcy clopentasiloxa ne	0,1 - <1%	541-02-6	208-764-9	01- 2119511367- 43-XXXX	Not applicable	vPvB
Dodecamethyl cyclohexasilox ane	0,1 - <1%	540-97-6	208-762-8	01- 2119517435- 42-XXXX	Not applicable	vPvB
Octamethylcyc lotetrasiloxane	0,01 - <0,25%	556-67-2	209-136-7	01- 2119529238- 36-XXXX	Aquatic Toxicity (Chronic): 10	PBT, vPvB

SDS\_GB 3/21



Last revised date: 27.03.2024 Supersedes Date: 18.12.2023

#### **TSE397-C**

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

# This substance has workplace exposure limit(s).

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

#### Classification

Chemical name	Classification	Notes
CYCLOPENTYLSILAZAN E-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED	Eye Dam.: 1: H318; Skin Corr.: 2: H315;	
gamma- Aminopropyltriethoxysilane	Acute Tox.: 4: H302; Skin Corr.: 1B: H314; Eye Dam.: 1: H318; Skin Sens.: 1: H317;	No data available.
Dibutyltin Dilaurate	Skin Corr.: 1C: H314; Eye Dam.: 1: H318; Skin Sens.: 1: H317; Muta.: 2: H341; Repr.: 1B: H360FD; STOT SE: 1: H370; Aquatic Chronic: 1: H410; Aquatic Acute: 1: H400; No data available.	No data available.
Decamethylcyclopentasilo xane	No data available.	
Dodecamethylcyclohexasil oxane	No data available.	
Octamethylcyclotetrasiloxa ne	Flam. Liq.: 3: H226; Repr.: 2: H361f; Aquatic Chronic: 1: H410;	

CLP: Regulation No. 1272/2008.

# **SECTION 4: First aid measures**

4.1 Description of first aid measures

**Inhalation:** Move into fresh air and keep at rest. Get medical attention if symptoms

occur.

**Eye contact:** Rinse the eye with water immediately. If eye irritation persists: Get medical

advice/attention.

Skin Contact: After contact with skin, remove product mechanically. Wash area with soap

and water.

**Ingestion:** If swallowed, do NOT induce vomiting. Give a glass of water. Rinse mouth.

Consult a physician for specific advice.

4.2 Most important symptoms and effects, both acute and

delayed:

Product may hydrolyse upon contact with body fluids in the gastrointestinal

tract to produce additional methanol; therefore, consider the

signs/symptoms of methanol poisoning and also observe the known latency

period of several days!

4.3 Indication of any immediate medical attention and special treatment needed

Hazards: No data available.

**Treatment:** If swallowed, do NOT induce vomiting. Give a glass of water. If swallowed,

rinse mouth with water (only if the person is conscious). Product may hydrolyze upon contact with body fluids in the gastrointestinal tract to produce additional methanol. The potential for toxic effects due to methanol formation (eye damage and blindness, metabolic acidosis,

dizziness and drowsiness, fetal toxicity, and liver, kidney, and heart muscle

damage) should be recognized.

SDS\_GB 4/21



Last revised date: 27.03.2024 Supersedes Date: 18.12.2023

#### **TSE397-C**

# **SECTION 5: Firefighting measures**

General Fire Hazards: Prevent runoff from fire control or dilution from entering streams, sewers, or

drinking water supply.

5.1 Extinguishing media Suitable extinguishing

media:

All standard extinguishing agents are suitable.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

5.2 Special hazards arising from the substance or

mixture:

Reacts with water liberating small amounts of methanol. In case of fire, carbon monoxide and carbon dioxide may be formed. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.

5.3 Advice for firefighters Special fire-fighting

procedures:

Product may charge electrostatically during pouring or filling. Take precautionary measures against static discharges. Keep away from sources

of ignition - No smoking.

Special protective equipment for fire-fighters:

Use standard firefighting procedures and consider the hazards of other

involved materials. Self-contained breathing apparatus.

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures:

Provide adequate ventilation. Use personal protective equipment. Keep

container tightly closed and in a well-ventilated place. Caution:

Contaminated surfaces may be slippery.

**6.2 Environmental Precautions:** 

Prevent runoff from entering drains, sewers, or streams.

6.3 Methods and material for containment and cleaning

up:

Use mechanical handling equipment. Shovel up and place in a container for

salvage or disposal.

6.4 Reference to other

sections:

Remove sources of ignition.

# **SECTION 7: Handling and storage:**

7.1 Precautions for safe

handling:

Methanol is formed during processing. Wear appropriate personal

protective equipment.

Storage conditions: Keep away from sources of ignition - No smoking. Store in original

container.

7.2 Conditions for safe storage,

including any incompatibilities:

Store in original tightly closed container. Keep in a cool, ventilated location far from heat source and flame Keep away from food, drink and animal

feeding stuffs.

**Storage Stability:** Material is stable under normal conditions.

7.3 Specific end use(s): No data available.

# SECTION 8: Exposure controls/personal protection

8.1 Control Parameters
Occupational Exposure Limits

SDS GB 5/21



Last revised date: 27.03.2024 Supersedes Date: 18.12.2023

#### **TSE397-C**

None of the components have assigned exposure limits.

**Biological Limit Values** 

None.

8.2 Exposure controls

**Appropriate Engineering** 

Controls:

Eye wash facilities and emergency shower must be available when handling this product. Observe good industrial hygiene practices.

Individual protection measures, such as personal protective equipment

General information: Use only in well-ventilated areas. Wear suitable gloves and eye/face

protection.

**Eye/face protection:** Safety glasses with side-shields conforming to EN166

Skin protection

**Hand Protection:** Advice: There is no risk to health due to contact with the chemical. Use

hand protection to prevent mechanically injuries.

Other: Wear suitable protective clothing and eye/face protection. Wear suitable

protective clothing.

**Respiratory Protection:** In case of insufficient ventilation, wear suitable respiratory equipment.

Respiratory protection mask with Filtertype ABEK

**Hygiene measures:** Avoid contact with eyes, skin, and clothing. Wash hands after handling.

When using do not eat or drink.

**Environmental exposure** 

controls:

No data available.

# SECTION 9: Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

**Appearance** 

Physical state: liquid
Form: liquid
Color: Colorless
Odor: Faint

Odor Threshold: No data available.

**pH:** Not applicable substance/mixture is non-soluble (in water)

Freezing point:

Boiling Point:

No data available.

No data available.

Flash Point: 198 °C

**Evaporation Rate:** No data available. Flammability (solid, gas): No data available. Flammability Limit - Upper (%): No data available. No data available. Flammability Limit - Lower (%): No data available. Vapor pressure: Relative vapor density: No data available. > 1,04 g/cm3 (23 °C) Density: Relative density: No data available.

Solubility(ies)

Solubility in Water: Insoluble

SDS\_GB 6/21



Last revised date: 27.03.2024 Supersedes Date: 18.12.2023

#### **TSE397-C**

Solubility (other):

Partition coefficient (n-octanol/water) Log

No data available.

No data available.

Pow:

Auto-ignition temperature: No data available.

**Decomposition Temperature:** No decomposition if stored and applied as directed.

No data available.

SADT:

Viscosity, dynamic:

Viscosity, kinematic:

Solution

Solut

**9.2 Other information**No data available.

Oxidizing properties:

# **SECTION 10: Stability and reactivity**

**10.1 Reactivity:** Material is stable under normal conditions.

**10.2 Chemical Stability:** Material is stable under normal conditions.

10.3 Possibility of hazardous

reactions:

Hazardous polymerization does not occur. Avoid contact with: Moisture.

**10.4 Conditions to avoid:** Keep away from heat, sparks and open flame.

10.5 Incompatible Materials: Moisture. Strong Acids, Strong Bases

10.6 Hazardous Decomposition

Products:

Carbon oxides Oxides of silicon. Generates methanol during cure.

Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to

oxidative degradation.

# SECTION 11: Toxicological information

General information: In serious cases absorption of methanol in the body may lead to damage to

the eyesight.

Information on likely routes of exposure

**Inhalation:** No data available.

Ingestion: No data available.

**Skin Contact:** No data available.

Eye contact: No data available.

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Oral

Product: Not classified for acute toxicity based on available data.

LD 50 (Rat): 4.666 mg/kg

Specified substance(s)

CYCLOPENTYLSILAZA NE-AMINOSILOXANE

COPOLYMER, METHOXY

SDS\_GB 7/21



Last revised date: 27.03.2024 Supersedes Date: 18.12.2023

#### **TSE397-C**

**TERMINATED** 

No data available. gamma-

Aminopropyltriethoxysilan

Dibutyltin Dilaurate LD 50 (Rat): 2.071 mg/kg

Decamethylcyclopentasil

oxane

Dodecamethylcyclohexas

iloxane

Octamethylcyclotetrasilox

No data available.

LD 50 (Rat): 2.000 mg/kg LD 50 (Rat): > 4.800 mg/kg

**Dermal** 

**Product:** Not classified for acute toxicity based on available data.

No data available.

Specified substance(s)

CYCLOPENTYLSILAZ

ANE-

**AMINOSILOXANE** COPOLYMER, **METHOXY TERMINATED** 

gamma-No data available.

Aminopropyltriethoxysil

Dibutyltin Dilaurate LD 50 (Rat): > 2.000 mg/kg

Decamethylcyclopenta

siloxane

LD 50 (Rabbit): > 2.000 mg/kg

Dodecamethylcyclohex

asiloxane

LD 50 (Rat): 2.000 mg/kg

Octamethylcyclotetrasil

oxane

LD 50 (Rat): > 2.375 mg/kg

Inhalation

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s)

CYCLOPENTYLSILAZA NE-AMINOSILOXANE

COPOLYMER, **METHOXY TERMINATED** 

No data available. gamma-Aminopropyltriethoxysilan

Dibutyltin Dilaurate Decamethylcyclopentasil No data available.

No data available.

LC50 (Rat, 4 h): 8,67 mg/l

oxane

Dodecamethylcyclohexas

iloxane

No data available.

Octamethylcyclotetrasilox

LC50 (Rat, 4 h): 36 mg/l

ane

Repeated dose toxicity

**Product:** 

No data available.

Specified substance(s) CYCLOPENTYLSILAZA

NE-AMINOSILOXANE COPOLYMER, **METHOXY** 

No data available.

SDS\_GB 8/21



Last revised date: 27.03.2024 Supersedes Date: 18.12.2023

#### **TSE397-C**

**TERMINATED** 

NOAEL (Rat): 200 mg/kg/d gamma-Aminopropyltriethoxysilan (Rat(males)): 147 mg/m<sup>3</sup>

Dibutvltin Dilaurate No data available.

Decamethylcyclopentasil NOAEL (Rat(male and female), Oral, 90 d): 1.000 mg/kg NOAEL (Rat(male and female), Dermal, 28 d): 1.600 mg/kg oxane

NOAEC (Rat(male and female), Inhalation - vapor, 2 y): 160 ppm

Dodecamethylcyclohexas

iloxane

Octamethylcyclotetrasilox

ane

NOAEL (Rat(male and female), Oral): 1.000 mg/kg

No data available.

Skin Corrosion/Irritation:

**Product:** No data available.

Specified substance(s)

**CYCLOPENTYLSILAZ** 

ANE-

**AMINOSILOXANE** COPOLYMER, **METHOXY TERMINATED** 

gamma-

Aminopropyltriethoxysil

Dibutyltin Dilaurate

Decamethylcyclopentas

iloxane Dodecamethylcyclohex

asiloxane

Octamethylcyclotetrasil

oxane

Draize (Rabbit, 4 h): Slightly irritating.

No data available.

(Rabbit): Severe skin irritation.

OECD Test Guideline 404 (Rabbit, 72 h): Non irritating

OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rabbit, 72 h): No skin irritation

No data available.

No data available.

OECD Test Guideline 404 (Rabbit): Non irritating

Serious Eye Damage/Eye

Irritation: **Product:** 

Specified substance(s)

**CYCLOPENTYLSILAZ** 

ANE-

**AMINOSILOXANE** COPOLYMER, **METHOXY TERMINATED** 

gamma-

Aminopropyltriethoxysil

Dibutyltin Dilaurate

OECD Test Guideline 405 (Rabbit, 21 d): Strongly irritating. Irritating to eves.

Decamethylcyclopentas

iloxane

Dodecamethylcyclohex

asiloxane

Octamethylcyclotetrasil

oxane

OECD Test Guideline 405 (Rabbit, 72 h): Non irritating

OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit, 72 h): No

Draize (Rabbit, 24 h): Corrosive Risk of serious damage to eyes.

eye irritation Not irritating

OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit): Non

irritating

Respiratory or Skin Sensitization:

**Product:** 

No data available.

Specified substance(s)

9/21 SDS\_GB



Last revised date: 27.03.2024 Supersedes Date: 18.12.2023

#### **TSE397-C**

CYCLOPENTYLSILAZ

ANE-

AMINOSILOXANE COPOLYMER, METHOXY TERMINATED No data available.

gamma-

gamma-Aminopropyltriethoxysil

ane

Dibutyltin Dilaurate Decamethylcyclopentas

iloxane

Dodecamethylcyclohex

asiloxane

Octamethylcyclotetrasil

oxane

Bühler-Patch-Test skin sensitisation on guinea pigs, OECD-Guideline

406 (Skin Sensitisation) (Guinea Pig): Sensitizing

Maximisation Test, OECD Test Guideline 406 (Guinea Pig): Sensitizer LLNA (Local Lymph Node Assay), OECD Guideline 429 (LLNA)

(Mouse): Non sensitizing.

Maximisation Test, OECD-Guideline 406 (Skin Sensitisation) (Guinea

Pig): negative

Maximisation Test, OECD-Guideline 406 (Skin Sensitisation) (Guinea

Pig): Not sensitizing

# **Germ Cell Mutagenicity**

In vitro

**Product:** No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN E-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED

TERMINATED gamma-

Aminopropyltriethoxysilan

\_

Dibutyltin Dilaurate

Decamethylcyclopentasil oxane

No data available.

No data available.

Mammalian cytogenicity test (OECD 476): negative
Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella
typhimurium, Reverse Mutation Assay)): negative (not mutagenic)
Mammalian cytogenicity test (Mouse Lymphoma Assay (OECD Guidline

Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella

typhimurium, Reverse Mutation Assay)): negative (not mutagenic)

476)): negative (not mutagenic)

Chromosomal aberration (OECD 473): negative (not mutagenic)

No data available.

Dodecamethylcyclohexas iloxane

Octamethylcyclotetrasilox

ane

Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic) Mouse Lymphoma Assay (OECD Guidline 476): negative (not mutagenic)

In vivo

**Product:** No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN E-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED No data available.

gamma-Aminopropyltriethoxysilan

No data available.

е

Dibutyltin Dilaurate (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Oral

(Mouse)positive The health hazard evaluation is based on the toxicological

properties of a similar material.

Decamethylcyclopentasil

oxane

(OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Inhalation (Rat, male and female)negative (not mutagenic) Vapor.

SDS\_GB 10/21



Last revised date: 27.03.2024 Supersedes Date: 18.12.2023

### **TSE397-C**

Dodecamethylcyclohexas

iloxane

OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test) (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Intraperitoneal

(Mouse, male and female): negative

Octamethylcyclotetrasilox

ane

Chromosomal aberration (OECD 475) Inhalation (Rat, male and female):

negative

Dominant lethal assay (OECD 478) Oral (Rat, male and female): negative

Carcinogenicity

**Product:** 

No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN E-AMINOSILOXANE COPOLYMER, **METHOXY TERMINATED** 

No data available.

gamma-

No data available.

Aminopropyltriethoxysilan

Dibutyltin Dilaurate Decamethylcyclopentasil

No data available. No data available.

oxane

Dodecamethylcyclohexas

No data available.

iloxane

Octamethylcyclotetrasilox

ane

No data available.

Reproductive toxicity

**Product:** 

No data available.

No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN E-AMINOSILOXANE

COPOLYMER,

**METHOXY TERMINATED** 

gamma-

Aminopropyltriethoxysilan

Dibutyltin Dilaurate Decamethylcyclopentasil No data available. No data available.

No data available.

oxane

Dodecamethylcyclohexas

iloxane

No data available.

Octamethylcyclotetrasilox

No data available.

**Specific Target Organ Toxicity - Single Exposure** 

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN

No data available.

E-AMINOSILOXANE COPOLYMER, **METHOXY** 

TERMINATED

No data available.

Aminopropyltriethoxysilan

Dibutyltin Dilaurate Decamethylcyclopentasil

oxane

gamma-

No data available. No data available.

11/21 SDS\_GB



Last revised date: 27.03.2024 Supersedes Date: 18.12.2023

#### **TSE397-C**

Dodecamethylcyclohexas

iloxane

No data available.

Octamethylcyclotetrasilox

No data available.

ane

# **Specific Target Organ Toxicity - Repeated Exposure**

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN

No data available.

E-AMINOSILOXANE COPOLYMER, **METHOXY TERMINATED** 

gamma-

No data available.

Aminopropyltriethoxysilan

Dibutyltin Dilaurate Decamethylcyclopentasil No data available. No data available.

oxane

Dodecamethylcyclohexas

iloxane

No data available.

Octamethylcyclotetrasilox

No data available.

ane

#### **Aspiration Hazard**

**Product:** No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN

E-AMINOSILOXANE COPOLYMER,

**METHOXY** 

**TERMINATED** 

No data available. gamma-

Aminopropyltriethoxysilan

Dibutyltin Dilaurate Decamethylcyclopentasil

oxane

Dodecamethylcyclohexas

iloxane

Octamethylcyclotetrasilox

ane

No data available.

### 11.2 Information on other hazards

# **Endocrine disrupting properties**

Product: The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.;

Components:

CYCLOPENTYLSILAZA

No data available.

NE-AMINOSILOXANE COPOLYMER,

**METHOXY TERMINATED** 

gamma-No data available.

Aminopropyltriethoxysila

Dibutyltin Dilaurate

No data available.

SDS\_GB 12/21



Last revised date: 27.03.2024 Supersedes Date: 18.12.2023

**TSE397-C** 

Decamethylcyclopentasil

oxane

No data available.

Dodecamethylcyclohexa

siloxane

No data available.

Octamethylcyclotetrasilo

xane

No data available.

Other effects: No data available.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

#### Acute toxicity

Fish

**Product:** No data available.

Specified substance(s)

CYCLOPENTYLSILAZA NE-AMINOSILOXANE

COPOLYMER, **METHOXY TERMINATED** 

gamma-

Aminopropyltriethoxysilan

Dibutyltin Dilaurate

Decamethylcyclopentasil

oxane

Dodecamethylcyclohexas

iloxane

Octamethylcyclotetrasilox

No data available.

No data available.

LC50 (Oncorhynchus mykiss, 96 h): > 0,0016 mg/l (OECD-Guideline 204)

LC 50 (96 h): > 110 mg/l (OECD-Guideline 203 (Fish, Acute Toxicity Test))

No data available.

No data available.

No toxicity at the limit of solubility; LC50 (Oncorhynchus mykiss, 96 h): >

0,022 mg/l

**Aquatic Invertebrates** 

**Product:** No data available.

Specified substance(s)

CYCLOPENTYLSILAZA

NE-AMINOSILOXANE COPOLYMER,

**METHOXY TERMINATED** 

gamma-

EC50 (Daphnia, 48 h): > 100 mg/l (OECD Test Guideline 202)

Aminopropyltriethoxysilan

Dibutyltin Dilaurate Fresh water; EC50 (Daphnia magna, 48 h): < 0,463 mg/l (OECD Test

> Guideline 202) EC50 (Daphnia magna, 48 h): > 0,0029 mg/l (OECD Test Guideline 202)

Decamethylcyclopentasil

oxane

Dodecamethylcyclohexas

iloxane

Octamethylcyclotetrasilox

ane

No data available.

No toxicity at the limit of solubility; EC50 (Daphnia magna, 48 h): > 0,015

mg/l

#### **Chronic Toxicity**

**Fish** 

**Product:** No data available.

SDS\_GB 13/21



Last revised date: 27.03.2024 Supersedes Date: 18.12.2023

#### **TSE397-C**

Specified substance(s)

CYCLOPENTYLSILAZA NE-AMINOSILOXANE

No data available.

COPOLYMER, **METHOXY TERMINATED** 

gamma-

No data available.

Aminopropyltriethoxysilan

oxane

Dibutyltin Dilaurate No data available.

Decamethylcyclopentasil

NOEC (Oncorhynchus mykiss, 90 d): >= 0,0014 mg/l (OECD-Guideline

LOEC (Oncorhynchus mykiss, 90 d): > 0,0014 mg/l (OECD-Guideline 210)

Dodecamethylcyclohexas

No toxicity at the limit of solubility; NOEC (Oncorhynchus mykiss, 91 d): 0,014 mg/l

iloxane

Octamethylcyclotetrasilox

No toxicity at the limit of solubility; NOEC (Oncorhynchus mykiss, 93 d): >=

0,0044 mg/l

No data available.

No data available.

**Aquatic Invertebrates** 

**Product:** No data available.

Specified substance(s)

CYCLOPENTYLSILAZA

NE-AMINOSILOXANE

COPOLYMER, **METHOXY TERMINATED** 

No data available. gamma-

Aminopropyltriethoxysilan

Dibutyltin Dilaurate

Decamethylcyclopentasil

oxane

NOEC (Daphnia magna, 21 d): >= 0,0015 mg/l (OECD-Guideline 211)

LOEC (Daphnia magna, 21 d): > 0,0015 mg/l

Dodecamethylcyclohexas

iloxane

No toxicity at the limit of solubility; NOEC (Daphnia magna, 21 d): 0,0046

EC50 (Sediment Invertebrate, 28 d): > 420 mg/l LOEC (Sediment Invertebrate, 28 d): >= 420 mg/l

Octamethylcyclotetrasilox

ane

No toxicity at the limit of solubility; NOEC (Daphnia magna, 21 d): > 0,015

mg/l

**Toxicity to Aquatic Plants** 

**Product:** 

No data available.

Specified substance(s)

CYCLOPENTYLSILAZA **NE-AMINOSILOXANE** COPOLYMER, **METHOXY** 

No data available.

**TERMINATED** gamma-

Aminopropyltriethoxysilan

EC50 (72 h): > 3,6 mg/l (OECD Test Guideline 201)

Dibutyltin Dilaurate

Fresh water; EC50 (Desmodesmus subspicatus (green algae), 72 h): > 1 mg/I (OECD Test Guideline 201)

Decamethylcyclopentasil

oxane

EC50 (Algae (Pseudokirchneriella subcapitata), 96 h): > 0,0012 mg/l

(OECD Test Guideline 201) NOEC : >= 0,0012 mg/lEC10 :> 0,0012 mg/l

Dodecamethylcyclohexas

iloxane

No effects at the limit of solubility.; EC50 (Algae (Pseudokirchneriella subcapitata), 72 h): > 0,002 mg/l (OECD Test Guideline 201)

No effects at the limit of solubility.; NOEC (Algae (Pseudokirchneriella

SDS\_GB 14/21



Last revised date: 27.03.2024 Supersedes Date: 18.12.2023

#### **TSE397-C**

subcapitata), 72 h): >= 0,002 mg/l (OECD Test Guideline 201)

Octamethylcyclotetrasilox No toxicity at the limit of solubility; ErC50 (Selenastrum capricornutum, 96

h): > 0.022 mg/l

## 12.2 Persistence and Degradability

Biodegradation

No data available. Product:

Specified substance(s)

CYCLOPENTYLSILAZAN No data available.

E-AMINOSILOXANE COPOLYMER, **METHOXY TERMINATED** 

gamma-No data available.

Aminopropyltriethoxysilan

Dibutyltin Dilaurate Biological degradability (39 d): 23 % The product is not readily

biodegradable.

No data available.

Decamethylcyclopentasil

oxane

activated sludge (adaptation not specified) (28 d, OECD Test Guideline 310):

0,14 % The product is not readily biodegradable.

Dodecamethylcyclohexas

iloxane

ane

Octamethylcyclotetrasilox (29 d, 310 Ready Biodegradability - CO<sub>2</sub> in Sealed Vessels (Headspace Test)): 3,7 % Persistent Not readily biodegradable.

**BOD/COD Ratio** 

No data available. **Product** 

Specified substance(s)

CYCLOPENTYLSILAZAN E-AMINOSILOXANE COPOLYMER,

**METHOXY TERMINATED** 

No data available. gamma-

Aminopropyltriethoxysilan

Dibutyltin Dilaurate Decamethylcyclopentasil

oxane

Dodecamethylcyclohexas

iloxane

Octamethylcyclotetrasilox ane

No data available.

No data available. No data available.

No data available.

No data available.

12.3 Bioaccumulative potential

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN

No data available.

E-AMINOSILOXANE COPOLYMER, METHOXY **TERMINATED** 

gamma-No data available.

Aminopropyltriethoxysilan

Dibutyltin Dilaurate The product is not bioaccumulating.

Decamethylcyclopentasil Fathead Minnow, Bioconcentration Factor (BCF): 7.060 (OECD Test

Guideline 305) oxane

15/21 SDS\_GB



Last revised date: 27.03.2024 Supersedes Date: 18.12.2023

#### **TSE397-C**

Dodecamethylcyclohexas

iloxane

No data available.

Octamethylcyclotetrasilox

Bioconcentration Factor (BCF): 12.400

ane

12.4 Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

CYCLOPENTYLSILAZANE

No data available.

-AMINOSILOXANE

COPOLYMER, METHOXY

**TERMINATED** 

gamma-No data available.

Aminopropyltriethoxysilane

Dibutyltin Dilaurate No data available. Decamethylcyclopentasilox No data available.

Dodecamethylcyclohexasilo

Octamethylcyclotetrasiloxa

No data available.

No data available.

12.5 Results of PBT and vPvB

assessment:

CYCLOPENTYLSILAZANE -

**AMINOSILOXANE** 

COPOLYMER, METHOXY

**TERMINATED** 

gamma-Aminopropyltriethoxysilane

Dibutyltin Dilaurate

Decamethylcyclopentasiloxane

Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very

Bioaccumulative (vPvB)

No data available.

No data available.

No data available.

vPvB: verv persistent and

very

bioaccumulative substance.

Decamethylcyclopentasiloxane (D5) meets the current EU REACH Annex XIII criteria for vPvB and has been added to the candidate list for Substances of very high concern (SVHC)., However our understanding of the available science is that D5 does not behave similarly to known PBT/vPvB substances. The silicones

industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D5 is not biomagnifying in aguatic and terrestrial food webs. D5 in air will degrade by naturally occurring reactions in the atmosphere. Any D5 in air that does not degrade by these reactions is not expected to

deposit from the air to water, to land, or to living organisms.

Dodecamethylcyclohexasiloxane

vPvB: verv persistent and

verv

bioaccumulative substance.

Dodecamethylcyclohexasiloxane (D6) meets the current EU REACH Annex XIII criteria for vPvB and has been added to the candidate list for Substances of very high concern (SVHC)., However our understanding of the available science is that D6 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D6 is not biomagnifying in aguatic and terrestrial food webs. D6 in air will degrade by naturally occurring reactions in the atmosphere. Any D6 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms

SDS\_GB 16/21



Last revised date: 27.03.2024 Supersedes Date: 18.12.2023

#### **TSE397-C**

Octamethylcyclotetrasiloxane

Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (VPVB) Octamethylcyclotetrasiloxane (D4) meets the current EU REACh Annex XIII criteria for PBT and vPvB and has been added to the candidate list for Substances of very high concern (SVHC)., However our understanding of the available science is that D4 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D4 is not biomagnifying in aquatic and terrestrial food webs. D4 in air will degrade by naturally occurring reactions in the atmosphere. Any D4 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms.

# 12.6 Endocrine disrupting properties:

**Product:** The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

Components:

CYCLOPENTYLSILAZA NE-AMINOSILOXANE COPOLYMER, METHOXY

No data available.

TERMINATED gamma-

Aminopropyltriethoxysila

ne

Dibutyltin Dilaurate Decamethylcyclopentasil

oxane

Dodecamethylcyclohexa

siloxane

Octamethylcyclotetrasilo

xane

No data available.

No data available. No data available.

No data available.

No data available.

#### 12.7 Other adverse effects:

Other hazards

**Product:** No data available.

**Additional Information:** Ecotoxicological data for this product is not available.

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

**General information:** The generation of waste should be avoided or minimized wherever

possible. Do not discharge into drains, water courses or onto the ground.

See Section 8 for information on appropriate personal protective

equipment.

**Disposal methods:** Can be incinerated when in compliance with local regulations.

SDS\_GB 17/21



Last revised date: 27.03.2024 Supersedes Date: 18.12.2023

#### **TSE397-C**

# **SECTION 14: Transport information**

**ADR** 

Not Regulated.

ADN

Not Regulated.

RID

Not Regulated.

**IATA** 

Not Regulated.

**IMDG Code** 

Not Regulated.

**14.6 Special precautions for user:** This product is not regarded as dangerous goods according to the

national and international regulations on the transport of dangerous goods. Protect from moisture. Keep away from food, foodstuff, acids and bases. keep away from odour sensitive

materials

14.7 Maritime transport in bulk according to IMO instruments

Product is not transported in bulk.

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

**EU Regulations** 

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled Substances: none

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex II, New Substances: none

EU. Regulation 2019/1021/EU on persistent organic pollutants (POPs) (recast), as amended: none

Regulation (EC) No. 649/2012 Import and export of dangerous chemicals:

Chemical name	CAS-No.	Concentration
Dibutyltin Dilaurate	77-58-7	0,1 - 1,0%

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended: none

EU. REACH Candidate List of Substances of Very High Concern for Authorization (SVHC):

Chemical name	CAS-No.	Concentration

SDS\_GB 18/21



Last revised date: 27.03.2024 Supersedes Date: 18.12.2023

#### **TSE397-C**

Decamethylcyclopentasiloxane	541-02-6	0 - <=0,2040%
Dodecamethylcyclohexasiloxane	540-97-6	0 - <=0,1731%
Octamethylcyclotetrasiloxane	556-67-2	0 - <=0,1144%

# Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use:

The packaging shall be visibly, legibly and indelibly marked as follows: Restricted to professional users.

Chemical name	CAS-No.	Concentration
gamma-Aminopropyltriethoxysilane	919-30-2	0,1 - 1,0%
Dibutyltin Dilaurate	77-58-7	0,1 - 1,0%
Decamethylcyclopentasiloxane	541-02-6	0,1 - 1,0%
Octamethylcyclotetrasiloxane	556-67-2	0,1 - 1,0%

Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens and mutagens at work.:

Chemical name	CAS-No.	Concentration
Dibutyltin Dilaurate	77-58-7	0,1 - 1,0%

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breast feeding .:

Chemical name	CAS-No.	Concentration
Dibutyltin Dilaurate	77-58-7	0,1 - 1,0%
Octamethylcyclotetrasiloxane	556-67-2	0,1 - 1,0%

# EU. Directive 2012/18/EU (SEVESO III) on major accident hazards involving dangerous substances, Annex I:

Classification	Lower-tier Requirements	Upper-tier Requirements
		Requirements
E1. Hazardous to the aquatic	100 t	200 t
environment		

# EU. Regulation No. 166/2006 PRTR (Pollutant Release and Transfer Registry), Annex II: Pollutants:

Chemical name	CAS-No.	Concentration
Silica	7631-86-9	10 - 20%
Dibutyltin Dilaurate	77-58-7	0,1 - 1,0%

### Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work:

Chemical name	CAS-No.	Concentration
gamma-Aminopropyltriethoxysilane	919-30-2	0,1 - 1,0%
Dibutyltin Dilaurate	77-58-7	0,1 - 1,0%
Octamethylcyclotetrasiloxane	556-67-2	0,1 - 1,0%

# 15.2 Chemical safety assessment:

No Chemical Safety Assessment has been carried out.

**Inventory Status** 

Canada DSL Inventory List: China Inv. Existing Chemical

q (quantity restricted) On or in compliance with the Remarks: None. Remarks: None.

Substances: US TSCA Inventory: inventorv On or in compliance with the

Remarks: Commercial Status:

inventory

Active

Taiwan Chemical Substance

On or in compliance with the

Remarks: None.

Inventory: inventory

SDS\_GB 19/21



Last revised date: 27.03.2024 Supersedes Date: 18.12.2023

**TSE397-C** 

Australia Industrial Chem. Act

(AIIC):

Canada NDSL Inventory:

Japan (ENCS) List:

New Zealand Inventory of

Chemicals:

Korea Existing Chemicals Inv.

(KECI):

Philippines PICCS:

REACH:

Not in compliance with the

inventory.

Not in compliance with the

inventory.

On or in compliance with the

inventory

Not in compliance with the

inventory.

On or in compliance with the

inventory

On or in compliance with the

inventory

If purchased from Momentive

Performance Materials GmbH in Leverkusen, Germany, all substances in this product have been registered by Momentive Performance Materials GmbH or upstream in our supply chain or are exempt from registration under Regulation (EC) No 1907/2006

(REACH). For polymers, this includes the constituent monomers and other

reactants.

Remarks: None.

# **SECTION 16: Other information**

**Revision Information:** Not relevant.

Key literature references and

sources for data:

No data available.

# Wording of the H-statements in section 2 and 3

H226 Flammable liquid and vapor.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

May cause an allergic skin reaction. H317 Causes serious eye damage. H318 Causes serious eye irritation. H319

Suspected of causing genetic defects. H341

May damage fertility. May damage the unborn child. H360FD

Suspected of damaging fertility. H361f H370 Causes damage to organs. Very toxic to aquatic life. H400

Very toxic to aquatic life with long lasting effects. H410 H412 Harmful to aquatic life with long lasting effects.

**Training information:** No data available.

#### Classification according to Regulation (EC) No 1272/2008 as amended.

Eye Dam. 2, H319 Repr. 1B, H360FD Aquatic Chronic 3, H412

Issue Date: 27.03.2024

SDS\_GB 20/21



Last revised date: 27.03.2024 Supersedes Date: 18.12.2023

#### **TSE397-C**

#### Disclaimer:

#### Notice to reader

Unless otherwise specified in section 1.2, Momentive Products are intended for industrial application only.

They are not intended for specific medical applications, neither for long-lasting (> 30 days) implantation into the human body, injected or directly ingested, nor for the manufacture of multiple usable contraceptives.

# **Further Information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warrantyor quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

® and TM indicate trademarks owned by or licensed to Momentive.

SDS\_GB 21/21