

Product Change Note

Topic Datecode marking position change

Series TEN 10, TEN 12WI, TEN 15WI, TEN 20, TEN 40N, TEN 40WIN, TEN 50, TEN 50WI, TEL 15, TEL 30, THL 10, THL 10WI, THL 15WI, THL 20WI, THL 25, THL 25WI, THL 30WI, THR 10WI, THR 20WI, THR 40WI, TRI 15, TRI 20, THB 10

Reason of Change The reason for this PCN is the relocation of the product label due to the date code being partially covered by the heat sink in the current design. This situation may lead to difficulties in traceability and product identification. To maintain clear visibility of the date code and ensure compliance with quality requirements, the label position has been adjusted. In addition, this change will prevent similar issues in the future by securing consistent readability of the product information without interference from adjacent components and without dismantling, as the heat sink would otherwise need to be removed.

Timeline The product change is active for all models as of effective datecode 2601


Acknowledgment This PCN is considered to be approved **30** days after the above given date. Any concerns shall be provided within the acknowledgment period.

Type of Change ☐ Major
☒ Minor

Description of Change

Case size 1"x1"	Current	New
Mechanical	-	-
Electrical	-	-
Packing/Labeling	 D/C marking A	 D/C marking B

Customers may also register for the <<Keep Me Updated>> feature available on our individual product websites. This feature serves for receipt of real-time technical or status related product change notifications.

Case size 2"x1"	Current	New
Mechanical	-	-
Electrical	-	-
Packing/Labeling	 D/C marking A	 D/C marking B

Affected Standard Products

TEN 10	TEN 12WI	TEN 15WI
TEN 10-1210	TEN 12-2410	TEN 15-2410WI
TEN 10-1211	TEN 12-2411	TEN 15-2411WI
TEN 10-1212	TEN 12-2412	TEN 15-2412WI
TEN 10-1213	TEN 12-2413	TEN 15-2422WI
TEN 10-1215	TEN 12-2421	TEN 15-2423WI
TEN 10-1221	TEN 12-2422	TEN 15-4810WI
TEN 10-1222	TEN 12-2423	TEN 15-4811WI
TEN 10-1223	TEN 12-4810	TEN 15-4812WI
TEN 10-2410	TEN 12-4811	TEN 15-4822WI
TEN 10-2411	TEN 12-4812	TEN 15-4823WI
TEN 10-2412	TEN 12-4813	
TEN 10-2413	TEN 12-4821	
TEN 10-2415	TEN 12-4822	
TEN 10-2421	TEN 12-4823	
TEN 10-2422		
TEN 10-2423		
TEN 10-4810		
TEN 10-4811		
TEN 10-4812		

Customers may also register for the <<Keep Me Updated>> feature available on our individual product websites. This feature serves for receipt of real-time technical or status related product change notifications.

TEN 10-4813		
TEN 10-4815		
TEN 10-4821		
TEN 10-4822		
TEN 10-4823		

TEN 20	TEN 40N	TEN 40WIN
TEN 20-1210	TEN 40-1210N	TEN 40-2410WIN
TEN 20-1211	TEN 40-1211N	TEN 40-2411WIN
TEN 20-1212	TEN 40-1212N	TEN 40-2412WIN
TEN 20-1213	TEN 40-1213N	TEN 40-2413WIN
TEN 20-1222	TEN 40-1215N	TEN 40-2415WIN
TEN 20-1223	TEN 40-1222N	TEN 40-2422WIN
TEN 20-2410	TEN 40-1223N	TEN 40-2423WIN
TEN 20-2411	TEN 40-2410N	TEN 40-4810WIN
TEN 20-2412	TEN 40-2411N	TEN 40-4811WIN
TEN 20-2413	TEN 40-2412N	TEN 40-4812WIN
TEN 20-2422	TEN 40-2413N	TEN 40-4813WIN
TEN 20-2423	TEN 40-2415N	TEN 40-4815WIN
TEN 20-4810	TEN 40-2422N	TEN 40-4822WIN
TEN 20-4811	TEN 40-2423N	TEN 40-4823WIN
TEN 20-4812	TEN 40-4810N	
TEN 20-4813	TEN 40-4811N	
TEN 20-4822	TEN 40-4812N	
TEN 20-4823	TEN 40-4813N	
	TEN 40-4815N	
	TEN 40-4822N	
	TEN 40-4823N	

TEN 50	TEN 50WI	TEL 15
TEN 50-1210	TEN 50-2410WI	TEL 15-1210
TEN 50-1211	TEN 50-2411WI	TEL 15-1211
TEN 50-1212	TEN 50-2412WI	TEL 15-1212
TEN 50-1213	TEN 50-2413WI	TEL 15-1213

Customers may also register for the <<Keep Me Updated>> feature available on our individual product websites. This feature serves for receipt of real-time technical or status related product change notifications.

TEN 50-1215	TEN 50-2415WI	TEL 15-1222
TEN 50-2410	TEN 50-4810WI	TEL 15-1223
TEN 50-2411	TEN 50-4811WI	TEL 15-2410
TEN 50-2412	TEN 50-4812WI	TEL 15-2411
TEN 50-2413	TEN 50-4813WI	TEL 15-2412
TEN 50-2415	TEN 50-4815WI	TEL 15-2413
TEN 50-4810		TEL 15-2422
TEN 50-4811		TEL 15-2423
TEN 50-4812		TEL 15-4810
TEN 50-4813		TEL 15-4811
TEN 50-4815		TEL 15-4812
		TEL 15-4813
		TEL 15-4822
		TEL 15-4823

TEL 30	THL 10	THL 10WI
TEL 30-2409	THL 10-1210	THL 10-2410WI
TEL 30-2410	THL 10-1211	THL 10-2411WI
TEL 30-2411	THL 10-1212	THL 10-2412WI
TEL 30-2412	THL 10-1213	THL 10-2413WI
TEL 30-2413	THL 10-1221	THL 10-2415WI
TEL 30-4809	THL 10-1222	THL 10-2421WI
TEL 30-4810	THL 10-1223	THL 10-2422WI
TEL 30-4811	THL 10-2410	THL 10-2423WI
TEL 30-4812	THL 10-2411	THL 10-4810WI
TEL 30-4813	THL 10-2412	THL 10-4811WI
	THL 10-2413	THL 10-4812WI
	THL 10-2421	THL 10-4813WI
	THL 10-2422	THL 10-4815WI
	THL 10-2423	THL 10-4821WI
	THL 10-4810	THL 10-4822WI
	THL 10-4811	THL 10-4823WI
	THL 10-4812	
	THL 10-4813	

Customers may also register for the <<Keep Me Updated>> feature available on our individual product websites. This feature serves for receipt of real-time technical or status related product change notifications.

	THL 10-4821	
	THL 10-4822	
	THL 10-4823	

THL 15WI	THL 20WI	THL 25
THL 15-2410WI	THL 20-2410WI	THL 25-1210
THL 15-2411WI	THL 20-2411WI	THL 25-1211
THL 15-2412WI	THL 20-2412WI	THL 25-1212
THL 15-2413WI	THL 20-2413WI	THL 25-1213
THL 15-2415WI	THL 20-2415WI	THL 25-1222
THL 15-2422WI	THL 20-2422WI	THL 25-1223
THL 15-2423WI	THL 20-2423WI	THL 25-2410
THL 15-4810WI	THL 20-4810WI	THL 25-2411
THL 15-4811WI	THL 20-4811WI	THL 25-2412
THL 15-4812WI	THL 20-4812WI	THL 25-2413
THL 15-4813WI	THL 20-4813WI	THL 25-2422
THL 15-4815WI	THL 20-4815WI	THL 25-2423
THL 15-4822WI	THL 20-4822WI	THL 25-4810
THL 15-4823WI	THL 20-4823WI	THL 25-4811
		THL 25-4812
		THL 25-4813
		THL 25-4822
		THL 25-4823

THL 25WI	THL 30WI	THR 10WI
THL 25-2410WI	THL 30-2410WI	THR 10-2411WI
THL 25-2411WI	THL 30-2411WI	THR 10-2412WI
THL 25-2412WI	THL 30-2412WI	THR 10-2413WI
THL 25-2413WI	THL 30-2413WI	THR 10-2415WI
THL 25-2422WI	THL 30-2415WI	THR 10-2422WI
THL 25-2423WI	THL 30-2422WI	THR 10-2423WI
THL 25-4810WI	THL 30-2423WI	THR 10-4811WI
THL 25-4811WI	THL 30-4810WI	THR 10-4812WI
THL 25-4812WI	THL 30-4811WI	THR 10-4813WI

Customers may also register for the <<Keep Me Updated>> feature available on our individual product websites. This feature serves for receipt of real-time technical or status related product change notifications.

THL 25-4813WI	THL 30-4812WI	THR 10-4815WI
THL 25-4822WI	THL 30-4813WI	THR 10-4822WI
THL 25-4823WI	THL 30-4815WI	THR 10-4823WI
	THL 30-4822WI	THR 10-7211WI
	THL 30-4823WI	THR 10-7212WI
		THR 10-7213WI
		THR 10-7215WI
		THR 10-7222WI
		THR 10-7223WI

THR 20WI	THR 40WI	TRI 15
THR 20-2411WI	THR 40-7211WI	TRI 15-1211
THR 20-2412WI	THR 40-7212WI	TRI 15-1212
THR 20-2413WI	THR 40-7213WI	TRI 15-1213
THR 20-2415WI	THR 40-7215WI	TRI 15-1215
THR 20-2422WI	THR 40-72154WI	TRI 15-1222
THR 20-2423WI	THR 40-7222WI	TRI 15-1223
THR 20-4811WI	THR 40-7223WI	TRI 15-2411
THR 20-4812WI		TRI 15-2412
THR 20-4813WI		TRI 15-2413
THR 20-4815WI		TRI 15-2415
THR 20-4822WI		TRI 15-2422
THR 20-4823WI		TRI 15-2423
THR 20-7211WI		TRI 15-4811
THR 20-7212WI		TRI 15-4812
THR 20-7213WI		TRI 15-4813
THR 20-7215WI		TRI 15-4815
THR 20-7222WI		TRI 15-4822
THR 20-7223WI		TRI 15-4823

TRI 20	THB 10
TRI 20-1211	THB 10-1211
TRI 20-1212	THB 10-1212
TRI 20-1213	THB 10-1222

Customers may also register for the <<Keep Me Updated>> feature available on our individual product websites. This feature serves for receipt of real-time technical or status related product change notifications.

TRI 20-1215	THB 10-1223
TRI 20-1222	THB 10-2411
TRI 20-1223	THB 10-2412
TRI 20-2411	THB 10-2422
TRI 20-2412	THB 10-2423
TRI 20-2413	THB 10-4811
TRI 20-2415	THB 10-4812
TRI 20-2422	THB 10-4822
TRI 20-2423	THB 10-4823
TRI 20-4811	
TRI 20-4812	
TRI 20-4813	
TRI 20-4815	
TRI 20-4822	
TRI 20-4823	

Affected On-Demand or Customized Products

TEN 10-XYzzzzzz (where X can be 12, 24 or 48; Y can be 10, 11, 12, 13, 15, 21, 22 or 23; z can be any alphanumeric or dash or blank, with no impact on safety)
TEN 12-XYzzzzzz (where X can be 24 or 48; Y can be 10, 11, 12, 13, 21, 22 or 23; z can be any alphanumeric or dash or blank, with no impact on safety)
TEN 15-XYWizzzzzz (where X can be 24 or 48; Y can be 10, 11, 12, 22 or 23; z can be any alphanumeric or dash or blank, with no impact on safety)
TEN 20-XYzzzzzz (where X can be 12, 24 or 48; Y can be 10, 11, 12, 13, 22 or 23; z can be any alphanumeric or dash or blank, with no impact on safety)
TEN 40-XYNzzzzzz (where X can be 12, 24 or 48; Y can be 10, 11, 12, 13, 15, 22 or 23; z can be any alphanumeric or dash or blank, with no impact on safety)

Customers may also register for the <<Keep Me Updated>> feature available on our individual product websites. This feature serves for receipt of real-time technical or status related product change notifications.

TEN 40-XYWINzzzzzz (where X can be 24 or 48; Y can be 10, 11, 12, 13, 15, 22 or 23; z can be any alphanumeric or dash or blank, with no impact on safety)
TEN 50-XYzzzzzz (where X can be 12, 24 or 48; Y can be 10, 11, 12, 13, or 15; z can be any alphanumeric or dash or blank, with no impact on safety)
TEN 50-XYWlzzzzzz (where X can be 24 or 48; Y can be 10, 11, 12, 13, or 15; z can be any alphanumeric or dash or blank, with no impact on safety)
TEL 15-XYzzzzzz (where X can be 12, 24 or 48; Y can be 10, 11, 12, 13, 22 or 23; z can be any alphanumeric or dash or blank, with no impact on safety)
TEL 30-XYzzzzzz (where X can be 24 or 48; Y can be 09, 10, 11, 12, or 13; z can be any alphanumeric or dash or blank, with no impact on safety)
THL 10-XYzzzzzz (where X can be 12, 24 or 48; Y can be 10, 11, 12, 13, 21, 22 or 23; z can be any alphanumeric or dash or blank, with no impact on safety)
THL 10-XYWlzzzzzz (where X can be 24 or 48; Y can be 10, 11, 12, 13, 15, 21, 22 or 23; z can be any alphanumeric or dash or blank, with no impact on safety)
THL 15-XYWlzzzzzz (where X can be 24 or 48; Y can be 10, 11, 12, 13, 15, 22 or 23; z can be any alphanumeric or dash or blank, with no impact on safety)
THL 20-XYWlzzzzzz (where X can be 24 or 48; Y can be 10, 11, 12, 13, 15, 22 or 23; z can be any alphanumeric or dash or blank, with no impact on safety)
THL 25-XYzzzzzz (where X can be 12, 24 or 48; Y can be 10, 11, 12, 13, 22 or 23; z can be any alphanumeric or dash or blank, with no impact on safety)
THL 25-XYzzzzzz

(where X can be 12, 24 or 48; Y can be 10, 11, 12, 13, 22 or 23; z can be any alphanumeric or dash or blank, with no impact on safety)
THL 25-XYWlzzzzzz (where X can be 24 or 48; Y can be 10, 11, 12, 13, 22 or 23; z can be any alphanumeric or dash or blank, with no impact on safety)
THL 30-XYWlzzzzzz (where X can be 24 or 48; Y can be 10, 11, 12, 13, 15, 22 or 23; z can be any alphanumeric or dash or blank, with no impact on safety)
THR 10-XYWlzzzzzz (where X can be 28, 48 or 72; Y can be 11, 12, 13, 15, 22 or 23; z can be any alphanumeric or dash or blank, with no impact on safety)
THR 20-XYWlzzzzzz (where X can be 28, 48 or 72; Y can be 11, 12, 13, 15, 22 or 23; z can be any alphanumeric or dash or blank, with no impact on safety)
THR 40-72YWlzzzzzz (where Y can be 11, 12, 13, 15, 154, 22 or 23; z can be any alphanumeric or dash or blank, with no impact on safety)
TRI 15-XYzzzzzz (where X can be 12, 24 or 48; Y can be 11, 12, 13, 15, 22 or 23; z can be any alphanumeric or dash or blank, with no impact on safety)
TRI 20-XYzzzzzz (where X can be 12, 24 or 48; Y can be 11, 12, 13, 15, 22 or 23; z can be any alphanumeric or dash or blank, with no impact on safety)
THB 10-XYzzzzzz (where X can be 12, 24 or 48; Y can be 11, 12, 22 or 23; z can be any alphanumeric or dash or blank, with no impact on safety)

Additional information

For additional technical support, visit our service portal: <https://www.tracoserviceportal.com/> or contact your sales point at TRACO.