


PART NO.

26-04L-TGG

REVISIONS								
ECN#	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	Α	RELEASED	Shiv	31/8/07	Suresh	31/8/07	G. C	17/9/07



This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is grantled for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from regilgence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its regilgence.

UNLESS OTHERWISE

TOLERANCES:

SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:	DATE:
Shivakumar.B	31/08/07
CHECKED BY:	DATE:
Suresh	31/08/07
APPROVED BY:	DATE:
G.Cook	17/09/07

DRAWING TITLE:								
			26-04L	TGC	3			
size A	DWG NO.	ſ	V110000511	ELECTRONIC FILE 1169653_DWG				REV A
SCALE: NTS		U.O.M.: mm (Inches)		SHEET:	1	OF	: 2	



26-04L-TGG

REVISIONS								
ECN#	CN # REV DESCRIPTION		DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	А	RELEASED	Shiv	31/8/07	Suresh	31/8/07	G. C	17/9/07

Specifications:

Bodies : Brass per JIS-C3604.

Centre Contact : Beryllium copper per ASTM B196 UNS C17300. : PTFE per ASTM D1457 and ASTM D1710. Insulation

Connector interface per MIL-STD-348A. Part to be clean and free of burrs.

Specification Table

Number	Description	Material	Finish	Part Number		
1	Shell	Brass	Gold 3µ" Minimum			
2	Centre Contact	Beryllium Copper	Gold 30μ" Minimum			
3	Insulation	PTFE	None	26-04L-TGG		
4	Washer	Stainless Steel	None			
5	Body					
6	Washer	Droop	Cold 2" Minimum			
7	Sleeve	Brass	Gold 3μ" Minimum			
8	Nut					

http://www.farnell.com

http://www.newark.com

http://www.cpc.co.uk

This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Groun assumes on resconsibility for its accuracy. believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information included or sue of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. SPC MULTICOMP is the registered trademark of the Group. © Premier Farnell plc 2007.

TOLERANCES:
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:	DATE:			
Shivakumar.B	31/08/07			
CHECKED BY:	DATE:			
Suresh	31/08/07			
APPROVED BY:	DATE:			
G.Cook	17/09/07			

DRAWI	NG TITLE:	26-04L	-TGC	3			
size A	DWG NO.	M10000511	ELECTRONIC FILE 1169653_DWG			REV A	
SCALE: NTS		II O M · mm (Inches)		SHFFT.	2	OF	2