Material Safety Data Sheet





Revision Date: 06/23/2006 Issue date: 06/23/2006

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Contact Information:

Product name: 3876 Part A Item No.: TC3876A Product type: Anaerobic Region: **United States**

Company address: Henkel Corporation

Telephone: 626.968.6511 15051 East Don Julian Road Emergency Telephone: 860.571.5100 Industry, California 91746 Internet: www.electronics.henkel.us

2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components % **ACGIH TLV OSHA PEL OTHER** 30-60 10 mg/m³ TWA particulate 15 mg/m³ TWA total dust Aluminum oxide None matter containing no 5 mg/m³ TWA respirable 1344-28-1 asbestos and < 1% fraction crystalline silica Hydroxyalkyl methacrylate 1 ppm TWA; 3 ppm STEL 30-60 None None 27813-02-1 Boron nitride 10-30 None None None 10043-11-5 Acrylonitrile 5-10 None None None Proprietary Soda lime borosilicate glass 0.1-1 1 fiber/cm3 TWA 0.1 mg/m³ TWA None respirable fibers: length > 65997-17-3 5 µm, aspect ratio equal to or greater than 3:1, as determined by the membrane filter method at 400-450X magnification (4-mm objective), using phase-contrast illumination. 5 mg/m3 TWA inhalable fraction 1-Acetyl-2-phenylhydrazine 0.1-1 None None None 114-83-0

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

HMIS:

3* Physical state: Liquid/paste **HEALTH:** FLAMMABILITY: Color: Light yellow 1 Mild, Characteristic PHYSICAL HAZARD: Odor: Λ

Personal Protection: See Section 8

WARNING: CAUSES EYE, SKIN AND RESPIRATORY TRACT IRRITATION

> MAY CAUSE ALLERGIC SKIN REACTION. MAY BE HARMFUL IF SWALLOWED.

Item No.: TC3876A Product name: 3876 Part A Relevant routes of exposure: Skin, Inhalation, Eyes, Ingestion

Potential Health Effects

Inhalation: Causes respiratory tract irritation. High vapor concentrations may cause central nervous system

depression (headache, nausea, dizziness). Shortness of breath. Coughing.

Skin contact: Causes skin irritation. May cause allergic skin reaction. Prolonged contact with skin may cause

dermatitis.

Eye contact: Causes eye irritation. Excess tearing.

Ingestion: Swallowing small amounts during normal handling is not likely to cause harmful effects; swallowing

large amounts may be harmful.

Existing conditions aggravated by

exposure:

Eye, skin, and respiratory disorders. Skin allergies.

See Section 11 for additional toxicological information.

4. FIRST AID MEASURES

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. If

symptoms develop and persist, get medical attention.

Skin contact: Remove contaminated clothing and shoes. Immediately flush skin with plenty of water (using soap, if

available). Get medical attention if symptoms develop and persist. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

Eye contact: Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15

minutes. Get medical attention.

Ingestion: DO NOT induce vomiting unless directed to do so by medical personnel. Give a conscious person

several glasses of water. Never give anything by mouth to an unconscious person. Get medical

attention if symptoms develop and persist.

5. FIRE-FIGHTING MEASURES

Flash point: 97°C (206°F) Setaflash Closed cup

Autoignition temperature: Not available

Flammable/Explosive limits-lower %: Not available

Flammable/Explosive limits-upper %: Not available

Extinguishing media: Water spray (fog), foam, dry chemical or carbon dioxide.

Special fire fighting procedures: Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear. Use water

spray to keep fire exposed containers cool.

Unusual fire or explosion hazards: Vapors may accumulate in low or confined areas, travel considerable distance to source of ignition,

and flash back.

Hazardous combustion products: Oxides of carbon. Oxides of boron. Oxides of nitrogen. Hydrogen cyanide. Hydrocarbons.

6. ACCIDENTAL RELEASE MEASURES

Environmental precautions: Prevent product from entering drains or open waters.

Clean-up methods: Ensure adequate ventilation. Wear suitable protective clothing, gloves and eye/face protection. Scrape

up spilled material and place in a closed container for disposal.

Item No.: TC3876A Product name: 3876 Part A

7. HANDLING AND STORAGE

Handling: Use only with adequate ventilation. Avoid contact with eyes, skin and clothing. Do not taste or swallow.

Do not breathe mist or vapors. Keep container closed. Wash thoroughly after handling.

Storage: Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly

closed until ready for use. For safe storage, store between 5°C (41°F) and 10°C (50°F).

Incompatible products: Refer to Section 10.

For information on product shelf life contact Henkel Customer Service at (626) 968-6511

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering controls: Local exhaust ventilation is recommended when general ventilation is not sufficient to control airborne

contamination below occupational exposure limits.

Respiratory protection: Use NIOSH approved respirator if there is potential to exceed exposure limit(s).

Skin protection:

Use chemical resistant, impermeable clothing including gloves and either an apron or body suit to

prevent skin contact. Polyvinyl chloride gloves. Viton gloves. Rubber gloves.

Eye/face protection: Chemical splash goggles or safety glasses with side shields.

See Section 2 for exposure limits.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid/paste Color: Light yellow Odor: Mild. Characteristic Vapor pressure: Not available pH: Not applicable Boiling point/range: Not available Melting point/range: Not available Specific gravity: 1.7 Vapor density: Not available

Vapor density:

Evaporation rate:

Solubility in water:

Partition coefficient (n-octanol/water):

Not available
Insoluble
Not available

VOC content: 0.103%; 1.751 grams/liter (EPA Method 24)

10. STABILITY AND REACTIVITY

Stability: Stable at normal conditions

Hazardous polymerization: None under normal processing.

Hazardous decomposition products: Oxides of carbon. Boron oxides. Oxides of nitrogen. Hydrogen cyanide. Hydrocarbons.

Incompatability: Strong oxidizers. Strong acids. Strong bases. Amines. Alkalis. Free radical initiators. Reducing agents.

Heavy metals.

Conditions to avoid: Storage with incompatible materials. Heat, flames, sparks and other sources of ignition. Exposure to

sunlight.

11. TOXICOLOGICAL INFORMATION

Carcinogen Status

Item No.: TC3876A Product name: 3876 Part A

Hazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Aluminum oxide 1344-28-1	No	No	No
Hydroxyalkyl methacrylate 27813-02-1	No	No	No
Boron nitride 10043-11-5	No	No	No
Acrylonitrile Proprietary	No	No	No
Soda lime borosilicate glass 65997-17-3	Suspect Carcinogen	Group 2B	Yes
1-Acetyl-2-phenylhydrazine 114-83-0	No	No	No

<u>Literature Referenced Target Organ & Other Health Effects</u>

Hazardous components	Health Effects/Target Organs		
Aluminum oxide	Corrosive, Irritant, Nuisance dust		
1344-28-1			
Hydroxyalkyl methacrylate	Allergen, Irritant		
27813-02-1			
Boron nitride	Corrosive, Irritant		
10043-11-5			
Acrylonitrile	No data		
Proprietary			
Soda lime borosilicate glass	Allergen, Respiratory		
65997-17-3			
1-Acetyl-2-phenylhydrazine	Allergen, Blood, Kidney, Mutagen, Some evidence of carcinogenicity		
114-83-0			

12. ECOLOGICAL INFORMATION

Ecological information: Not available

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Dispose of according to Federal, State and local governmental regulations.

EPA hazardous waste number: Not a RCRA hazardous waste.

14. TRANSPORT INFORMATION

The shipping classifications in this section are for non-bulk packaging only (unless otherwise specified). Shipping classification may be different for bulk packaging.

U.S. Department of Transportation Ground (49 CFR):

Proper shipping name:
Hazard class or division:
Identification number:
Packing group:
Not regulated
None
None
None

International Air Transportation (ICAO/IATA):

Proper shipping name:
Hazard class or division:
Identification number:
Packing group:
Not regulated
None
None
None

WaterTransportation (IMO/IMDG):

Proper shipping name:
Hazard class or division:
Identification number:
Packing group:
Not regulated
None
None
None

15. REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

TSCA 12 (b) Export Notification: 4-Methoxyphenol (150-76-5).

CERCLA/SARA Section 302 EHS: None above reporting de minimus.

CERCLA/SARA Section 311/312: Immediate Health Hazard, Delayed Health Hazard

CERCLA/SARA 313: None above reporting de minimus.

California Proposition 65: This product contains a chemical known to the State of California to cause cancer and birth defects or

other reproductive harm.

Canada Regulatory Information

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing on the Domestic Substances List.

WHMIS hazard class: D.2.A, D.2.B

16. OTHER INFORMATION

This material safety data sheet contains changes from the previous version in sections: First issue.

Prepared by: Melissa Frisby, Product Safety and Regulatory Affairs Specialist

For Safety and Regulatory Information contact:

Product Safety and Regulatory Affairs,

Rocky Hill, CT. 860-571-5204

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Corporation has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Corporation's products. In light of the foregoing, Henkel Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.