




ZHCP



THE LEGS HAVE A TENDENCY TO POINT INWARDS.
WHEN THE BASE IS PRESSED FLAT THE DEGREE OF INWARDS
TURN ALLOWABLE IS AS FOLLOWS: -

Nr.1	$p2 = P1 +0 -2.4$
Nr.2	$p2 = P1 +0 -1.5$
Nr.3	$p2 = P1 +0 -1.2$
Nr.4	$p2 = P1 +0 -0.7$
Nr.6	$p2 = P1 +0 -2.0$
Nr.7	$p2 = P1 +0 -2.0$

Dimensions (in millimetres).

Part No.	P & P1	R	WB (base)	WL (legs)	Weight (Nom) G/M	Recommended Bundle Dia. Min.
Nr.1	16.2-18.6	2.55-3.45	1.275-1.725	1.75-2.50	62.5	80
Nr.2	10.2-11.7	2.55-3.45	1.275-1.725	1.50-2.00	40	50
Nr.3	8.1-9.3	2.55-3.45	0.935-1.265	1.40-1.725	30	40
Nr.4	4.7-5.4	1.27-1.73	0.680-0.920	0.68-0.92	12	20
Nr.6	13.2-15.2	2.55-3.45	1.275-1.725	1.50-2.00	50	65
No.7	25.5-27.5	2.55-3.45	1.275-1.725	1.50-2.00	102	80

Copyright (!)
Urheberrechte

The copyright in this drawing is the property of Raychem Ltd. The drawing is issued on condition that it is not copied, reproduced or disclosed to a third party, either in whole or in part without the prior written consent of Raychem Ltd.

Drawn D.MURRAY Checked Issue 9 Date April 1996 Conforms to ISO Recommendations 3rd Angle Projection Not to Scale

Approval Design MKTG. G.C.

