


REV		E.O. NO.	DESCRIPTION	MADE BY	PIECE PART	CHECKED BY
LTR	D	47314	REVISED AND REDRAWN.	EN	89	11/10/89

REVISIONS	
-----------	--



NOTES:

- 12. BREAK ALL SHARP EDGES
- 13. PROVIDE .002 X .031 DEEP RELIEF ON ALL SIDES OF INSERT CAVITY ON BOTH ENDS.
- 14. DIMENSION TO BE ± .002 FROM ACTUAL .016 BLADE DIMENSION (33144-00102) FROM STOCK ON HAND TO ASSURE FOR LIGHT PRESS FIT.

33156-49501	37000-00303	THERMOPLASTIC POLYESTER, BLUE	
PART NO.	MATERIAL NO.	MATERIAL DESCRIPTION	
<p>WITH EXCEPT AS SPECIFIED</p> <p>1. DIMENSIONS IN MILLIMETERS 2. ALL DIMENSIONS UNLESS OTHERWISE SPECIFIED 3. HOLE LOCATIONS ± .107 4. HOLE DIAMETERS ARE IN 1271 MILLI 5. HOLE DEPT ARE IN 1271 MILLI 6. OUTSIDE RADIUS ARE IN 1271 MILLI 7. TOLERANCES: .125 DIA. ± .002 (M) .125 DIA. ± .002 (M) .125 DIA. ± .002 (M)</p>			
<p>1. SURFACES SHALL BE FLAT WITHIN .001 MILLI (0.001 MILLI)</p> <p>2. SURFACE ROUGHNESS PER ANSI 481 TO 100 μ</p> <p>3. DIMENSIONS WITH SAME CENTERLINE POSITION SHALL BE SAME CENTERLINE WITHIN .001 MILLI (0.001 MILLI)</p>		<p>SIGNATURE DATE</p> <p>DRAWN BY: FEC 2/13/89</p> <p>CHECKED BY: GY 2/15/89</p> <p>APP'D BY: DAT 2/15/89</p> <p>TOL STUDY</p> <p>PLNT MFG</p>	<p>HEAT TREAT</p>
<p>1. TO BE STRAIGHTENED WITHIN .001 MILLI (0.001 MILLI)</p>		<p>FINISH</p>	<p>SCALE: 2X</p>
<p>MATERIAL NOTED</p>		<p>BOURNS, INC. TRIMPOT PRODUCTS DIVISION</p>	<p>MODEL: H-90</p>
<p>SIZE CODE IDENT NO: B 32997</p>		<p>TITLE: BODY MOLDED</p>	<p>SHEET 1 OF 1</p>
<p>DWG NO: 33156-49500</p>		<p>DWG NO: 33156-49500</p>	

SCULPES SUBJECT MATTER IN WHICH BOURNS, INC. HAS A PROPRIETARY RIGHT. THIS RECEIPT ON POSSESSION OF THIS SUBJECT MATTER IS NOT VALID UNLESS IT IS ACCOMPANIED BY THE TECHNICAL INFORMATION SHOWN HEREIN. THIS INFORMATION IS CONFIDENTIAL AND NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF BOURNS, INC.