


PART NO.

MC34949

REVISIONS								·
ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	Α	RELEASED	SID	18/6/12	AMU	18/6/12		02/7/12
						·		



bers of the Premier Farmell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp is the registered trademark of the Group. © Premier Farmell plc 2012.

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:	DATE:			
SID	18/06/12			
CHECKED BY:	DATE:			
AMU	18/06/12			
APPROVED BY:	DATE:			
	02/07/12			

:	DRAWI	NG TITLE:							
2			Socke	t - SCSI2, PCB,	R/	A, 50	Way	y	
:	SIZE DWG NO.			ELECTRONIC FILE				REV	
	Α			M10001951	1099271-TDS_DWG				Α
:	SCAL	E: NTS		U.O.M.: mm (Inches)		SHEET:	1	OF	2



PART NO.

MC34949

REVISIONS								
ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	Α	RELEASED	SID	18/6/12	AMU	18/6/12		02/7/12

Specifications:

Housing Material : PBT with glass-fibre reinforced
Contact Material : Phosphor bronze, gold over nickel

 $\begin{array}{lll} \mbox{Rated current} & : 1 \mbox{ A} \\ \mbox{Minimum Insulation Resistance} & : 500 \mbox{ M}\Omega \\ \mbox{Maximum Contact Resistance} & : 35 \mbox{ m}\Omega \end{array}$

Dielectric Withstanding Voltage : 500 V ac for 1 minute
Operating Temperature : -25°C to +85°C

Part Number Table

Description	Part Number
Socket, SCSI2, PCB, R / A, 50 Way	MC34949

www.element14.com www.farnell.com www.newark.com

Important Notice: This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should obeck for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp is the registered trademark of the Group. © Premier Farnell plc 2012.

UNLESS OTHERWISE
SPECIFIED, DIMENSIONS ARE FOR REFERENCE
DIMENSIONS ARE
FOR REFERENCE
PURPOSES ONLY.

TOLERANCES:

DRAWN BY:	DATE:
SID	18/06/12
CHECKED BY:	DATE:
AMU	18/06/12
APPROVED BY:	DATE:
	02/07/12

DRAWI	NG TITLE:								
Socket - SCSI2, PCB, R / A, 50 Way									
SIZE A	DWG NO.	M10001951		TRONIC FI		G	REV A		
SCAL	E: NTS	U.O.M.: mm (Inches)		SHEET:	2	OF	2		