


Sep.1.2018 Copyright 2018 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case that the application demands a high level of reliability, such as automotive,
please contact a company representative for further information.

1					2					3					4				
COUNT	DESCRIPTION OF REVISIONS				BY	CHKD	DATE			COUNT	DESCRIPTION OF REVISIONS				BY	CHKD	DATE		
△										△									
△										△									
△										△									



5	BRASS	NICKEL PLATING	10	PHOSPHOR BRONZE	SILVER PLATING 2μ m min.
4	BRASS	NICKEL PLATING	9	CHLOROPRENE RUBBER	(BLACK)
3	PHOSPHOR BRONZE	SILVER PLATING 2μ m min.	8	BRASS	
2	POLYAMIDE	(BLACK) UL94V-0	7	STEEL	NICKEL PLATING M2.6×0.45×3
1	BRASS	NICKEL PLATING	6	STEEL	NICKEL PLATING M2.6×0.45×2
NO.	MATERIAL	FINISH, REMARKS	NO.	MATERIAL	FINISH, REMARKS

CODE NO. (OLD) CL		DRAWN <i>M. Sato</i> 07.03.08	DESIGNED <i>T. Horie</i> 07.03.08	CHECKED <i>E. Murai</i> 07.03.08	APPROVED <i>M. Sato</i> 07.03.08	RELEASED
DRAWING NO. EDC4-041438-73		PART NO. HR10A-10TPA-12S(73)				
SCALE 2 : 1		CODE NO. CL110-0446-5-73				1/1
UNITS mm		HIROSE ELECTRIC CO., LTD.				

TO
R