

ITEM	MOLEX P/N	DESCRIPTION	QTY	UOM
A,B	511630400	2.5 W/B REC HSG	2	PC
C	511640405	2.5 W/B RETAINER	2	PC
D	507528200	Mini-Lock 2.5 W/B Crimp Rec Term 20-22AWG	8	PC
E	884260070	PAPER PRINTED PAPER WHITE (S100X150YAJ)	1	PC

FROM	TO	CABLE DESCRIPTION	COLOR
A1	B4	20 AWG UL1061 BLACK DISCRETE WIRE	BLACK
A2	B3		
A3	B2		
A4	B1		




TABLE			
PART NUMBER	L1	L2	TITLE
151370400	50±5	13REF	Mini-Lock 4 Circuit 50MM
151370401	100±8	38REF	Mini-Lock 4 Circuit 100MM
151370402	150±10	63REF	Mini-Lock 4 Circuit 150MM
151370403	300±10	138REF	Mini-Lock 4 Circuit 300MM
151370405	450±15	213REF	Mini-Lock 4 Circuit 450MM
151370406	600±15	288REF	Mini-Lock 4 Circuit 600MM

- NOTES
1. Cable assembly to be tested 100% for continuity and polarity.
  2. Label text must be 2mm max. In height with Arial font.
  3. Connector view shown is from mating side.
  4. Label must be wrapped in Flag type.

P/N:15137XXXX — MOLEX PN  
 MOLEX  
 BATCH WK/YR

DETAIL A

PENDING APPROVAL

DATE	REV	DESCRIPTION	REVISED BY
2018.05.29	A	INITIAL RELEASE	SSHIVASHANKA
2018.11.14	B	CABLE SIZE CHANGED FROM 22AWG TO 20AWG	SSHIVASHANKA

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SYMBOLS	DIMENSION UNITS	SCALE	CURRENT REV DESC:
▽ = 0	mm	NTS	EC NO: 608031 DRWN: SSHIVASHANKA 2018/11/14 CHK'D: APPR:
▽ = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		
▽ = 0	ANGULAR TOL ± °		
▽ = 0	4 PLACES ±		
▽ = 0	3 PLACES ±		INITIAL REVISION: DRWN: SSHIVASHANKA 2018/05/29 APPR: MNARAYAN01 2018/06/05
▽ = 0	2 PLACES ±		
▽ = 0	1 PLACE ±		
▽ = 0	0 PLACES ±		PRODUCT CUSTOMER DRAWING
■ = 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DOCUMENT NUMBER
▽ = 0		DRAWING	151370400
		SERIES	DOC TYPE
		A3-SIZE	PSD
		15137	000
		SEE TABLE	REVISION
		GENERAL MARKET	B
		1 OF 1	

DOCUMENT STATUS	RQ	RELEASE DATE	
-----------------	----	--------------	--