



NOTES

- THE "LF" PRODUCTS MEET EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATION AS DESCRIBED IN GS-47-0004.
- PACKAGING SPEC : SEE GS-14-2642
- PRODUCT SPEC: GS-12-1670
- TEMPERATURE RISE TEST AS PER UL 1977 SPECIFICATION.
[MAXIMUM T-RISE AT RATED CURRENT IS BELOW RTI VALUE OF INSULATOR RESIN (130°C)]

ORDERING INFORMATION



FRONT ACCESSORY	L : INSERT M3 O : INSERT UNC 4-40	V : FEMALE SCREW UNC 4-40
PCB ACCESSORY	A : WITHOUT	A : WITHOUT




SHELL SIZE	LAYOUT
E	2V2
A	3V3
A	3W3
B	5W5
C	8W8

spec ref	dr	Soman-adm, Shi	2022/09/28	projection	MM	size	A3	scale	2:1
tolerance std	eng	Gregar Mathew	2023/02/01			ecn no	rel level	Released	rev
ISO 406 ISO 1101	chr	-	-						
surface	linear	0.X	±			HIGH CURRENT D-SUB 75A MAL FULL POWER WITHOUT CONTACT	10160805	A	rev
		0.XXX	±						
ISO 1302	angular	0°	±°	amphenol-icc.com	cat. no.	-	Product - Customer Drw	sheet 1 of 3	




Amphenol FCI

© 2020 Amphenol Corporation




2V2









3V3



3W3



spec ref		dr	Soman-adm, Shi	2022/09/28	projection	MM	size	A3	scale	2:1
tolerance std		eng	Gregar Mathew	2023/02/01			ecn no		rel level	
ISO 406 ISO 1101		chr	-	-			Released			
TOLERANCES UNLESS OTHERWISE SPECIFIED		appr	Kuriakose, San	2023/02/01	product family		-			
surface	linear	0.X		±	Amphenol FCI HIGH CURRENT D-SUB 75A MAL FULL POWER WITHOUT CONTACT	title cat. no.	product family -	dwg no 10160805	rev A	
		0.XX		±						
ISO 1302		angular	0°	±°						
-		-		-		Product - Customer Drw		sheet 2 of 3		



spec ref		dr	Soman-adm, Shi	2022/09/28	projection	MM	size	A3	scale	2:1
tolerance std		eng	Gregar Mathew	2023/02/01			ecn no			
ISO 406		TOLERANCES UNLESS OTHERWISE SPECIFIED			product family	-	rel level		Released	
ISO 1101		chr	-	-						
surface		Amphenol FCi		HIGH CURRENT D-SUB 75A MAL		10160805		rev		A
ISO 1302		amphenol-icc.com		FULL POWER WITHOUT CONTACT		Product - Customer Drw		sheet 3 of 3		
linear	0.X	±	cat. no.		-		PDS: Rev :A		STATUS:Released	
	0.XX	±	-		-		-		Printed: Feb 09, 2023	
	0.XXX	±	-		-		-		-	
angular	0°	±°	-		-		-		-	