






製品形状
PRODUCT SHAPE


2極
2 CIRCUIT




3極
3 CIRCUIT




4-5極
4-5 CIRCUIT




6-7極
6-7 CIRCUIT




8極
8 CIRCUIT




9-10極
9-10 CIRCUIT




11-16極
11-16 CIRCUIT




基板パターンレイアウト
PCB PATTERN LAYOUT



基板パターンレイアウト(参考)
(参考 : 基板厚1.6mm, メタルマスク厚み0.15mm, マスク開口率100%)
PCB PATTERN LAYOUT (REFERENCE)
(REFERENCE: PCB THICKNESS 1.6mm, STENCIL THICKNESS 0.15mm, APERTURE RATIO 100%)



パターン非推奨エリア
パターンを引き回す際には製品機能に影響がないことを御確認ください。
PATTERN IS NOT RECOMMENDED ON THE HATCHING AREA.
PLEASE CHECK NOT TO HAVE PROBLEM FOR PRODUCT FUNCTION
WHEN SETTING PATTERN ON THE HATCHING AREA.





THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex								
mm		NTS													
GENERAL TOLERANCES (UNLESS SPECIFIED)				MICRO-LOCK PLUS 2.0 W/B SINGLE ROW VERTICAL SMT PLUG ASSEMBLY TIN PLATING											
ANGULAR TOL ± 3.0 °															
4 PLACES		± 0.2		EC NO: 718854			PRODUCT CUSTOMER DRAWING								
3 PLACES		± 0.2		DRWN: SOKUMURA01 2023/02/28											
2 PLACES		± 0.2		CHK'D: SAKIYAMA 2023/08/04											
1 PLACE		± 0.2		APPR: MARAI 2023/08/04			DOCUMENT NUMBER			DOC TYPE	DOC PART	REVISION			
0 PLACES		± 0.2		INITIAL REVISION:			5055750001			PSD	000	D			
				DRWN: TENAGASE 2016/06/07											
				APPR: TKANEKO 2016/06/23											
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A3-SIZE		505575		SEE SHEET 1		GENERAL		2 OF 4	



吸着エリア
SUCTION AREA

カバーテープ無
WITHOUT COVER TAPE
505575**7*

カバーテープ有
WITH COVER TAPE
505575**8*



嵌合状態図
MATED CONNECTORS



5	11.5	16
		15
		14
		13
		12
4	9.5	11
		10
		9
		8
		7
8	4.5	6
		5
		4
6	2.5	3
E	D	2
		極数 CIRCUIT SIZE

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex		
mm		NTS							
GENERAL TOLERANCES (UNLESS SPECIFIED)				MICRO-LOCK PLUS 2.0 W/B SINGLE ROW VERTICAL SMT PLUG ASSEMBLY TIN PLATING					
ANGULAR TOL ± 3.0 °									
4 PLACES		± 0.2		EC NO: 718854			PRODUCT CUSTOMER DRAWING		
3 PLACES		± 0.2		DRWN: SOKUMURA01					

DOCUMENT STATUS	P1	RELEASE DATE	2023/08/04	04:03:59
-----------------	----	--------------	------------	----------

