





NOTES


1. DETAILED DIMENSION, SEE PRODUCT DRAWING.
2. NUMBER OF CONNECTORS : 20000PCS/REEL
3. LEAD TAPE LENGTH.




4. PEELING OFF FORCE OF THE TOP TAPE IS DEFINED BY IEC60286-3.
5. MATERIAL
CARRIER TAPE : POLYSTYRENE OR PET
TOP TAPE : PET , OTHER
REEL : POLYSTYRENE (PS) < RECYCLE MATERIAL CONTAINED >

2 PLACES ± 0.05					APPR: YNAITO 2025/04/17		PRODUCT CUSTOMER DRAWING					
1 PLACE ± 0.1					INITIAL REVISION: DRWN: JACKSM7 2025/02/12		DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	
0 PLACES ± 0.2					APPR: YNAITO 2025/04/11		2270440000-SD		PSD	000	B	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS					THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER	SHEET NUMBER
							A3-SIZE	227044	SEE SHEET2		GENERAL	1 OF 2

DOCUMENT STATUS	P1	RELEASE DATE	2025/04/17	08:28:18
-----------------	----	--------------	------------	----------





11.5	8.665	24	29.4	25.4	2270440643	64
7.5	4.815	16	21.4	17.4	2270440203	20
J	H	G	F	E	ORDER NO.	CIRCUIT

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex 0.175 QUAD-ROW H0.6 REC ASSY EMBSTP PKG PRODUCT CUSTOMER DRAWING							
mm		NTS												
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 819389 DRWN: TNAKAGAWA01 2025/04/17 CHK'D: HSHIMOYAMA 2025/04/17 APPR: YNAITO 2025/04/17										
ANGULAR TOL ± 3.0 °														
4 PLACES		± 0.03												
3 PLACES		± 0.03												
2 PLACES		± 0.05												
1 PLACE		± 0.1		INITIAL REVISION: DRWN: JACKSM7 2025/02/12 APPR: YNAITO 2025/04/11			DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION			
0 PLACES		± 0.2					2270440000-SD		PSD	000	B			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER	SHEET NUMBER	
						A3-SIZE		227044		SEE TABLE		GENERAL		2 OF 2


DOCUMENT STATUS	P1	RELEASE DATE	2025/04/17	08:28:18
-----------------	----	--------------	------------	----------

FORMAT: master-b-prod-A3
REVISION: J1
DATE: 2021/05/01





OCCURENCE OF RESIN EXTRUSION ON TERMINAL TOP CAN BE COMMON.
NO IMPACT TO PERFORMANCE AS AREA IS NOT A FUNCTIONAL SURFACE.



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE	CURRENT REV DESC:					molex			
mm		40:1									
GENERAL TOLERANCES (UNLESS SPECIFIED)			EC NO: 819389 DRWN: TNAKAGAWA01 2025/04/16 CHK'D: HSHIMOYAMA 2025/04/17 APPR: YNAITO 2025/04/17					0.175 QUAD-ROW H0.6 REC ASSY			
ANGULAR TOL	±	3.0 °						PRODUCT CUSTOMER DRAWING			
4 PLACES	±	0.03									
3 PLACES	±	0.03									
2 PLACES	±	0.05									
1 PLACE	±	0.1	INITIAL REVISION: DRWN: JACKSM7 2025/02/12 APPR: YNAITO 2025/04/11					DOCUMENT NUMBER		DOC TYPE	DOC PART
0 PLACES	±	0.2						2270441000-SD		PSD	000
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER		SHEET NUMBER	
					A3-SIZE	227044	SEE SHEET1	GENERAL		3 OF 3	