


Soft Terminal MLCC



Soft Termination Capacitors



Dimensions Table



| Size | L (mm) | W (mm) | Thickness (mm)/Symbol | | Remark | M _B (mm) |
|-------------|-----------------|-----------------|-----------------------|---|--------|---------------------|
| 0603 (1608) | 1.60±0.20 | 0.80±0.10 | 0.80±0.07 | S | - | 0.40±0.15 |
| | 1.60+0.20/-0.10 | 0.80+0.15/-0.10 | 0.80+0.15/-0.10 | X | - | |
| 0805 (2012) | 2.00±0.15 | 1.25±0.10 | 0.50±0.10 | H | - | 0.50±0.20 |
| | | | 0.60±0.10 | A | - | |
| | | | 0.80±0.10 | B | - | |
| | | | 1.25±0.10 | D | # | |
| | 2.00±0.20 | 1.25±0.20 | 0.85±0.10 | T | - | |
| | | | 1.25±0.20 | I | # | |
| 1206 (3216) | 3.20±0.15 | 1.60±0.15 | 0.80±0.10 | B | - | 0.60±0.20 |
| | | | 0.95±0.10 | C | # | |
| | | | 1.25±0.10 | D | # | |
| | | | 1.15±0.15 | J | # | |
| | 3.20±0.20 | 1.60±0.20 | 1.60±0.20 | G | # | |
| | | | 0.85±0.10 | T | - | |
| | 3.20+0.30/-0.10 | 1.60+0.30/-0.10 | 1.60+0.30/-0.10 | P | # | |

Dimensions : Millimetres

Reflow soldering only is recommended.

* For safety certificated products and soft termination product please refer to individual sheet for detail.

Soft Terminal MLCC



Constructions




Fig 1. Construction of MLCC

| No | Name | | X7R | X7R |
|----|------------------|--------------|--------------------------|-----|
| 1 | Ceramic material | | BaTiO ₃ based | |
| 2 | Inner electrode | | AgPd alloy | Ni |
| 3 | Inner layer | | Ag | Cu |
| 4 | Termination | Middle layer | Ni | |
| 5 | 1 | Outer layer | Sn (Matt) | |

Storage and handling conditions:

- (1) To store products at 5 to 40°C ambient temperature and 20 to 70% related humidity conditions.
(2) The product is recommended to be used within 6 months after shipment. Check solderability in case of shelf life extension is needed.

Cautions:

- Don't store products in a corrosive environment such as sulfide, chloride gas, or acid. It may cause oxidization of electrode, which easily be resulted in poor soldering.
- To store products on the shelf and avoid exposure to moisture.
- Don't expose products to excessive shock, vibration, direct sunlight and so on.

Capacitance Range (X7R Dielectric 10 to 100V):

| Dielectric | | X7R | | | | | | | | | | | | | | |
|---------------|---------------|------|----|----|----|-----|------|-----|-----|-----|-----|------|-----|-----|-----|-----|
| Size | | 0603 | | | | | 0805 | | | | | 1206 | | | | |
| Rated Voltage | | 10 | 16 | 25 | 50 | 100 | 10 | 16 | 25 | 50 | 100 | 10 | 16 | 25 | 50 | 100 |
| Capcitance | 100pF (101) | S | S | S | S | S | B/D | B/D | B/D | B/D | B/D | - | - | - | - | - |
| | 150pF (151) | S | S | S | S | S | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D |
| | 220pF (221) | S | S | S | S | S | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D |
| | 330pF (331) | S | S | S | S | S | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D |
| | 470pF (471) | S | S | S | S | S | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D |
| | 680pF (681) | S | S | S | S | S | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D |
| | 1,000pF (102) | S | S | S | S | S | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D |
| | 1,500pF (152) | S | S | S | S | S | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D |
| | 2,200pF (222) | S | S | S | S | S | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D |
| | 3,300pF (332) | S | S | S | S | S | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D |

Soft Terminal MLCC



Capacitance Range (X7R Dielectric 10 to 100V):

| Dielectric | | X7R | | | | | | | | | | | | | | |
|---------------|---------------|------|----|----|----|-----|------|-----|-----|-----|-----|------|-----|-----|-----|-----|
| Size | | 0603 | | | | | 0805 | | | | | 1206 | | | | |
| Rated Voltage | | 10 | 16 | 25 | 50 | 100 | 10 | 16 | 25 | 50 | 100 | 10 | 16 | 25 | 50 | 100 |
| Capacitance | 4.700pF (472) | S | S | S | S | S | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D | |
| | 6.800pF (682) | S | S | S | S | S | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D | |
| | 0.010µF (103) | S | S | S | S | S | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D | |
| | 0.015µF (153) | S | S | S | S | - | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D | B/D | |
| | 0.022µF (223) | S | S | S | S | - | B/D | B/D | B/D | B/D | D | B/D | B/D | B/D | B/D | |
| | 0.033µF (333) | S | S | S | X | - | B/D | B/D | B/D | B/D | D | B/D | B/D | B/D | B/D | |
| | 0.047µF (473) | S | S | S | X | - | B/D | B/D | B/D | B/D | D | B/D | B/D | B/D | B/D | |
| | 0.068µF (683) | S | S | S | X | - | B/D | B/D | B/D | B/D | D | B/D | B/D | B/D | B/D | |
| | 0.10µF (104) | S | S | S | X | - | B/D | B/D | B/D | B/D | D | B/D | B/D | B/D | D | |
| | 0.15µF (154) | S | S | X | - | - | D | D | D | - | - | C | C | C | G | |
| | 0.22µF (224) | S | S | X | - | - | D | D | D | - | - | C | C | C | G | |
| | 0.33µF (334) | X | X | X | - | - | - | - | - | - | - | C | C | C | - | |
| | 0.47µF (474) | X | X | X | - | - | - | - | - | - | - | J | J | J | P | |
| | 0.68µF (684) | X | X | - | - | - | - | - | - | - | - | J | J | J | P | |
| | 1.00µF (105) | X | X | - | - | - | - | - | - | - | - | J | J | J | P | |

Part Number Table

| Description | Size Inch (mm) | Dielectric | Capacitance | Tolerance | Rated Voltage (VDC) | Termination | Part Number |
|----------------------------------|-------------------|------------|-------------|-----------|---------------------------|-------------|-------------|
| Capacitor, 0603, X7R, 10V, 100pF | 0603 (1608) | X7R | 100pF | ±10% | 10V | Cu/Ni/Sn | MCCA001104 |
| Capacitor, 0603, X7R, 10V, 150pF | | | 150pF | | | | MCCA001105 |
| Capacitor, 0603, X7R, 10V, 220pF | | | 220pF | | | | MCCA001106 |
| Capacitor, 0603, X7R, 10V, 330pF | | | 330pF | | | | MCCA001107 |
| Capacitor, 0603, X7R, 10V, 470pF | | | 470pF | | | | MCCA001108 |
| Capacitor, 0603, X7R, 10V, 680pF | | | 680pF | | | | MCCA001109 |
| Capacitor, 0603, X7R, 10V, 1nF | | | 1nF | | | | MCCA001110 |
| Capacitor, 0603, X7R, 10V, 1.5nF | | | 1.5nF | | | | MCCA001111 |
| Capacitor, 0603, X7R, 10V, 2.2nF | | | 2.2nF | | | | MCCA001112 |
| Capacitor, 0603, X7R, 10V, 3.3nF | | | 3.3nF | | | | MCCA001113 |
| Capacitor, 0603, X7R, 10V, 4.7nF | | | 4.7nF | | | | MCCA001114 |
| Capacitor, 0603, X7R, 10V, 6.8nF | | | 6.8nF | | | | MCCA001115 |
| Capacitor, 0603, X7R, 10V, 10nF | | | 10nF | | | | MCCA001116 |
| Capacitor, 0603, X7R, 10V, 15nF | | | 15nF | | | | MCCA001117 |

Soft Terminal MLCC



| Description | Size Inch (mm) | Dielectric | Capacitance | Tolerance | Rated Voltage (VDC) | Termination | Part Number | |
|----------------------------------|----------------------|------------|-------------|-----------|---------------------------|-------------|-------------|--|
| Capacitor, 0603, X7R, 10V, 22nF | 0603 (1608) | X7R | 22nF | ±10% | 10V | Cu/Ni/Sn | MCCA001118 | |
| Capacitor, 0603, X7R, 10V, 33nF | | | 33nF | | | | MCCA001119 | |
| Capacitor, 0603, X7R, 10V, 47nF | | | 47nF | | | | MCCA001120 | |
| Capacitor, 0603, X7R, 10V, 68nF | | | 68nF | | | | MCCA001121 | |
| Capacitor, 0603, X7R, 10V, 100nF | | | 100nF | | | | MCCA001122 | |
| Capacitor, 0603, X7R, 10V, 150nF | | | 150nF | | | | MCCA001123 | |
| Capacitor, 0603, X7R, 10V, 220nF | | | 220nF | | | | MCCA001124 | |
| Capacitor, 0603, X7R, 10V, 330nF | | | 330nF | | | | MCCA001125 | |
| Capacitor, 0603, X7R, 10V, 470nF | | | 470nF | | | | MCCA001126 | |
| Capacitor, 0603, X7R, 10V, 680nF | | | 680nF | | | | MCCA001127 | |
| Capacitor, 0603, X7R, 10V, 1uF | | | 1uF | | | | MCCA001128 | |
| Capacitor, 0603, X7R, 16V, 100pF | | | 100pF | | 16V | | MCCA001129 | |
| Capacitor, 0603, X7R, 16V, 150pF | | | 150pF | | | | MCCA001130 | |
| Capacitor, 0603, X7R, 16V, 220pF | | | 220pF | | | | MCCA001131 | |
| Capacitor, 0603, X7R, 16V, 330pF | | | 330pF | | | | MCCA001132 | |
| Capacitor, 0603, X7R, 16V, 470pF | | | 470pF | | | | MCCA001133 | |
| Capacitor, 0603, X7R, 16V, 680pF | | | 680pF | | | | MCCA001134 | |
| Capacitor, 0603, X7R, 16V, 1nF | | | 1nF | | | | MCCA001135 | |
| Capacitor, 0603, X7R, 16V, 1.5nF | | | 1.5nF | | | | MCCA001136 | |
| Capacitor, 0603, X7R, 16V, 2.2nF | | | 2.2nF | | | | MCCA001137 | |
| Capacitor, 0603, X7R, 16V, 3.3nF | | | 3.3nF | | | | MCCA001138 | |
| Capacitor, 0603, X7R, 16V, 4.7nF | | | 4.7nF | | | | MCCA001139 | |
| Capacitor, 0603, X7R, 16V, 6.8nF | | | 6.8nF | | | | MCCA001140 | |
| Capacitor, 0603, X7R, 16V, 10nF | | | 10nF | | | | MCCA001141 | |
| Capacitor, 0603, X7R, 16V, 15nF | | | 15nF | | | | MCCA001142 | |
| Capacitor, 0603, X7R, 16V, 22nF | | | 22nF | | | | MCCA001143 | |
| Capacitor, 0603, X7R, 16V, 33nF | | | 33nF | | | | MCCA001144 | |
| Capacitor, 0603, X7R, 16V, 47nF | | | 47nF | | | | MCCA001145 | |
| Capacitor, 0603, X7R, 16V, 68nF | | | 68nF | | | | MCCA001146 | |
| Capacitor, 0603, X7R, 16V, 100nF | | | 100nF | | | | MCCA001147 | |
| Capacitor, 0603, X7R, 16V, 150nF | | | 150nF | | | | MCCA001148 | |
| Capacitor, 0603, X7R, 16V, 220nF | | | 220nF | | | | MCCA001149 | |
| Capacitor, 0603, X7R, 16V, 330nF | | | 330nF | | | | MCCA001150 | |
| Capacitor, 0603, X7R, 16V, 470nF | | | 470nF | | | | MCCA001151 | |

Soft Terminal MLCC



| Description | Size Inch (mm) | Dielectric | Capacitance | Tolerance | Rated Voltage (VDC) | Termination | Part Number | |
|----------------------------------|----------------|------------|-------------|-----------|---------------------|-------------|-------------|--|
| Capacitor, 0603, X7R, 25V, 100pF | 0603 (1608) | X7R | 100pF | ±10% | 25V | Cu/Ni/Sn | MCCA001152 | |
| Capacitor, 0603, X7R, 25V, 150pF | | | 150pF | | | | MCCA001153 | |
| Capacitor, 0603, X7R, 25V, 220pF | | | 220pF | | | | MCCA001154 | |
| Capacitor, 0603, X7R, 25V, 330pF | | | 330pF | | | | MCCA001155 | |
| Capacitor, 0603, X7R, 25V, 470pF | | | 470pF | | | | MCCA001156 | |
| Capacitor, 0603, X7R, 25V, 680pF | | | 680pF | | | | MCCA001157 | |
| Capacitor, 0603, X7R, 25V, 1nF | | | 1nF | | | | MCCA001158 | |
| Capacitor, 0603, X7R, 25V, 1.5nF | | | 1.5nF | | | | MCCA001159 | |
| Capacitor, 0603, X7R, 25V, 2.2nF | | | 2.2nF | | | | MCCA001160 | |
| Capacitor, 0603, X7R, 25V, 3.3nF | | | 3.3nF | | | | MCCA001161 | |
| Capacitor, 0603, X7R, 25V, 4.7nF | | | 4.7nF | | | | MCCA001162 | |
| Capacitor, 0603, X7R, 25V, 6.8nF | | | 6.8nF | | | | MCCA001163 | |
| Capacitor, 0603, X7R, 25V, 10nF | | | 10nF | | | | MCCA001164 | |
| Capacitor, 0603, X7R, 25V, 15nF | | | 15nF | | | | MCCA001165 | |
| Capacitor, 0603, X7R, 25V, 22nF | | | 22nF | | | | MCCA001166 | |
| Capacitor, 0603, X7R, 25V, 33nF | | | 33nF | | | | MCCA001167 | |
| Capacitor, 0603, X7R, 25V, 47nF | | | 47nF | | | | MCCA001168 | |
| Capacitor, 0603, X7R, 25V, 68nF | | | 68nF | | | | MCCA001169 | |
| Capacitor, 0603, X7R, 25V, 100nF | | | 100nF | | | | MCCA001170 | |
| Capacitor, 0603, X7R, 25V, 150nF | | | 150nF | | | | MCCA001171 | |
| Capacitor, 0603, X7R, 25V, 220nF | | | 220nF | | | | MCCA001172 | |
| Capacitor, 0603, X7R, 25V, 330nF | | | 330nF | | | | MCCA001173 | |
| Capacitor, 0603, X7R, 25V, 470nF | | | 470nF | | | | MCCA001174 | |
| Capacitor, 0603, X7R, 50V, 100pF | | | 100pF | | 50V | | MCCA001175 | |
| Capacitor, 0603, X7R, 50V, 150pF | | | 150pF | | | | MCCA001176 | |
| Capacitor, 0603, X7R, 50V, 220pF | | | 220pF | | | | MCCA001177 | |
| Capacitor, 0603, X7R, 50V, 330pF | | | 330pF | | | | MCCA001178 | |
| Capacitor, 0603, X7R, 50V, 470pF | | | 470pF | | | | MCCA001179 | |
| Capacitor, 0603, X7R, 50V, 680pF | | | 680pF | | | | MCCA001180 | |
| Capacitor, 0603, X7R, 50V, 1nF | | | 1nF | | | | MCCA001181 | |
| Capacitor, 0603, X7R, 50V, 1.5nF | | | 1.5nF | | | | MCCA001182 | |
| Capacitor, 0603, X7R, 50V, 2.2nF | | | 2.2nF | | | | MCCA001183 | |
| Capacitor, 0603, X7R, 50V, 3.3nF | | | 3.3nF | | | | MCCA001184 | |
| Capacitor, 0603, X7R, 50V, 4.7nF | | | 4.7nF | | | | MCCA001185 | |

Soft Terminal MLCC



| Description | Size Inch (mm) | Dielectric | Capacitance | Tolerance | Rated Voltage (VDC) | Termination | Part Number | |
|-----------------------------------|----------------|------------|-------------|------------|---------------------|-------------|-------------|--|
| Capacitor, 0603, X7R, 50V, 6.8nF | 0603 (1608) | X7R | 6.8nF | $\pm 10\%$ | 50V | Cu/Ni/Sn | MCCA001186 | |
| Capacitor, 0603, X7R, 50V, 10nF | | | 10nF | | | | MCCA001187 | |
| Capacitor, 0603, X7R, 50V, 15nF | | | 15nF | | | | MCCA001188 | |
| Capacitor, 0603, X7R, 50V, 22nF | | | 22nF | | | | MCCA001189 | |
| Capacitor, 0603, X7R, 50V, 33nF | | | 33nF | | | | MCCA001190 | |
| Capacitor, 0603, X7R, 50V, 47nF | | | 47nF | | 100V | | MCCA001191 | |
| Capacitor, 0603, X7R, 50V, 68nF | | | 68nF | | | | MCCA001192 | |
| Capacitor, 0603, X7R, 50V, 100nF | | | 100nF | | | | MCCA001193 | |
| Capacitor, 0603, X7R, 100V, 100pF | | | 100pF | | | | MCCA001194 | |
| Capacitor, 0603, X7R, 100V, 150pF | | | 150pF | | | | MCCA001195 | |
| Capacitor, 0603, X7R, 100V, 220pF | | | 220pF | | | | MCCA001196 | |
| Capacitor, 0603, X7R, 100V, 330pF | | | 330pF | | | | MCCA001197 | |
| Capacitor, 0603, X7R, 100V, 470pF | | | 470pF | | | | MCCA001198 | |
| Capacitor, 0603, X7R, 100V, 680pF | | | 680pF | | | | MCCA001199 | |
| Capacitor, 0603, X7R, 100V, 1nF | | | 1nF | | | | MCCA001200 | |
| Capacitor, 0603, X7R, 100V, 1.5nF | | | 1.5nF | | | | MCCA001201 | |
| Capacitor, 0603, X7R, 100V, 2.2nF | | | 2.2nF | | | | MCCA001202 | |
| Capacitor, 0603, X7R, 100V, 3.3nF | | | 3.3nF | | | | MCCA001203 | |
| Capacitor, 0603, X7R, 100V, 4.7nF | | | 4.7nF | | | | MCCA001204 | |
| Capacitor, 0603, X7R, 100V, 6.8nF | | | 6.8nF | | | | MCCA001205 | |
| Capacitor, 0603, X7R, 100V, 10nF | | | 10nF | | | | MCCA001206 | |
| Capacitor, 0805, X7R, 10V, 100pF | 0805 (2012) | X7R | 100pF | $\pm 10\%$ | 10V | Cu/Ni/Sn | MCCA001207 | |
| Capacitor, 0805, X7R, 10V, 150pF | | | 150pF | | | | MCCA001208 | |
| Capacitor, 0805, X7R, 10V, 220pF | | | 220pF | | | | MCCA001209 | |
| Capacitor, 0805, X7R, 10V, 330pF | | | 330pF | | | | MCCA001210 | |
| Capacitor, 0805, X7R, 10V, 470pF | | | 470pF | | | | MCCA001211 | |
| Capacitor, 0805, X7R, 10V, 680pF | | | 680pF | | | | MCCA001212 | |
| Capacitor, 0805, X7R, 10V, 1nF | | | 1nF | | | | MCCA001213 | |
| Capacitor, 0805, X7R, 10V, 1.5nF | | | 1.5nF | | | | MCCA001214 | |
| Capacitor, 0805, X7R, 10V, 2.2nF | | | 2.2nF | | | | MCCA001215 | |
| Capacitor, 0805, X7R, 10V, 3.3nF | | | 3.3nF | | | | MCCA001216 | |
| Capacitor, 0805, X7R, 10V, 4.7nF | | | 4.7nF | | | | MCCA001217 | |
| Capacitor, 0805, X7R, 10V, 6.8nF | | | 6.8nF | | | | MCCA001218 | |
| Capacitor, 0805, X7R, 10V, 10nF | | | 10nF | | | | MCCA001219 | |
| Capacitor, 0805, X7R, 10V, 15nF | | | 15nF | | | | MCCA001220 | |

<http://www.farnell.com>
<http://www.newark.com>
<http://www.cpc.co.uk>



Soft Terminal MLCC



| Description | Size Inch (mm) | Dielectric | Capacitance | Tolerance | Rated Voltage (VDC) | Termination | Part Number | |
|----------------------------------|----------------------|------------|-------------|------------|---------------------------|-------------|-------------|--|
| Capacitor, 0805, X7R, 10V, 22nF | 0805 (2012) | X7R | 22nF | $\pm 10\%$ | 10V | Cu/Ni/Sn | MCCA001221 | |
| Capacitor, 0805, X7R, 10V, 33nF | | | 33nF | | | | MCCA001222 | |
| Capacitor, 0805, X7R, 10V, 47nF | | | 47nF | | | | MCCA001223 | |
| Capacitor, 0805, X7R, 10V, 68nF | | | 68nF | | | | MCCA001224 | |
| Capacitor, 0805, X7R, 10V, 100nF | | | 100nF | | | | MCCA001225 | |
| Capacitor, 0805, X7R, 10V, 150nF | | | 150nF | | | | MCCA001226 | |
| Capacitor, 0805, X7R, 10V, 220nF | | | 220nF | | | | MCCA001227 | |
| Capacitor, 0805, X7R, 16V, 100pF | | | 100pF | | | | MCCA001228 | |
| Capacitor, 0805, X7R, 16V, 150pF | | | 150pF | | | | MCCA001229 | |
| Capacitor, 0805, X7R, 16V, 220pF | | | 220pF | | | | MCCA001230 | |
| Capacitor, 0805, X7R, 16V, 330pF | | | 330pF | | | | MCCA001231 | |
| Capacitor, 0805, X7R, 16V, 470pF | | | 470pF | | | | MCCA001232 | |
| Capacitor, 0805, X7R, 16V, 680pF | | | 680pF | | | | MCCA001233 | |
| Capacitor, 0805, X7R, 16V, 1nF | | | 1nF | | | | MCCA001234 | |
| Capacitor, 0805, X7R, 16V, 1.5nF | | | 1.5nF | | | | MCCA001235 | |
| Capacitor, 0805, X7R, 16V, 2.2nF | | | 2.2nF | | | | MCCA001236 | |
| Capacitor, 0805, X7R, 16V, 3.3nF | | | 3.3nF | | | | MCCA001237 | |
| Capacitor, 0805, X7R, 16V, 4.7nF | | | 4.7nF | | | | MCCA001238 | |
| Capacitor, 0805, X7R, 16V, 6.8nF | | | 6.8nF | | | | MCCA001239 | |
| Capacitor, 0805, X7R, 16V, 10nF | | | 10nF | | | | MCCA001240 | |
| Capacitor, 0805, X7R, 16V, 15nF | | | 15nF | | | | MCCA001241 | |
| Capacitor, 0805, X7R, 16V, 22nF | | | 22nF | | | | MCCA001242 | |
| Capacitor, 0805, X7R, 16V, 33nF | | | 33nF | | | | MCCA001243 | |
| Capacitor, 0805, X7R, 16V, 47nF | | | 47nF | | | | MCCA001244 | |
| Capacitor, 0805, X7R, 16V, 68nF | | | 68nF | | | | MCCA001245 | |
| Capacitor, 0805, X7R, 16V, 100nF | | | 100nF | | | | MCCA001246 | |
| Capacitor, 0805, X7R, 16V, 150nF | | | 150nF | | | | MCCA001247 | |
| Capacitor, 0805, X7R, 16V, 220nF | | | 220nF | | | | MCCA001248 | |
| Capacitor, 0805, X7R, 25V, 100pF | | | 100pF | | 25V | | MCCA001249 | |
| Capacitor, 0805, X7R, 25V, 150pF | | | 150pF | | | | MCCA001250 | |
| Capacitor, 0805, X7R, 25V, 220pF | | | 220pF | | | | MCCA001251 | |
| Capacitor, 0805, X7R, 25V, 330pF | | | 330pF | | | | MCCA001252 | |
| Capacitor, 0805, X7R, 25V, 470pF | | | 470pF | | | | MCCA001253 | |
| Capacitor, 0805, X7R, 25V, 680pF | | | 680pF | | | | MCCA001254 | |

Soft Terminal MLCC



| Description | Size Inch (mm) | Dielectric | Capacitance | Tolerance | Rated Voltage (VDC) | Termination | Part Number |
|----------------------------------|----------------------|------------|-------------|-----------|---------------------------|-------------|-------------|
| Capacitor, 0805, X7R, 25V, 1nF | 0805 (2012) | X7R | 1nF | ±10% | 25V | Cu/Ni/Sn | MCCA001255 |
| Capacitor, 0805, X7R, 25V, 1.5nF | | | 1.5nF | | | | MCCA001256 |
| Capacitor, 0805, X7R, 25V, 2.2nF | | | 2.2nF | | | | MCCA001257 |
| Capacitor, 0805, X7R, 25V, 3.3nF | | | 3.3nF | | | | MCCA001258 |
| Capacitor, 0805, X7R, 25V, 4.7nF | | | 4.7nF | | | | MCCA001259 |
| Capacitor, 0805, X7R, 25V, 6.8nF | | | 6.8nF | | | | MCCA001260 |
| Capacitor, 0805, X7R, 25V, 10nF | | | 10nF | | | | MCCA001261 |
| Capacitor, 0805, X7R, 25V, 15nF | | | 15nF | | | | MCCA001262 |
| Capacitor, 0805, X7R, 25V, 22nF | | | 22nF | | | | MCCA001263 |
| Capacitor, 0805, X7R, 25V, 33nF | | | 33nF | | | | MCCA001264 |
| Capacitor, 0805, X7R, 25V, 47nF | | | 47nF | | | | MCCA001265 |
| Capacitor, 0805, X7R, 25V, 68nF | | | 68nF | | | | MCCA001266 |
| Capacitor, 0805, X7R, 25V, 100nF | | | 100nF | | | | MCCA001267 |
| Capacitor, 0805, X7R, 25V, 150nF | | | 150nF | | | | MCCA001268 |
| Capacitor, 0805, X7R, 25V, 220nF | | | 220nF | | | | MCCA001269 |
| Capacitor, 0805, X7R, 50V, 100pF | | | 100pF | 50V | Cu/Ni/Sn | MCCA001270 | MCCA001270 |
| Capacitor, 0805, X7R, 50V, 150pF | | | 150pF | | | | MCCA001271 |
| Capacitor, 0805, X7R, 50V, 220pF | | | 220pF | | | | MCCA001272 |
| Capacitor, 0805, X7R, 50V, 330pF | | | 330pF | | | | MCCA001273 |
| Capacitor, 0805, X7R, 50V, 470pF | | | 470pF | | | | MCCA001274 |
| Capacitor, 0805, X7R, 50V, 680pF | | | 680pF | | | | MCCA001275 |
| Capacitor, 0805, X7R, 50V, 1nF | | | 1nF | | | | MCCA001276 |
| Capacitor, 0805, X7R, 50V, 1.5nF | | | 1.5nF | | | | MCCA001277 |
| Capacitor, 0805, X7R, 50V, 2.2nF | | | 2.2nF | | | | MCCA001278 |
| Capacitor, 0805, X7R, 50V, 3.3nF | | | 3.3nF | | | | MCCA001279 |
| Capacitor, 0805, X7R, 50V, 4.7nF | | | 4.7nF | | | | MCCA001280 |
| Capacitor, 0805, X7R, 50V, 6.8nF | | | 6.8nF | | | | MCCA001281 |
| Capacitor, 0805, X7R, 50V, 10nF | | | 10nF | | | | MCCA001282 |
| Capacitor, 0805, X7R, 50V, 15nF | | | 15nF | | | | MCCA001283 |
| Capacitor, 0805, X7R, 50V, 22nF | | | 22nF | | | | MCCA001284 |
| Capacitor, 0805, X7R, 50V, 33nF | | | 33nF | | | | MCCA001285 |
| Capacitor, 0805, X7R, 50V, 47nF | | | 47nF | | | | MCCA001286 |
| Capacitor, 0805, X7R, 50V, 68nF | | | 68nF | | | | MCCA001287 |
| Capacitor, 0805, X7R, 50V, 100nF | | | 100nF | | | | MCCA001288 |

Soft Terminal MLCC



| Description | Size Inch (mm) | Dielectric | Capacitance | Tolerance | Rated Voltage (VDC) | Termination | Part Number | |
|-----------------------------------|----------------------|------------|-------------|-----------|---------------------------|-------------|-------------|--|
| Capacitor, 0805, X7R, 50V, 150nF | 0805 (2012) | X7R | 150nF | ±10% | 50V | Cu/Ni/Sn | MCCA001289 | |
| Capacitor, 0805, X7R, 50V, 220nF | | | 220nF | | | | MCCA001290 | |
| Capacitor, 0805, X7R, 100V, 100pF | | | 100pF | | | | MCCA001291 | |
| Capacitor, 0805, X7R, 100V, 150pF | | | 150pF | | | | MCCA001292 | |
| Capacitor, 0805, X7R, 100V, 220pF | | | 220pF | | | | MCCA001293 | |
| Capacitor, 0805, X7R, 100V, 330pF | | | 330pF | | | | MCCA001294 | |
| Capacitor, 0805, X7R, 100V, 470pF | | | 470pF | | | | MCCA001295 | |
| Capacitor, 0805, X7R, 100V, 680pF | | | 680pF | | | | MCCA001296 | |
| Capacitor, 0805, X7R, 100V, 1nF | | | 1nF | | | | MCCA001297 | |
| Capacitor, 0805, X7R, 100V, 1.5nF | | | 1.5nF | | | | MCCA001298 | |
| Capacitor, 0805, X7R, 100V, 2.2nF | | | 2.2nF | 100V | 100V | | MCCA001299 | |
| Capacitor, 0805, X7R, 100V, 3.3nF | | | 3.3nF | | | | MCCA001300 | |
| Capacitor, 0805, X7R, 100V, 4.7nF | | | 4.7nF | | | | MCCA001301 | |
| Capacitor, 0805, X7R, 100V, 6.8nF | | | 6.8nF | | | | MCCA001302 | |
| Capacitor, 0805, X7R, 100V, 10nF | | | 10nF | | | | MCCA001303 | |
| Capacitor, 0805, X7R, 100V, 15nF | | | 15nF | | | | MCCA001304 | |
| Capacitor, 0805, X7R, 100V, 22nF | | | 22nF | | | | MCCA001305 | |
| Capacitor, 0805, X7R, 100V, 33nF | | | 33nF | | | | MCCA001306 | |
| Capacitor, 0805, X7R, 100V, 47nF | | | 47nF | | | | MCCA001307 | |
| Capacitor, 0805, X7R, 100V, 68nF | | | 68nF | | | | MCCA001308 | |
| Capacitor, 0805, X7R, 100V, 100nF | | | 100nF | | | | MCCA001309 | |
| Capacitor, 1206, X7R, 10V, 150pF | 1206 (3216) | X7R | 150pF | ±10% | 10V | Cu/Ni/Sn | MCCA001310 | |
| Capacitor, 1206, X7R, 100V, 150pF | | | 150pF | | 100V | | MCCA001311 | |
| Capacitor, 1206, X7R, 10V, 220pF | | | 220pF | | 10V | | MCCA001312 | |
| Capacitor, 1206, X7R, 16V, 150pF | | | 150pF | | 16V | | MCCA001313 | |
| Capacitor, 1206, X7R, 100V, 220pF | | | 220pF | | 100V | | MCCA001314 | |
| Capacitor, 1206, X7R, 10V, 330pF | | | 330pF | | 10V | | MCCA001315 | |
| Capacitor, 1206, X7R, 25V, 150pF | | | 150pF | | 25V | | MCCA001316 | |
| Capacitor, 1206, X7R, 16V, 220pF | | | 220pF | | 16V | | MCCA001317 | |
| Capacitor, 1206, X7R, 100V, 330pF | | | 330pF | | 100V | | MCCA001318 | |
| Capacitor, 1206, X7R, 10V, 470pF | | | 470pF | | 10V | | MCCA001319 | |
| Capacitor, 1206, X7R, 50V, 150pF | | | 150pF | | 50V | | MCCA001320 | |
| Capacitor, 1206, X7R, 25V, 220pF | | | 220pF | | 25V | | MCCA001321 | |
| Capacitor, 1206, X7R, 16V, 330pF | | | 330pF | | 16V | | MCCA001322 | |

Soft Terminal MLCC



| Description | Size Inch (mm) | Dielectric | Capacitance | Tolerance | Rated Voltage (VDC) | Termination | Part Number |
|-----------------------------------|----------------------|------------|-------------|------------|---------------------------|-------------|-------------|
| Capacitor, 1206, X7R, 100V, 470pF | 1206 (3216) | X7R | 470pF | $\pm 10\%$ | 100V | Cu/Ni/Sn | MCCA001323 |
| Capacitor, 1206, X7R, 10V, 680pF | | | 680pF | | 10V | | MCCA001324 |
| Capacitor, 1206, X7R, 10V, 1nF | | | 1nF | | 10V | | MCCA001325 |
| Capacitor, 1206, X7R, 10V, 1.5nF | | | 1.5nF | | 50V | | MCCA001326 |
| Capacitor, 1206, X7R, 50V, 220pF | | | 220pF | | 25V | | MCCA001327 |
| Capacitor, 1206, X7R, 25V, 330pF | | | 330pF | | 16V | | MCCA001328 |
| Capacitor, 1206, X7R, 16V, 470pF | | | 470pF | | 100V | | MCCA001329 |
| Capacitor, 1206, X7R, 100V, 680pF | | | 680pF | | 10V | | MCCA001330 |
| Capacitor, 1206, X7R, 100V, 1nF | | | 1nF | | 100V | | MCCA001331 |
| Capacitor, 1206, X7R, 100V, 1.5nF | | | 1.5nF | | 50V | | MCCA001332 |
| Capacitor, 1206, X7R, 10V, 2.2nF | | | 2.2nF | | 25V | | MCCA001333 |
| Capacitor, 1206, X7R, 50V, 330pF | | | 330pF | | 16V | | MCCA001334 |
| Capacitor, 1206, X7R, 25V, 470pF | | | 470pF | | 100V | | MCCA001335 |
| Capacitor, 1206, X7R, 16V, 680pF | | | 680pF | | 10V | | MCCA001336 |
| Capacitor, 1206, X7R, 16V, 1nF | | | 1nF | | 100V | | MCCA001337 |
| Capacitor, 1206, X7R, 16V, 1.5nF | | | 1.5nF | | 50V | | MCCA001338 |
| Capacitor, 1206, X7R, 100V, 2.2nF | | | 2.2nF | | 25V | | MCCA001339 |
| Capacitor, 1206, X7R, 10V, 3.3nF | | | 3.3nF | | 16V | | MCCA001340 |
| Capacitor, 1206, X7R, 50V, 470pF | | | 470pF | | 100V | | MCCA001341 |
| Capacitor, 1206, X7R, 25V, 680pF | | | 680pF | | 10V | | MCCA001342 |
| Capacitor, 1206, X7R, 25V, 1nF | | | 1nF | | 50V | | MCCA001343 |
| Capacitor, 1206, X7R, 25V, 1.5nF | | | 1.5nF | | 25V | | MCCA001344 |
| Capacitor, 1206, X7R, 16V, 2.2nF | | | 2.2nF | | 16V | | MCCA001345 |
| Capacitor, 1206, X7R, 100V, 3.3nF | | | 3.3nF | | 100V | | MCCA001346 |
| Capacitor, 1206, X7R, 10V, 4.7nF | | | 4.7nF | | 10V | | MCCA001347 |
| Capacitor, 1206, X7R, 50V, 680pF | | | 680pF | | 50V | | MCCA001348 |
| Capacitor, 1206, X7R, 50V, 1nF | | | 1nF | | 50V | | MCCA001349 |
| Capacitor, 1206, X7R, 50V, 1.5nF | | | 1.5nF | | 25V | | MCCA001350 |
| Capacitor, 1206, X7R, 25V, 2.2nF | | | 2.2nF | | 16V | | MCCA001351 |
| Capacitor, 1206, X7R, 16V, 3.3nF | | | 3.3nF | | 100V | | MCCA001352 |
| Capacitor, 1206, X7R, 100V, 4.7nF | | | 4.7nF | | 100V | | MCCA001353 |
| Capacitor, 1206, X7R, 10V, 6.8nF | | | 6.8nF | | 100V | | MCCA001354 |
| Capacitor, 1206, X7R, 10V, 10nF | | | 10nF | | 100V | | MCCA001355 |
| Capacitor, 1206, X7R, 10V, 15nF | | | 15nF | | 10V | | MCCA001356 |

Soft Terminal MLCC



multicomp

| Description | Size Inch (mm) | Dielectric | Capacitance | Tolerance | Rated Voltage (VDC) | Termination | Part Number | |
|-----------------------------------|----------------------|------------|-------------|-----------|---------------------------|-------------|-------------|--|
| Capacitor, 1206, X7R, 50V, 2.2nF | 1206 (3216) | X7R | 2.2nF | ±10% | 50V | Cu/Ni/Sn | MCCA001357 | |
| Capacitor, 1206, X7R, 25V, 3.3nF | | | 3.3nF | | 25V | | MCCA001358 | |
| Capacitor, 1206, X7R, 16V, 4.7nF | | | 4.7nF | | 16V | | MCCA001359 | |
| Capacitor, 1206, X7R, 100V, 6.8nF | | | 6.8nF | | 100V | | MCCA001360 | |
| Capacitor, 1206, X7R, 100V, 10nF | | | 10nF | | | | MCCA001361 | |
| Capacitor, 1206, X7R, 100V, 15nF | | | 15nF | | | | MCCA001362 | |
| Capacitor, 1206, X7R, 10V, 22nF | | | 22nF | | 10V | | MCCA001363 | |
| Capacitor, 1206, X7R, 50V, 3.3nF | | | 3.3nF | | 50V | | MCCA001364 | |
| Capacitor, 1206, X7R, 25V, 4.7nF | | | 4.7nF | | 25V | | MCCA001365 | |
| Capacitor, 1206, X7R, 16V, 6.8nF | | | 6.8nF | | 16V | | MCCA001366 | |
| Capacitor, 1206, X7R, 16V, 10nF | | | 10nF | | | | MCCA001367 | |
| Capacitor, 1206, X7R, 16V, 15nF | | | 15nF | | 100V | | MCCA001368 | |
| Capacitor, 1206, X7R, 100V, 22nF | | | 22nF | | | | MCCA001369 | |
| Capacitor, 1206, X7R, 10V, 33nF | | | 33nF | | 10V | | MCCA001370 | |
| Capacitor, 1206, X7R, 50V, 4.7nF | | | 4.7nF | | 50V | | MCCA001371 | |
| Capacitor, 1206, X7R, 25V, 6.8nF | | | 6.8nF | | 25V | | MCCA001372 | |
| Capacitor, 1206, X7R, 25V, 10nF | | | 10nF | | | | MCCA001373 | |
| Capacitor, 1206, X7R, 25V, 15nF | | | 15nF | | 16V | | MCCA001374 | |
| Capacitor, 1206, X7R, 16V, 22nF | | | 22nF | | | | MCCA001375 | |
| Capacitor, 1206, X7R, 100V, 33nF | | | 33nF | | 100V | | MCCA001376 | |
| Capacitor, 1206, X7R, 10V, 47nF | | | 47nF | | 10V | | MCCA001377 | |
| Capacitor, 1206, X7R, 50V, 6.8nF | | | 6.8nF | | 50V | | MCCA001378 | |
| Capacitor, 1206, X7R, 50V, 10nF | | | 10nF | | | | MCCA001379 | |
| Capacitor, 1206, X7R, 50V, 15nF | | | 15nF | | 25V | | MCCA001380 | |
| Capacitor, 1206, X7R, 25V, 22nF | | | 22nF | | | | MCCA001381 | |
| Capacitor, 1206, X7R, 16V, 33nF | | | 33nF | | 16V | | MCCA001382 | |
| Capacitor, 1206, X7R, 100V, 47nF | | | 47nF | | 100V | | MCCA001383 | |
| Capacitor, 1206, X7R, 10V, 68nF | | | 68nF | | 10V | | MCCA001384 | |
| Capacitor, 1206, X7R, 10V, 100nF | | | 100nF | | | | MCCA001385 | |
| Capacitor, 1206, X7R, 10V, 150nF | | | 150nF | | 50V | | MCCA001386 | |
| Capacitor, 1206, X7R, 50V, 22nF | | | 22nF | | | | MCCA001387 | |
| Capacitor, 1206, X7R, 25V, 33nF | | | 33nF | | 25V | | MCCA001388 | |
| Capacitor, 1206, X7R, 16V, 47nF | | | 47nF | | 16V | | MCCA001389 | |
| Capacitor, 1206, X7R, 100V, 68nF | | | 68nF | | 100V | | MCCA001390 | |

Soft Terminal MLCC



| Description | Size Inch (mm) | Dielectric | Capacitance | Tolerance | Rated Voltage (VDC) | Termination | Part Number | |
|-----------------------------------|----------------------|------------|-------------|------------|---------------------------|-------------|-------------|--|
| Capacitor, 1206, X7R, 100V, 100nF | 1206 (3216) | X7R | 100nF | $\pm 10\%$ | 100V | Cu/Ni/Sn | MCCA001391 | |
| Capacitor, 1206, X7R, 100V, 150nF | | | 150nF | | 100V | | MCCA001392 | |
| Capacitor, 1206, X7R, 10V, 220nF | | | 220nF | | 10V | | MCCA001393 | |
| Capacitor, 1206, X7R, 50V, 33nF | | | 33nF | | 50V | | MCCA001394 | |
| Capacitor, 1206, X7R, 25V, 47nF | | | 47nF | | 25V | | MCCA001395 | |
| Capacitor, 1206, X7R, 16V, 68nF | | | 68nF | | 16V | | MCCA001396 | |
| Capacitor, 1206, X7R, 16V, 100nF | | | 100nF | | | | MCCA001397 | |
| Capacitor, 1206, X7R, 16V, 150nF | | | 150nF | | 100V | | MCCA001398 | |
| Capacitor, 1206, X7R, 100V, 220nF | | | 220nF | | | | MCCA001399 | |
| Capacitor, 1206, X7R, 10V, 330nF | | | 330nF | | 10V | | MCCA001400 | |
| Capacitor, 1206, X7R, 50V, 47nF | | | 47nF | | 50V | | MCCA001401 | |
| Capacitor, 1206, X7R, 25V, 68nF | | | 68nF | | 25V | | MCCA001402 | |
| Capacitor, 1206, X7R, 25V, 100nF | | | 100nF | | | | MCCA001403 | |
| Capacitor, 1206, X7R, 25V, 150nF | | | 150nF | | 16V | | MCCA001404 | |
| Capacitor, 1206, X7R, 16V, 220nF | | | 220nF | | | | MCCA001405 | |
| Capacitor, 1206, X7R, 16V, 330nF | | | 330nF | | 10V | | MCCA001406 | |
| Capacitor, 1206, X7R, 10V, 470nF | | | 470nF | | | | MCCA001407 | |
| Capacitor, 1206, X7R, 50V, 68nF | | | 68nF | | 50V | | MCCA001408 | |
| Capacitor, 1206, X7R, 50V, 100nF | | | 100nF | | | | MCCA001409 | |
| Capacitor, 1206, X7R, 50V, 150nF | | | 150nF | | 25V | | MCCA001410 | |
| Capacitor, 1206, X7R, 25V, 220nF | | | 220nF | | | | MCCA001411 | |
| Capacitor, 1206, X7R, 25V, 330nF | | | 330nF | | 16V | | MCCA001412 | |
| Capacitor, 1206, X7R, 16V, 470nF | | | 470nF | | | | MCCA001413 | |
| Capacitor, 1206, X7R, 10V, 680nF | | | 680nF | | 10V | | MCCA001414 | |
| Capacitor, 1206, X7R, 10V, 1uF | | | 1uF | | | | MCCA001415 | |
| Capacitor, 1206, X7R, 50V, 220nF | | | 220nF | | 50V | | MCCA001416 | |
| Capacitor, 1206, X7R, 50V, 330nF | | | 330nF | | | | MCCA001417 | |
| Capacitor, 1206, X7R, 25V, 470nF | | | 470nF | | 25V | | MCCA001418 | |
| Capacitor, 1206, X7R, 16V, 680nF | | | 680nF | | | | MCCA001419 | |
| Capacitor, 1206, X7R, 16V, 1uF | | | 1uF | | 16V | | MCCA001420 | |
| Capacitor, 1206, X7R, 50V, 470nF | | | 470nF | | | | MCCA001421 | |
| Capacitor, 1206, X7R, 25V, 680nF | | | 680nF | | 50V | | MCCA001422 | |
| Capacitor, 1206, X7R, 25V, 1uF | | | 1uF | | | | MCCA001423 | |
| Capacitor, 1206, X7R, 50V, 680nF | | | 680nF | | 25V | | MCCA001424 | |
| Capacitor, 1206, X7R, 50V, 1uF | | | 1uF | | | | MCCA001425 | |

Disclaimer This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. SPC Multicomp is the registered trademark of the Group. © Premier Farnell plc 2010.