Capacitors > Monolithic Ceramic Cap.(lead type) **Data Sheet Radial Lead Type Monolithic Ceramic Capacitors** RDE Series Large Capacitance and High Allowable Ripple Current (Only for Commercial Use) (DC250V-DC630V) RDED72W104K3K1C11B (X7T, 0.10µF, DC450V) RoHS regulation conformity parts Coated with Epoxy resin W max ž 25.0 min. ød : 0.5±0.0 F±0.8 ension does not exceed the end of the lead bend Solder Coated Copper Wire or Solder Coated CP Wire Lead Wire : (in mm) Dimensions Lead Style Length L 5.5mm max. Code Lead Style Width W 5.0mm max **K1** Inside Crimp Thickness T 4.0mm max Packaging Lead Spacing F 5.0mm ±0.8mm Code Lead Diameter d 0.5mm±0.05mm Packaging Minimum Quantity Size W1 в 7.5mm max. Bulk 500 Specifications Rated Value Murata PN Code Spec Please refer to 'RDE Series Large Capacitance and High Allowable Ripple Current Temperature Char. D7 X7T, +22/-33% (Only for Commercial Use) Specifications and Test Methods' 104 Capacitance 0.10µF PDF file. Capacitance Tol. κ ±10% **Rated Voltage** 2W DC450V • This data sheet is applied for RADIAL LEAD TYPE MONOLITHIC CERAMIC CAPACITOR used for General Electronics equipment for your design. <Notice> Bonding, resin molding and coating In case of bonding, molding or coating this product, verify that these processes do not affect the quality of capacitor by testing the performance of the bonded, molded or coated product in the intended equipment. The variation in thickness of adhesive or molding resin or coating may cause an outer coating resin cracking and/or ceramic element cracking of a capacitor in a temperature cycling. Plese refer to 'Caution' and 'Notice' for the other details • The RoHS compliance means that we judge from EU Directive 2002/95/EC the products do not contain lead, cadmium, mercury, hexavalent chromium, PBB and PBDE, except exemptions stated in EU Directive 2002/95/EC annex and impurities existing in natural world.

• This statement does not insure the compliance of any of the listed parts with any laws or legal imperatives developed by any EU members individually with regards to the RoHS Directive.

A Note:

1. This datasheet is downloaded from the website of Murata Manufacturing co., ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications. Therefore, please approve our product specifications or transact the approval sheet for product specifications before ordering.

