

• Bright tin or nickel plating suitable for EMI/RFI shielded 'D' connectors The base of the female screwlocks have chamfered corners to prevent scratching of surface during assembly.

bers of the Frenheir affeir group of companies (the Group ) of are licensed to it. No	TOLERANCES:	DRAWN BY:	DATE:	DRAWING TITLE:			
licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The promotion is public to change without potice and potices all data potice provide up and the product of the provide state of the prov	n it relates. No licence of any intellectual property rights is granted. The to change without notice and replaces all data sheets previously sup-	SN	14/01/12	Jack Screws - Screw Lock Accessorie			
ed. The Information supplied is believed to be accurate but the Group assumes no sponsibility for its accuracy or completeness, any error in or omission from it or for any SPECIFIED,	CHECKED BY:	DATE:	SIZE DWG NO.		ELECTRONIC FILE	REV	
use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on	DIMENSIONS ARE	JAG	14/01/12	Δ	M10002506	58231 DWG	A
information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group Was aware of the possibility of such loss or damage arising is excluded. This will not operate to limit or operate liability for death or personal injury resulting from its negligence. Multicomp is the registered trademark of the Group. © Premier Famell plc 2012.		APPROVED BY:	DATE:				<u> </u>
		28/01/12	SCALE: NTS	U.O.M.: mm (Inches)	SHEET: 1 OI	F 2	

multicomp	PART NO.		REVISIONS								
	257795	ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE	
		-	А	RELEASED	SN	14/01/12	JAG	14/01/12		28/01/12	

Description	Thread Length (L)	Tolerance	Туре	Packaging	Part Number
Screwlock, D, Female, PK2	14.5	14.25 to 14.75	D20418-2145		105025
Screwlock, D, Female, 8 mm, 4-40 Unc	7.9	7.75 to 8.05	D20418-2	2 per Pack	257795
Screwlock, Female, 14.5 mm, 4-40 Unc	14.5	14.25 to 14.75	D20418-2145		257801

Dimensions : Millimetres

www.element14.com www.farnell.com

www.newark.com

Important Notice : This data sheet and its contents (the "Information") belong to the mem- bers of the Premier Famell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The	TOLERANCES: UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.	DRAWN BY: SN	DATE: 14/01/12		Screws - Screw	ock Accessorie	<u>د</u>
Information is subject to change without notice and replaces all data sheets previously sup- plied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on		CHECKED BY: Jagan	DATE: 14/01/12		M10002506	ELECTRONIC FILE 58231_DWG	REV A
		APPROVED BY:	DATE: 28/01/12	SCALE: NTS	U.O.M.: mm (Inches)	SHEET: 2	OF 2

				REVISIONS					
pro-signal	Ю.	ECN #	REV	DESCRIPTION	DRAWN	DATE CHI	ECKD DATE	APPRVD	DATE
	257801	-	A	RELEASED	MRD		JG 15/2/12		29/2/12
2.85 ±0.1	0.26 × 30° 2 - C0.3 4# - 40	H5 Dimensions	: Millimetres	Tolerance Unless	s Specified	ww	/w.element14.c /w.farnell.com /w.newark.com		
Screwlock, Female, 14.5 mm, 4-40 UNC	257801					wv	/w.cpc.co.uk		
is granted for the use of it other than for information purposes in connection with the prod-	MRD	DRAWN BY:DATE:DRAWING TITLE:MRD15/02/124 - 40 Nut							
Information is subject to change without notice and replaces all data sheets previously sup- plied. The Information supplied is believed to be accurate but the Group assumes no respon- sibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted I liability for loss or damage resultion from any reliance on the	UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE		DATE: 15/02/12	SIZE DWG NO.		EI	_ECTRONIC		REV A
	PURPOSES ONLY. APPROVI	ED BY:	DATE: 29/02/12	SCALE: NTS	U.O.M.: mm (I	nches)	SHEET:	1 0	F 1