

REVISIONS			DOC. NO. SPC-F004 * Effective: 7/8/02 * DCP No: 1398						
DCP #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE	
1423	A	RELEASED	HO	11/15/02	JWM	11/15/02	DJC	11/15/02	



Specifications:

16-oz. static dissipative hand triggered spray bottle for dispensing liquids such as antistats, water or various cleaners. This spray bottle offers an average surface resistivity of 10^9 to 10^{10} Ohms and can dissipate a $\pm 5000V$ charge in less than 2 seconds at 40% relative humidity.

SPC-F004.DWG

TOLERANCES: UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.	DRAWN BY:		DATE:		DRAWING TITLE:					
	HISHAM ODISH		11/15/02		ESD SAFE 16 OZ. SPRAY BOTTLE					
	CHECKED BY:		DATE:		SIZE	DWG. NO.	ELECTRONIC FILE		REV	
	JEFF MCVICKER		11/15/02		A	1470	10N693.DWG		A	
	APPROVED BY:		DATE:		SCALE: NTS		U.O.M.: INCHES [mm]		SHEET: 1 OF 1	
	DANIEL CAREY		11/15/02							

ALL RIGHTS RESERVED. NO PORTION OF THIS PUBLICATION, WHETHER IN WHOLE OR IN PART CAN BE REPRODUCED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPC TECHNOLOGY. DISCLAIMER: ALL STATEMENTS AND TECHNICAL INFORMATION CONTAINED HEREIN ARE BASED UPON INFORMATION AND/OR TESTS WE BELIEVE TO BE ACCURATE AND RELIABLE. SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL, THE USER SHALL DETERMINE THE SUITABILITY OF THE PRODUCT FOR THE INTENDED USE AND ASSUME ALL RISK AND LIABILITY WHATSOEVER IN CONNECTION THEREWITH.