


Mini Bayonet LED Lamp



Notes

- MCD rating are prior to basing of product
- Lens Colour: Water Clear
- Typical Useful Life: 20,000 to 40,000h

Dimensions : Millimeters

Part Number Table

Description	Replaces Incandescent Types	Volts (AC/DC)	Current	Emitted Colour & Material	Wave Length peak (nm)	Luminous Intensity Typical: (mcd) See Note 1	Viewing Angle (deg)	Part Number
Single contact Mini Bayonet LED Lamp	24MB, 28MB, 1818, 1843, 1819, 1829, 757, 1820, 1864, 313, 1873	24-28 AC/DC	13-15mA	White	Mixed	1,560	50°	SPC10554
				Red	660	4,500	30°	SPC10555
				Green	520	2,400	45°	SPC10556
				Yellow	595	2,500	30°	SPC10557
	120MB	110-130 AC/DC	3-5mA	White	Mixed	1,560	50°	SPC10558
				Red	660	4,500	30°	SPC10559
				Green	520	2,400	45°	SPC10560
				Yellow	595	2,500	30°	SPC10561

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp is the registered trademark of the Group. © Premier Farnell plc 2012.