

MCTR 241607 Series



Features:

- 24 AWG (7 / 0.201 mm) tinned copper
- Heat resisting PVC insulated

Specifications:

Conductors

24 AWG (7 / 0.201 mm) tinned annealed copper bunch Minimum Cross-Sectional Area : 0.32 mm²

Insulation

PVC compound meeting the requirements of special (semi-rigid) PVCMinimum Thickness at any one point: 0.34 mmMinimum Average Thickness: 0.38 mmNominal Overall Diameter: 1.42 mmLay Up: Not applicableScreen: Not applicableSheath: Not applicable

Part Number Table

Description	Part Number
Wire, Black, 7/24 AWG, 100 m	MCTR 241607 BLK
Wire, Blue, 7/32 AWG, 100 m	MCTR 241607 BLU
Wire, Orange, 7/32 AWG, 100 m	MCTR 241607 ORN
Wire, Red, 7/32 AWG, 100 m	MCTR 241607 RED
Wire, White, 7/32 AWG, 100 m	MCTR 241607 WHT
Wire, Yellow, 7/32 AWG, 100 m	MCTR 241607 YEL
Wire, Black, 7/32 AWG, 305 m	MCTR 241607 BLK-305M

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Famell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Pro-POWER is the registered trademark of the Group. © Premier Farnell plc 2012.

www.element14.com www.farnell.com www.newark.com www.cpc.co.uk

