






- 1 HOUSING MATERIAL: GLASS-FILLED POLYMER.
- 2 POST MATERIAL: COPPER ALLOY.
- 3 POST FINISH: DIN 41612 CLASS 2 IN CONTACT AREA. TIN PLATE ON POSTS.
- 4 PART NUMBER, DATE CODE MARKED THIS APPROXIMATE AREA.
- 5 MARKING ON THIS SIDE.
- 6 RECOMMENDED HOLE SIZE FOR MANUAL APPLICATION OF CONNECTOR ONTO PC BOARD.



SECTION Z-Z



PC BOARD LAYOUT

SUPERSEDED BY 5650473-5		1-32	X	X	X	96	7-5650473-5
		1-32	X	X	X	96	5650473-5
		POSITIONS LOADED		ROWS LOADED		NO. OF LOADED POSITIONS	PART NUMBER
		C B A		C B A			
THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN J. POLIGNONE DSMAYOS		STE TE Connectivity			
DIMENSIONS: mm [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD A. SHARPE DSMAYOS NAME			
0 PLC ± -		1 PLC ± -		PRODUCT SPEC			
2 PLC ± 0.13[.005]		3 PLC ± -		APPLICATION SPEC			
4 PLC ± -		ANGLES ± -		SIZE CAGE CODE DRAWING NO RESTRICTED TO			
MATERIAL 1/2		FINISH 3		WEIGHT -		A1 00779 C=5650473	
		CUSTOMER DRAWING		SCALE 5:1		SHEET 1 OF 1 REV A1	