





Specifications:

| Inductance | : 15µH |
|--------------------------|-----------|
| Inductance Tolerance | : ± 20% |
| DC Resistance Max | : 0.18Ω |
| DC Current Rating | : 930mA |
| Self Resonant Frequency | : 28MHz |
| Inductor Case Style | : SMD |
| No. of Pins | : 2 |
| Core Material | : Ferrite |
| External Depth | : 3.9mm |
| External Length / Height | : 1.8mm |
| External Width | : 5.8mm |
| Resonant Frequency | : 1kHz |
| Series | : SDC603 |

Electrical Characteristics (at 25°C)

| 1KHz 1V | L | 15µH ± 20% |
|----------------------|-----|------------------------------|
| at 25°C | DCR | 180mΩ (Max.) |
| 1KHz 1V Irms = 0.93A | ΔT | Temperature Rise 40°C (Max.) |

Operating temperature: -55°C to +130°C

Material List

| No. | ltem | Material Description |
|-----|--------------------|----------------------------------|
| 1 | Core | K22 DRM 5.6 × 3.6 RB-R B2.2 F1.5 |
| 2 | Wire | Ø0.23mm × 1P 2UEF1/U 155°C |
| 3 | Solder (Lead Free) | Sn99.3%/Cu0.7% |


www.element14.com www.farnell.com www.newark.com







Schematic Diagram




Note:

1. Wire Ø0.2mm x 1P 2UEF1/U 155°C

2. 24.5TS (Reference)

Electric Characteristics




www.element14.com www.farnell.com www.newark.com







Configurations and Dimensions



| А | 5.8mm | (Max.) |
|---|-------|-------------|
| С | 3.9mm | (Max.) |
| С | 1.8mm | (Reference) |

Marking: 150

Dimensions : Millimetres

Part Number Table

| Description | Part Number |
|--------------------------|-----------------|
| Inductor, 15µH, 20%, SMD | MCSDC0603-150MU |

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information or use of it (including liability for mediane) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp is the registered trademark of the Group. © Premier Farnell plc 2012.

www.element14.com www.farnell.com www.newark.com

