

Product/Process Change Notice (PCN)

- ☒ Major change
☐ Minor change



PCN #: WR-WTB 1.5mm

Product Affected: 648x0113722(DEC)

Effective Date: 16/01/2013

Contact: Guillaume Grenier

Title: Product Manager

Phone: +33 4 27 86 10 87

Fax: +33 4 27 86 10 01

E-mail: PCN.eican@we-online.de

- ☐ Product Mark
☐ Date Code
☐ Packaging
☒ Others

Attachment: ☒ Yes ☐ No

Samples: No

DESCRIPTION AND PURPOSE OF CHANGE:

The tooling has been improved to increasing the crimping efficiency.

DETAIL OF CHANGE:

See below datasheets.

RELIABILITY / QUALIFICATION SUMMARY: N / A


DATA SHEET CHANGE:

☒ Yes

☐ No

Würth Elektronik

ZAC DES GAULNES 1861 Avenue Henri Schneider 69330 Jonage - France · Phone +33427861000 · Fax +33427861001



TECHNICAL CHARACTERISTICS

MATERIAL
CONTACT MATERIAL: COPPER ALLOY
CONTACT TYPE: STAMPED
CONTACT PLATING: TIN
QUALITY CLASS: 25 MATING CYCLES
PITCH: FOR 1.50MM

ENVIRONMENTAL
OPERATING TEMPERATURE: -25 UP TO 85°C
COMPLIANCE: LEAD FREE AND ROHS

ELECTRICAL
CURRENT RATING: 1A
WORKING VOLTAGE: 50V AC
CONTACT RESISTANCE: 20 mOHM MAX

WIRE DIMENSION
AWG: AWG 28 - 30

PACKAGING
15KPCS REEL

RoHS Compliant				PROJECTION:	GENERAL TOLERANCE .X = ± 0.2 .XX = ± 0.15		DESCRIPTION: 1.50MM FEMALE TERMINAL CRIMP CONTACT WERI PART NO: 648 001 137 22	SIZE A4
G								
F								
E	11-MAY-10	PACKAGING	JP					
D	18-FEB-09	DRAW	JP					
C	09-AUG-08	T&R DESCRIPTION	RB	APPROVAL: RJ	UNIT: MM			
B	01-FEB-07	DRAW	EC					
A	26-FEB-06	PDF	JP					
REV	DATE	FILE	BY					

